App Serial # 09/714.883 Turner & Mathur

Exhibit P LEX-0092-USA Novel Human Secreted Proteins and Polynucleotides Encoding the Same



# (12) United States Patent

Yan et al.

(10) Patent No.:

US 6,340,583 B1

(45) Date of Patent:

Jan. 22, 2002

(54) ISOLATED HUMAN KINASE PROTEINS, NUCLEIC ACID MOLECULES ENCODING HUMAN KINASE PROTEINS, AND USES THEREOF

(75) Inventors: Chunhua Yan, Boyds; Karen A.

Ketchum, Germantown; Valentina Di Francesco, Rockville; Ellen M. Beasley, Darnestown, all of MD (US)

Assignee: PE Corporation (NY), Norwalk, CT (US)

(\*) Notice:

Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/813,817

Mar. 22, 2001 (22) Filed:

(51) Int. Cl.<sup>7</sup> ...... C12N 9/12; C12N 1/20; C12N 15/00; C12N 5/00; C07H 21/04

U.S. Cl. ...... 435/194; 435/320.1; 435/252.3; 435/325; 536/23.2

(58) Field of Search ...... 435/194, 252.3, 435/325, 320.1; 536/23.2 (56)

References Cited

**PUBLICATIONS** 

GenEmbl Database, Accession No. D45906, Feb. 1999.\* Sambrook et al., Molecular Cloning Manual, 2nd edition,

Cold Spring Harbor Laboratory Press, 1989.\*

\* cited by examiner

Primary Examiner-Rebecca E. Prouty Assistant Examiner-M. Monshipouri

(74) Attorney, Agent, or Firm-Celera Genomics; Robert

A. Millman; Justin D. Karjala

**ABSTRACT** 

The present invention provides amino acid sequences of peptides that are encoded by genes within the human genome, the kinase peptides of the present invention. The present invention specifically provides isolated peptide and nucleic acid molecules, methods of identifying orthologs and paralogs of the kinase peptides, and methods of identifying modulators of the kinase peptides.

9 Claims, 41 Drawing Sheets

1 CCCAGGGCGC CGTAGGCGGT GCATCCCGTT CGCGCCTGGG GCTGTGGTCT 51 TCCCGCGCCT GAGGCGGCGG CGGCAGGAGC TGAGGGGAGT TGTAGGGAAC 101 TGAGGGGAGC TGCTGTGTCC CCCGCCTCCT CCTCCCCATT TCCGCGCTCC 151 CGGGACCATG TCCGCGCTGG CGGGTGAAGA TGTCTGGAGG TGTCCAGGCT 201 GTGGGGACCA CATTGCTCCA AGCCAGATAT GGTACAGGAC TGTCAACGAA 251 ACCTGGCACG GCTCTTGCTT CCGGTGAAAG TGATGCGCAG CCTGGACCAC 301 CCCAATGTGC TCAAGTTCAT TGGTGTGCTG TACAAGGATA AGAAGCTGAA 351 CCTGCTGACA GAGTACATTG AGGGGGCAC ACTGAAGGAC TTTCTGCGCA 401 GTATGGATCC GTTCCCCTGG CAGCAGAAGG TCAGGTTTGC CAAAGGAATC 451 GCCTCCGGAA TGGACAAGAC TGTGGTGGTG GCAGACTTTG GGCTGTCACG 501 GCTCATAGTG GAAGAGAGGA AAAGGGCCCC CATGGAGAAG GCCACCACCA 551 AGAAACGCAC CTTGCGCAAG AACGACCGCA AGAAGCGCTA CACGGTGGTG 601 GGAAACCCCT ACTGGATGGC CCCTGAGATG CTGAACGGAA AGAGCTATGA 651 TGAGACGGTG GATATCTTCT CCTTTGGGAT CGTTCTCTGT GAGATCATTG 701 GGCAGGTGTA TGCAGATCCT GACTGCCTTC CCCGAACACT GGACTTTGGC 751 CTCAACGTGA AGCTTTTCTG GGAGAAGTTT GTTCCCACAG ATTGTCCCCC 801 GGCCTTCTTC CCGCTGGCCG CCATCTGCTG CAGACTGGAG CCTGAGAGCA 851 GACCAGCATT CTCGAAATTG GAGGACTCCT TTGAGGCCCT CTCCCTGTAC 901 CTGGGGGAGC TGGGCATCCC GCTGCCTGCA GAGCTGGAGG AGTTGGACCA 951 CACTGTGAGC ATGCAGTACG GCCTGACCCG GGACTCACCT CCCTAGCCCT 1001 GGCCCAGCCC CCTGCAGGGG GGTGTTCTAC AGCCAGCATT GCCCCTCTGT 1051 GCCCCATTCC TGCTGTGAGC AGGGCCGTCC GGGCTTCCTG TGGATTGGCG 1101 GAATGTTTAG AAGCAGAACA AACCATTCCT ATTACCTCCC CAGGAGGCAA 1151 GTGGGCGCAG CACCAGGGAA ATGTATCTCC ACAGGTTCTG GGGCCTAGTT 1201 ACTGTCTGTA AATCCAATAC TTGCCTGAAA GCTGTGAAGA AGAAAAAAAC 1251 CCCTGGCCTT TGGGCCAGGA GGAATCTGTT ACTCGAATCC ACCCAGGAAC 1301 TCCCTGGCAG TGGATTGTGG GAGGCTCTTG CTTACACTAA TCAGCGTGAC 1351 CTGGACCTGC TGGGCAGGAT CCCAGGGTGA ACCTGCCTGT GAACTCTGAA 1401 GTCACTAGTC CAGCTGGGTG CAGGAGGACT TCAAGTGTGT GGACGAAAGA 1451 AAGACTGATG GCTCAAAGGG TGTGAAAAAG TCAGTGATGC TCCCCCTTTC 1501 TACTCCAGAT CCTGTCCTTC CTGGAGCAAG GTTGAGGGAG TAGGTTTTGA 1551 AGAGTCCCTT AATATGTGGT GGAACAGGCC AGGAGTTAGA GAAAGGGCTG 1601 GCTTCTGTTT ACCTGCTCAC TGGCTCTAGC CAGCCCAGGG ACCACATCAA 1651 TGTGAGAGGA AGCCTCCACC TCATGTTTTC AAACTTAATA CTGGAGACTG 1701 GCTGAGAACT TACGGACAAC ATCCTTTCTG TCTGAAACAA ACAGTCACAA 1751 GCACAGGAAG AGGCTGGGGG ACTAGAAAGA GGCCCTGCCC TCTAGAAAGC 1801 TCAGATCTTG GCTTCTGTTA CTCATACTCG GGTGGGCTCC TTAGTCAGAT 1851 GCCTAAAACA TTTTGCCTAA AGCTCGATGG GTTCTGGAGG ACAGTGTGGC 1901 TTGTCACAGG CCTAGAGTCT GAGGGAGGGG AGTGGGAGTC TCAGCAATCT 1951 CTTGGTCTTG GCTTCATGGC AACCACTGCT CACCCTTCAA CATGCCTGGT 2001 TTAGGCAGCA GCTTGGGCTG GGAAGAGGTG GTGGCAGAGT CTCAAAGCTG 2051 AGATGCTGAG AGAGATAGCT CCCTGAGCTG GGCCATCTGA CTTCTACCTC 2101 CCATGTTTGC TCTCCCAACT CATTAGCTCC TGGGCAGCAT CCTCCTGAGC 2151 CACATGTGCA GGTACTGGAA AACCTCCATC TTGGCTCCCA GAGCTCTAGG 2201 AACTCTTCAT CACAACTAGA TTTGCCTCTT CTAAGTGTCT ATGAGCTTGC 2301 AAAAAAAAA AAAAAAAAA (SEQ ID NO:1)

U.S. Patent

FEATURES: 1 - 2285'UTR: Start Codon: 229 Stop Codon: 994 997 3'UTR: Homologous proteins: Top 10 BLAST Hits Score Ε 485 e-136 CRA|1000682328847 /altid=gi|8051618 /def=ref|NP 057952.1| LIM d... CRA 18000005015874 /altid=gi | 5031869 /def=ref | NP 005560.1 | LIM ... 485 e-136 CRA 88000001156379 /altid=gi 7434382 /def=pir | JC5814 LIM motif... CRA 88000001156378 /altid=gi 7434381 /def=pir | JC5813 LIM motif... CRA 18000005154371 /altid=gi 7428032 /def=pir | JE0240 LIM kinas... 469 e-131 469 e-131 469 e-131 469 e-131 CRA|18000005126937 /altid=gi|6754550 /def=ref|NP\_034848.1| LIM ... 469 e-131 CRA 18000005127186 /altid=gi 2804562 /def=dbj BAA24491.1 (AB00... CRA|18000005127185 /altid=gi|2804553 /def=dbj|BAA24489.1| (AB00... 469 e-131 468 e-131 CRA|18000005004416 /altid=gi|2143830 /def=pir||I78847 LIM motif... CRA|18000005004415 /altid=gi|1708825 /def=sp|P53670|LIK2 RAT LI... 468 e-131 BLAST dbEST hits: Score Ε 1049 0.0 gi | 10950740 /dataset=dbest /taxon=96... 975 0.0 gi 10156485 /dataset=dbest /taxon=96... 952 0.0 gi | 5421647 / dataset=dbest / taxon=9606 ... 757 0.0 qi 10895718 /dataset=dbest /taxon=96... 714 0.0 gi|519615 /dataset=dbest /taxon=9606 /... 531 e-149 511 e-143 gi|11002869 /dataset=dbest /taxon=96... EXPRESSION INFORMATION FOR MODULATORY USE: library source: From BLAST dbEST hits: gi|10950740 teratocarcinoma gi 10156485 ovary

US 6,340,583 B1

From tissue screening panels:

gi 11002869 thyroid gland

testis gi 10895718 nervous normal gi 13043102 bladder

infant brain

Fetal whole brain

gi | 5421647

gi | 519615

FIG.1B

- 1 MVQDCQRNLA RLLLPVKVMR SLDHPNVLKF IGVLYKDKKL NLLTEYIEGG 51 TLKDFLRSMD PFPWQQKVRF AKGIASGMDK TVVVADFGLS RLIVEERKRA 101 PMEKATTKKR TLRKNDRKKR YTVVGNPYWM APEMLNGKSY DETVDIFSFG 151 IVLCEIIGQV YADPDCLPRT LDFGLNVKLF WEKFVPTDCP PAFFPLAAIC
- 201 CRLEPESRPA FSKLEDSFEA LSLYLGELGI PLPAELEELD HTVSMQYGLT

251 RDSPP (SEQ ID NO:2)

### **FEATURES:**

Functional domains and key regions: [1] PDOC00004 PS00004 CAMP PHOSPHO SITE CAMP- and cGMP-dependent protein kinase phosphorylation site

Number of matches: 2

- 108-111 KKRT 1
- 2 119-122 KRYT

[2] PDOC00005 PS00005 PKC PHOSPHO\_SITE Protein kinase C phosphory lation site

Number of matches: 4

- 51-53 TLK 1
- 2 106-108 TTK
- 3 107-109 TKK
- 111-113 TLR

[3] PDOC00006 PS00006 CK2 PHOSPHO SITE Casein kinase II phosphorylation site

Number of matches: 4

- 51-54 TLKD
- 2 76-79 SGMD
- 3 139-142 SYDE
- 212-215 SKLE

[4] PDOC00008 PS00008 MYRISTYL N-myristoylation site

Number of matches: 4

73-78 GIASGM 1

FIG.2A

```
2
            77-82 GMDKTV
     3
          150-155 GIVLCE
          158-163 GQVYAD
Membrane spanning structure and domains:
 Helix Begin End
                    Score Certainty
                     0.872 Putative
    1
        142
               162
                     0.652 Putative
    2
        184
               204
BLAST Alignment to Top Hit:
>CRA|1000682328847 /altid=gi|8051618 /def=ref|NP_057952.1| LIM
          domain kinase 2 isoform 2b [Homo sapiens] /org=Homo
          sapiens /taxon=9606 /dataset=nraa /length=617
         Length = 617
 Score = 485 bits (1235), Expect = e-136
 Identities = 241/265 (90%), Positives = 241/265 (90%), Gaps = 22/265 (8%)
Query: 13 LLPVKVMRSLDHPNVLKFIGVLYKDKKLNLLTEYIEGGTLKDFLRSMDPFPWQQKVRFAK 72
          L VKVMRSLDHPNVLKFIGVLYKDKKLNLLTEYIEGGTLKDFLRSMDPFPWQQKVRFAK
Sbjct: 353 LTEVKVMRSLDHPNVLKFIGVLYKDKKLNLLTEYIEGGTLKDFLRSMDPFPWQQKVRFAK 412
DKTVVVADFGLSRLIVEERKRAPMEKATTKKR
          GIASGM
Sbjct: 413 GIASGMAYLHSMCIIHRDLNSHNCLIKLDKTVVVADFGLSRLIVEERKRAPMEKATTKKR 472
Query: 111 TLRKNDRKKRYTVVGNPYWMAPEMLNGKSYDETVDIFSFGIVLCEIIGQVYADPDCLPRT 170
          TLRKNDRKKRYTVVGNPYWMAPEMLNGKSYDETVDIFSFGIVLCEIIGQVYADPDCLPRT
Sbjct: 473 TLRKNDRKKRYTVVGNPYWMAPEMLNGKSYDETVDIFSFGIVLCEIIGQVYADPDCLPRT 532
Query: 171 LDFGLNVKLFWEKFVPTDCPPAFFPLAAICCRLEPESRPAFSKLEDSFEALSLYLGELGI 230
          LDFGLNVKLFWEKFVPTDCPPAFFPLAAICCRLEPESRPAFSKLEDSFEALSLYLGELGI
Sbjct: 533 LDFGLNVKLFWEKFVPTDCPPAFFPLAAICCRLEPESRPAFSKLEDSFEALSLYLGELGI 592
Query: 231 PLPAELEELDHTVSMQYGLTRDSPP 255
          PLPAELEELDHTVSMQYGLTRDSPP
Sbjct: 593 PLPAELEELDHTVSMQYGLTRDSPP 617 (SEQ ID NO:4)
Homer search results (Pfam):
                                                              E-value N
                                                     Score
Model
        Description
                                                                        2
                                                              1.1e-26
                                                     100.1
PF00069 Eukaryotic protein kinase domain
                                                                 0.14
                                                       4.9
CE00031 CE00031 VEGFR
                                                       4.7
                                                                        1
CE00204 CE00204 FIBROBLAST GROWTH_RECEPTOR
                                                                  7.9
                                                                        1
CE00359 E00359 bone morphogenetic_protein_receptor
                                                       1.8
                                                                        1
                                                       1.5
CE00022 CE00022 MAGUK subfamily d
```

FIG.2B

CE00287 CE00287 PTK Eph orphan receptor

CE00292 CE00292 PTK membrane\_span

-48.4

-61.8

3.8e-05

2.1e-05

1

CE00291	CE00291 PTK fgf receptor	-113.0	0.027	1
CE00286	E00286 PTK EGF receptor	-125.1	0.0021	1
CE00290	CE00290 PTK Trk_family	-151.3	6.5e-05	1
CE00288	CE00288 PTK_Insulin_receptor	-210.4	0.014	1

## Parsed for domains:

rai seu i	or abiliar	113.					
Model	Domain	seq-f	seg-t	hmm-f	hmm-t	score	<u>E-value</u>
PF00069	1/2	16	79 .	. 41	105	52.1	2.3e-13
CE00022	1/1	124	153 .	. 187	216	1.5	2.5
PF00069	2/2	81	156 .	. 129	182	48.0	3.1e-12
CE00031	1/1	129	156 .	. 1114	1141	4.9	0.14
CE00204	1/1	129	156 .	. 705	732	4.7	1
CE00359	1/1	79	157 .	. 287	356	1.8	7.9
CE00290	1/1	9	218 .	. 1	282 []	-151.3	6.5e-05
CE00287	1/1	1	218 [	1	260 []	-48.4	3.8e-05
CE00291	1/1	1	218 [	1	285 []	-113.0	0.027
CE00292	1/1	1	218 [	. 1	288 []	-61.8	2.1e-05
CE00288	1/1	1	218 [	. 1	269 []	-210.4	0.014
CE00286	1/1	6	218 .	. 1	263 []	-125.1	0.0021

FIG.2C

1 TCATCCTTGC GCAGGGGCCA TGCTAACCTT CTGTGTCTCA GTCCAATTTT 51 AATGTATGTG CTGCTGAAGC GAGAGTACCA GAGGTTTTTT TGATGGCAGT 101 GACTTGAACT TATTTAAAAG ATAAGGAGGA GCCAGTGAGG GAGAGGGGTG 151 CTGTAAAGAT AACTAAAAGT GCACTTCTTC TAAGAAGTAA GATGGAATGG 201 GATCCAGAAC AGGGGTGTCA TACCGAGTAG CCCAGCCTTT GTTCCGTGGA 251 CACTGGGGAG TCTAACCCAG AGCTGAGATA GCTTGCAGTG TGGATGAGCC 301 AGCTGAGTAC AGCAGATAGG GAAAAGAAGC CAAAAATCTG AAGTAGGGCT 351 GGGGTGAAGG ACAGGGAAGG GCTAGAGAGA CATTTGGAAA GTGAAACCAG 401 GTGGATATGA GAGGAGAGAG TAGAGGGTCT TGATTTCGGG TCTTTCATGC 451 TTAACCCAAA GCAGGTACTA AAGTATGTGT TGATTGAATG TCTTTGGGTT 501 TCTCAAGACT GGAGAAAGCA GGGCAAGCTC TGGAGGGTAT GGCAATAACA 551 AGTTATCTTG AATATCCTCA TGGTGGAAAG TCCTGATCCT GTTTGAATTT 601 TGGAAATAGA AATCATTCAG AGCCAAGAGA TTGAATTGTT GAGTAAGTGG 651 GTGGTCAGGT TACAGACTTA ATTTTGGGTT AAAAAGTAAA AACAAGAAAC 701 AAGGTGTGGC TCTAAAATAA TGAGATGTGC TGGGGGTGGG GCATGGCAGC 751 TCATAAACTG ACCCTGAAAG CTCTTACATG TAAGAGTTCC AAAAATATTT 801 CCAAAACTTG GAAGATTCAT TTGGATGTTT GTGTTCATTA AAATCTCTCA 851 CTAATTCATT GTCTTGTCCA CTGTCCGTAA CCCAACCTGG GATTGGTTTG 901 AGTGAGTCTC TCAGACTTTC TGCCTTGGAG TTTGTGAGAG AGATGGCATA 951 CTCTGTGACC ACTGTCACCC TAAAACCAAA AAGGCCCCTC TTGACAAGGA 1001 GTCTGAGGAT TTTAGACCCA GGAAGAATGA GTGATGGGCA TATATATATC 1051 CTATTACTGA GGCATGAGAA GAGTGGAATG GGTGGGTTGA GGTGGTGTTT 1101 TAAGGCCTCT TGCCAGCTTG TTTAACTCTT CTCTGGGGAA CGAGGGGGAC 1151 AACTGTGTAC ATTGGCTGCT CCAGAATGAT GTTGAGCAAT CTTGAAGTGC 1201 CAGGAGCTGT GCTTTGTCTA TTCATGGCCC CTGTGCCTGT GAAACAGGGT 1251 TCGGTGACTG TCACTGTGCC TGTGGCAGTC TGTAGTTACC CAGAGAGAAC 1301 AAAGCTGCAT ACACAGAGCG CACAAGGGAG TCTTGTAACA ACCTTGTCCT 1351 GCTTTCTAGG GCTGAGTCAG GTACCACAGC TTGATCTCAG CTGTCCTCTT 1401 TATTTCAAGA AGTTGACATC TGAGCCATAC CAGGAGTATT GTATTTTGTT 1451 TGAGGCCTCT CTTTTTGGAG GAACATGGAC CGACTCTGTG CTTTTGTCTA 1501 TGCTGGTCTC TGAGCTCACA CAACCCTTCA CCCTCCTTTC TCAGCCAGTG 1551 ATAGGTAAGT CTTCCCTATC TTGCAAGGCT CAGCTCAAGT GTCAGCTTCC 1601 TCTACAAAGA CTTTCCTGGT TCCCCTCATT GGAGTGAACA AGAGTTGACA 1651 TGGTAGAATG GAAAGAGCAG AAGCTTTAGA ATGAGCCAGA CCTGAGTATG 1701 AATGCTAGAT CCACCACTTA GCTAGTCAAC CCTGCCCCCT GCCTCAAGTT 1751 TTAATTTTCC TATCCATTAA GTGAATATAA TAATACCTGT GTCACAGGAT 1801 TATTTTGAGA ATTAAATGAG ATTAGGTCTA TGAAAGCACC TAGCAGAGTT 1851 CTTGGCATAT AGGAGGCATT CATTAAATAT TTGTTCTTCC CCTTTTATAC 1901 CCATTACTIT TCTTTTTCTG AACTAAAATA ATACTTGGTT CTATCTCTGA 1951 AATAACATCC AAGTGAAAAA TCAACAACAT GAAAGAGCAG TTCTTTTCCA 2001 GTGGATTTGC TTCTTAAGGA GCAGAGATTA TGTAATCTAA CAGCCTCCAA 2051 CATACAAAGA GCTTTGTATC TAGAACAGGG GTCCCCAGCC CCTGGACCGC 2101 CAACTGGTAC GGGTCTGTAG CCTGTTAGGA ACCAGGCTGC ACAGCAGGAG 2151 GTGAGCGGCG GGCCAGTGAG CATTGCTGCC TGAGCTCTGC CTCCTGTCAG 2201 ATCAGTGGTG GCATTAGATT CTCATAGGAG TGTGAACCCT ATTGTGAACT 2251 GCACATGCAA GGGATCTGGG TTGCATGCTC CTTATGAGAA TCTCACTAAT 2301 GGCTGATGAT CTGAGTTGGA ACAGTTTGAT ACCAAAACCA TCCCCCCGCC 2351 CCCCAACCCC CAGCCTAGGG TCCGTGGAAA AATTGGCCCC TGGTGCCAAA 2401 AAGGTTGAGG ACTGCTGATC TAGAGGACCA ATTTATTCAA TGTTGGTTGA 2451 GTAAATGAGC TCTTGGATTA GGTGATGGAA AAATCTGAAA AAACAGGGCT

2501	TTTGAGGAAT	AGGAAAAGGC	AGTAACATGT	TTAACCCAGA	GAGAAGIIIC
2551	TGGCTGTTGG	CTGGGAATAG	TCATAGGAAG	GGCTGACACT	GAAAAGAAGG
2601	AGATTGTGTT	CGTTTCTTCT	TCTCAGAGCT	ATAAGCAAAG	GCTGAAAGTT
2651	CTAGAAAAAG		TTTCAGTAGA		
2701	TTTTTAGAAA	ATGGAATGAG	ACTACTTTTG	AGGCCATGAG	TTCCTTGTCC
2751	CTGGAGAGAT	GAGCAGAGGT	TGGACAAGTG	CTTACCAGAG	ATCTTGTGGA
2801	GGCAGAAACT	GTGCATCTAG	CAGAGCATTG	GCCTAACCCT	TTCAAATGAG
2851	ATGCTGTTAA	CTCAGTCTTA	TTCTACATGG	TAGGAATCCT	GTCCCTTTGC
2901	CTCCTGCTAC	TTTGGGCCTC	TCAACCTCTT	GGTTTTGTGT	GCAGGTGAAG
2051	ATGTCTGGAG	CTCTCCAGGC	TGTGGGGACC	ACATTGCTCC	AAGCCAGATA
3001	TGGTACAGGA	CTGTCAACGA	AACCTGGCAC	GGCTCTTGCT	TCCGGTAGGT
2051	GGGCCTATCC	TCCCATCTTT	ACCACTGTAC	TATEGECCAA	GCACTATTTC
3101	ATGTTCTGAT	CCAAAACACA	CANACAACCT	TOTOACTTOA	CAATTTCAAT
3101	CTTAGGGTGG	CCAAACCAAT	CTACCAACCA	ACACCTCATC	ACCARACCTC
3151	CITAGGGIGG	GGAAAGGAAT	CACCTTAAAT	TOCALCACC	ATAAATCCCC
3201	AAGTGTGGCC	CCCCTGAACC	CAGGIIAAAI	166AAGAGCC	ALAAATUUUU
3251	CAGCTGGAGG	CAGGGTGGG	GGATGAGAGG	AGCCCTTTCC	AACACTCACT
3301	CATATCCCTC	ACTITATEGE	I GAGGAAAC I	GAUGUULAGG	AAGAGTGACT
3351	TTCCTGTGGC	TGCACTACAG	ATTATGCAGG	TACTTCAAGA	GIIGIIIGIA
3401	TTCTTATTTT	ATTITATTIT	AIIIIAIIII	ALLIALLI	AIIIIAIGAG
3451	AGGGATTCTT	GCTGTTGCCC	AGGCTGGAGT	GCAGTGGTGC	AATCTCGGCT
3501	CACTGCAATC	TCTGCCTGCT	GGGTTCAAGT	GATTTTTCTG	CCTTAGCTTC
3551	CTGAGTAGCT	GAGATGACAG	GCACCTGCCA	CCATGCGCAG	CTAATTTTTG
3601	TATTTTAGTG	GAGACGGGGG	TTTCAACATG	TTGGTCAGGC	TGGTCTTGAA
3651	CTCCTGACCT	CAAATGATGC	ACCCACCTCG	ACCTCCCAAA	GTGCTGGAAT
3701	TACAGGCGTG	AACCACTGTG	CCCAGCCAAG	AGTTGTTTTT	AGTGTGGTTG
3751	GCAGAGCCAG	CTCTTCCTTC	ACCACAGGAT	<b>GCCTCCCTAG</b>	GTTCCTACTT
3801	TTTGTTACTA	CCTITIATIA	TAGCTATATT	ATTATTATTA	TATTATTAT
3851	TATTATTATT	ATTATTGAGA	CAGAGTCTCG	CTCTGTCGCC	CAGGCTGGTG
3901	TACAGTGGTG	CEATCCCEGE	CTCACTGCAA	CCTCTGCCTC	CCGAGTTCAA
2051	GCAGTTCTCC	TECCTCAECC	CCCCGAGTAG	GTGGGACTAC	AGGCGCCTGC
7001	CACCACACCC	CCCTAATTTT	TGTATTTTTA	GTAGAGACGG	GGTTTCACCT
4051	TGTTGACCAG	CCTCCTCTCC	AGCTCCTGAC	CTCAGGTAAG	TGCTAGAATC
4101	ACAGGCGTGA	ACCACTCCCC	CCACCCAACA	GTTGTTTTTA	
4101	CAGAGCCAGC	TOTTOTORO	CACACCTTCC	CTCCCTAGGT	TCCTACTTTT
4101	TGTTACTAGC	TTTATTATAC	CTACATTATT		TATTATTATT
				TGGTGTACAG	
4251	TGAGACAGAG	CCAACCTCTC			
4301	TTGGCTCACT	GUAACUTUTG	CTCCACCCAC	CTCCCACCAC	CCCCACCTAA
4351	AGCCCCCCTA	GIAGGIGGGA	CICCAGGCAC	ACCTTCTTCC	CCACCCTCCT
4401	TTTTTGTATT	IIIAGIAGAG	TOATCOCCT	ACCITOTOG	CCCAAAATCT
4451	CTCAAACTCC	TGACCTCAGG	IGATUUGUUT	GLUTUGULUT	CCCAAAAIGI
4501	TGGGATTACA	GGCATGAGCC	ACCGCGCCCT	GCCTATAGCT	ACATIATITI
4551	TGTAGGCAGC	TCAGTTTCTT	AAAAATTATA	CAGACTICAA	ATCAGATITG
4601	TTCCTGCTGT	CTGAGGCTCA	GTTTCTTCAT	CTGGAAAATG	GAIGGIAAIA
4651	ATCTTGTTGA	GATTGAATGA	<b>TATATATAA</b>	GCAGTGTATC	CAGTACATGG
4701	TAGACACCCA	GTGAATGGTT	ATTCCTTCCT	CCCATCGGAT	TGGAATTCTC
4751	AAGGGTGGGA	ACTIGICITY	ATATTCTTCA	CAACGTAAAA	TAGTTGAAAAT
4801	TIGTIGGTGG	AAAGAAGAGC	AGTCCACTCC	AGAGGCTGGA	TGGGCATGCC
4851	TGGCCCCCAA	GGTCTGAAGT	GGTAGGGCTG	TGCCTATATC	CTGAGAATGA
4901	GATAGACTAG	GCAGGCACCT	TGTGCTGTAG	ATTCCAGCTC	CTGCACATAG
4951	CTCTTGTTGT	AAAACATCCC	TGTGCTTATA	CCAAGTAATT	GAGTTGACCT

5001 TTAAACACTT GCCTCTTCCC TGGGAACCAT ATAGGGGATT GGCCTGGAGA 5051 CGTCTGGCCT CTGGAAGAGT TGGAAAGCAG CCATCATTAT TATCCTTTCC 5101 TITCAGCTAT AACTCAGAGC TCTCAAGTCT TTTCTGTGGA TCTTATTGCC 5151 TTGGTTCTTG CCCCTTTTAC TCCCAGGGAA GTTGATTCTG TCTTTTCTGT 5201 TCCATTTAGT ATGACAGGAG CAGAGAATGT CAGAGCTGTA AGGGACCTTA 5251 TAGTTAAAGC CTTTGGCTGG TCCTTTCATT TTATAGCTGG GACTAATAAG 5301 TAACGTCAAA ACCCAATGAG TTCACAGATT GGGTCTCGCC TTGGCATGTA 5351 ACCCATATGT TCATATTCTT GCTGTTTTCC TATGTGTATG AATATTTTCT 5401 ATCCAAAATA AGCAGGACAG GGTAGAGCAA GTTAATCTTT GGAATTTCTG 5451 GATTCTCTTA GAGCTAAAAA ACTTCAGAAC TAGAAGAAAC CACCCACTAT 5501 ATGGTATAAC CCATTCATAT CACAGATGAG GCCTGAAACC AAAAAGACTT 5551 GCTCAGGCCA TGGATGACAA GAGCTGGCCC TAGCACTGAA CTCTTGGGTC 5601 ATTTGTAGGT CTAGTCAGAT GCTAGCTTGT TAGCTCTGTG CGTGCGTGTG 5651 TGTGTGTGTG TGTGTGTGT TGTGTGAGAT AGAGACAGAA AGATAACATA 5701 TGTACACAAA TACATAAAGA GGAAGTAGAC ACGTTAGCAT GGTAGATAAG 5751 AGTACAGGCA GGCCAGGCGT GGTGGCTCAC GCCTGTAATC CCAGCACTTT 5801 GGGAGGCCAA GGCAGGTGGA TCACCTGAGG TCAGGAATTC GAGACCAGCC 5851 TGACCAACAT GGTGAAACCC CATCTCTACT AAATACAGAA AAAAATTAGC 5901 TTGGCATGGT GGCACATGCC TGTAATCCCA GCTACTTGGG AAGCTGAAGC 5951 AGGAGAATCG CTTGAATCCG GGAAGCAGAA GTTGCAGTGA GCCGAGATTG 6001 TGCCATTACA GTCTAGCCTG GGCAACAAGA GGGAAACTCC ATCGCAAAAA 6051 AACAACCACC ACCAAGAGTA CAGGCTATGG AATGAGACTA TGGTTTTAAA 6101 TCCTGGCTTT GCAATTTATT AACTAGCCTT AAGTGACTTC CCTGAGCTTC 6151 AGGCACCAAT CTGTAAAATG AGGATAAGAA TATTACTCAT GCCACATGGT 6251 TCTGACATAT AGAAAACTCT TAATAGGGCC GGACGTGGTG GCTTATGCCT 6301 GTAATCCTAG CACTCTGGGA GGCCGAGGCA GAAGGATCGC TTGAGCCCAT 6351 GAGCCCAGGA GTTTGAGACC AGCCTGGCCA ACATGGCAAA ACTCCACCTC 6401 TACAAAAAT ACAAAAATAT TAGCCAGGCG TGATGGCACA CACCTGTAGT 6451 CCCAGCTACT TGGGAAGCTG AGGAGCGATG ATTACCTGAG CCCAGGGATA 6501 TCAAGGCTGT AGTGAGCTGT GATCATGCCA CTGTACTCCA TCCAGCTGGG 6551 GGACAGAGTG AAACCCCTGT CTCAAAACAA AACAAATGAA AAAAAAAACC 6601 CITAATAATC AGTAACTGTC ACTITATATT ATGTTGTGAG TGTGTGTCTA 6651 TATACACCTA TATGTATACA TTTCTCTTAT TACACATTCA TTGGTGATCT 6701 GATGTGGAGC CCCAGGGATT AAGGGCAACT TTGAACTACC CTGACACAAT 6751 CAAGCCAAAT ATCATTCCCG TGGAGGAAGT AGAGTATCTA GGTTCTGTCT 6801 CCTAGTTGCA GCTTTACCTT GAGGACAGAG ACTCTAATCC AGCTGTGCTG 6851 AAGGAGCACA TCTCCTGACT TCTGAGCTTT CCCCTGGTAA ATTCAAACTG 6901 GATGTCACGG CGCCCTCAGA TAGAGCCTGG TAATTTGCCC TGGGGAGAGT 6951 GACTGTCTTT TGGATCTAAT TTGACTTTTG CCCCAGTTGG AGGAAAATCT 7001 TCAGGGCTAG GAAGGATTGT ATTTGTCTGA CCCCAGAGAT AACCTGGGTT 7051 TTGAGGAACA TGGGGCATCA ACCTGAATGG TCTTGTAAGA TCTCTCCCAC 7101 GCCAGCTTGC CAGTGTTTCT CTGATGAATT TAGAGTACCT GAGTAGTGCA 7151 GGCCTGCTGG GAGGAGGACT CTCCCTCTGT GCTACTCAGA GAAATTCATT 7201 CTTCAAGGCC CCCTTCCAGC CTTGCTCTTA CCCAGCTGGG CTACAGTTAC 7251 AATAAAGGAA ATGACTITTC TTCTCCCCTT CCCCCAGTAC CTTTGTTTTC 7301 CTAGTCACAG GGTGGGGCTG GATATTGAAT GGAGAAATTG CTGGGGTCCA 7351 TCCTAAACTC CTCCCCTCAT CTCTCCCTTA CATTACCCCA TTCTTCTGTC 7401 TGCAGCCACA TCCATAATCC TGCCTCTGTT AGCCTTCCGA CAGACCCTCA 7451 GGTGCCCAGG ACAACAGGAA GCTACTTAAA GCTGGAACCT CAGACTGTGC

7501	AATGGAGGCC	AGTGACAAAA	CTGAAAGTAG	CTCTGTCAGT	AATTGTGCTG
7551	GTGCGATTAG	GCAGCTGGCC	AGAATCTTTT	GGATCTCCTG	GACATATGGC
7601	TGACTAGTCC	TCCCAAGCCT	TCCCAACAGG	CCTCTTTTTT	TTCCTTTTTT
7651	TCTTTTCTTT	ТТТТСТТТС	TTTCTTTCTT	тептип	TTTTTTTAG
7701	GCTAGTGAAG	TGAAATTGTG	GGAGTGGAAA	AGGAACAAAG	AAATCGGTAA
7751	CTGGTAGTGA	TCAATTACTT	GTAAACACTA	TTGTACTTGG	ACCAGCCCAG
7801	TAGGCCTTTT	TTAAAACTCT	GAGTTACCTC	TCTTTCCTTT	CCTTGAGCAG
7851	TGCCATTAAT	TCTGTATCTG	GGGCAATCCT	TTCTGATGTT	CTCTGGACCT
7901	GGCTCTCTCT	CCTTAGGAGA	GGCCAGGAGA	GTAGCCAGAG	AGCATGTCAT
7951	TTGTAGCTGA	GGTTAAAGTG	TGGAGCTATC	AATGGTGACC	TGGCCTCTTG
	GCATGTTAGC				
	TCACCCTGAT				
8101	CTATTAGTCT	TGATGGCCCC	AGCGTGGGTC	TCTATTGCTT	GACCTGGTTC
8151	CTAGCAGCAT	TATCAGAAGG	AAAATCCACC	GCTCTTAAGG	CTCCTGGGAA
8201	CTTTCAGGAC	TTCCTTTCTC	AGGATTGCAA	ACATAAGACT	ATTIGAGCTI
8251	TCACTTTTGA	AAAGCGGTTA	CTAATACCTA	TACTCTGGGA	AAGGGCTAAT
8301	GCAGATAGAA	GACTGTGGTC	ACTGCATCAG	GCAACAGACC	ATTICCGCTA
8351	AATTTAGTGA	CTCCAGGAAG	GCCAGTGAAG	AAATAACACA	CGTAGCAACC
8401	AGAGACTGTG	TTGTAATATG	TTGGCTGACA	GCAGGG I ACT	HCIGIGAIG
8451	CTGAAAGCCA	CATTCATTTT	CTCTCCCCTC	ATCCCCATCT	AAGCAAGCC I
8501	GGTAGAATCA	TAATTACAGT	AATAGGTACC	ACTIATIGAG	IACTOTGTGC
8551	CAGACACCCT	CCTGAGCATA	CGACATGCAT	AGCACATTIA	AICCITACAA
8601	TGACTTAATA	AAATGTAGTA	CTAGICTIAC	CIACITUGAG	AATAGGGAAA
8651	TGGAGGTTAC	TTGTTTAAAG	TCACAGAGC	AATAGGTAGC	ATAGCIGAGA
8701	TTTGAACTCA	GGCATTCTTA	CTCCTTGCCT	GCAAGAGTCT	CTIGGCATIC
8751	TTGAATGCAA	GCATATTTCT	TAACCTCACT	GAGGCTCAGT	TICCICITAL
8801	ATAATATGGG	GTAAAGAGCC	CTCACCCTGC	CIGCCACACA	CIGGIAGIGI
8851	CAGATAACAT	TGAAGGGTGT	TAGTTTAAAG	GCTTCATGGA	CICIAIAAIG
8901	TCAACAAAAG	TGCTGTTAAC	TTTCTTCTGG	GICICAGGCI	CCTGATGTAG
8951	AGTCAGTGGA	GCAACCCTGC	CATCTGCTGT	TATGCTGTTG	AIGHIGCIGC
9001	CACACTTACT	AACCTAAACC	TITGATICIG	GCTGTGGCCT	TUTUUAGAAG
9051	GTGTTTACTC	ATTTGTCCAG	TTTATCTTTT	AGGAAACAGC	CAGCCCGTAG.
9101	ATCATTAAGG	CTGGCTATTG	GACAGGGGC	TGGGGCCTGC	CIGACAGAGG
9151	AAGGAAGGC	AGACATCTGG	TTCTTCCTCT	GCCCCTACAA	GAGACTCCAG
9201	CCTGACCACA	GAGTGGTACT	CCTAGGATGT	AGCAGCAGCA	TATGAGCTIG
9251	AATGTGCCTT	AATCCTGCTC	TTTACTTIGA	GAAGAGAGAA	CTAAGGACCC
9301	ACAGATGTTT	CACAGCTTCT	ATAGGAGGCA	GAGG I AGAAA	AATGGAGAGA
9351	GATGAGGCCA	GAGATAGATA	ACTGATATTA	ATTAAACGTT	GIAIIAAGAA
9401	CCTCACTTAG	ATTATCTGAT	TCAATCTTCA	TAATAACCCT	GCAACCCCCA
9451	CCTTTTTTTG	AGAACAGGGT	CTTGCTCTGT	TGTCCAGGCT	ACAG TGCAC T
9501	GGTACAATCA	TAGTTCACTG	CAGTGTCAAC	CTCCTGAGCT	CAAGCAATCC
9551	TCCCACCTCA	GCCTTGCAAG	CAGCTTGGAC	TACAGGCGTG	CCACCACACC
9601	TTGCCATTTT	ППТАППТ	AAGTAGAAAC	AAGGTCTTAT	TAATACTATG
9651	TTGCCCAGGC	TGGTCTTGAA	CTCCAGCGAT	CCTCCTGCCC	CAGCCTCCCA
9701	AAGTGCTTGG	GATTACGGAA	GTAAGCCACT	GTGCCTGGCC	AGTGCAACCC
9751	CCATTTTATA	CTAAAACAGG	AAGGCCCAGA	AAGGTTTGGA	GTAACTTGTC
9801	CAGGGTCACA	CAGATGATAT	TTGAACTCAG	GTCTCCCTGG	CTCCCAAGAG
9851	AGTCTGCTTT	CCACTAGGAC	TCCCAGGAGA	AAAAAAAAA	AAAAAACAGT
9901	AGACTTGGAG	ACAGAAAATC	TGATTTGAGT	CTTAGTTGAG	CTAGGCTAAC
9951	TGTGTAACTG	TGGGCAAGTT	CCTTAGCCCC	TGTGAGCCTC	AGTTTCTTAT
		_			

					T0T04T04T0
10001	CTGTAAAATG	TCATAAAAGA	AATCCATCIC	AIGGAGIAGI	TGTGATGATC
10051	AAGGACTCTG	AAAACATTAG	AATGGTTTAA	TGTGAAGGAT	TAGCAGCAGC
10101	ACATGGCAAC	ATTGTGCATC	TTATATTAAC	TATCCAAATA	TATCAAGCGT
10151	CATTTGCTAT	ATATAAAAGT	CATCAAATTA	GGCACTGTGG	GGGATACGGA
10201	GTTGGCATAC	TAGCCTGGCC	TCTTAATTAA	TTCATTAATT	AGCTTATTTA
10251	TTTTTGAGAT	AGGTCTTGCT	CTATTGCCCA	GGCTGGAGTG	CAGTGGCATG
10301	ATGATAGCTT	ACTATAGCCT	CAATCTCCCA	GGCTTAAACA	ATCCTCCTGA
10351	GTAGCTGGGA	CTACAGGCAC	ACACTACCAT	GCCCAGCTAA	TTTTTTTTA
10401	ATTTTTGTA	GAGACAGGGT	CTTGCTCTGT	TGCCCAGGCT	GGTCTCAAAC
10451	TCCTGGGCTC	GAGATCCTCC	CACCTGGGCC	TCACAAAGTG	TTGGGATTAC
10501	AGGTATGAGC	CACGGCACCT	GGCCTGGTCT	CTTAACTGGT	TCCCTAAGAC
10551	AGCTGGAAAT	AGAGAATGTC	ATGGAGCATT	CCTAACCATG	GGCTCCAGCC
10601	TGGCTTTCAT	TCTGTTTCTC	CCCTGAAACA	ACATTCCTTT	AGTAATATTC
10651	CGAATAACAG	CTTCATCAGT	CTGTCTACCG	ACCACTCTTC	AGGCTTCATC
10701	TTATATGACC	TCCCAAACTG	CACTAAGGGT	TGTATTAGAG	AAAAGTGGAT
10751	AAAGTTCGGA	GTCAGGCTGC	TTGAGCTTAA	ATGCCAGCTT	CACTTACCAG
10801	CCACCTGACC	ATGAGTCAGC	<b>TGCTTAACCA</b>	TTCTTTGCCA	CAGTTTCCTT
	GTCTATGAAA				
10901	TTCAATCATG	TATTCAAAGT	CCTGAGCAGA	ATGTCTGGCC	ATGACTGGGA
10951	CTTAACAGAT	GTTAGCATTT	<b>ATTATTAGTA</b>	TCTGTCAGTC	TTGAAATGTT
11001	стсттссстт	GGCTTTCATG	<b>ACATTCCACA</b>	CTCTCCTGGT	TTTCTCTTAC
11051	CTCTCTGGTA	ATACCTGTTT	GCTTATCCTT	CTTTGTCCAG	CTCTGGGATG
11101	TTACCATTCC	TTCAGGCGTG	CTGTTTTCTC	CTTAGGCAGT	CTTACACACA
11151	CTCATGACTT	CCTTCCATTG	TCCTCCACAC	ACTGATGACC	CTAAAATCAG
11201	TATCTCCAGC	CTAAACCTIT	CCACTGAGTT	CTAGACCCAT	ATGTTGTACT
11251	ATCAACCTGG	CTTGTCCATT	TGAATGTCTT	CCAGGCACTT	CAGACTCTCT
	TCTCTAGACT				
11351	TCCACTGAAA	CATGTATGTC	ATTGAGAGGC	ACCACCATCC	ACCCAGTGCC
	TAAGCCAGAA				
11/51	ATCCAAGCCT	ATCACTITTA	TCTCTAAATT	ATATTTTGGT	AGGTTTACTT
11501	CTTTCCTTTT	CTCCCACCAC	CACCCTGCTC	CAAGCTACCA	TCATCTCACC
11551	TGGATGTCTG		ATCTCCCACA	GCCACTCTGC	ACCCCCTAAT
11601	CTGTTCTCTA	TAGAGCAGTT	CCAACCACTC	ATTTTTGTTG	TITGTTTGT
11651	TTTGTTTTAG	ACAGAGTCTC	ACTCTGTTCC	CCAAGGCTGG	AGTGCAGTGG
11701	CACAATTTCG	CCTCACTCCA	ACTTCTGCCT	CCCAGGTTTA	AGCAATTCTC
11751	CTGCCTCAGC	CTCCCAAGTA	CTTCCCTTA	AGGCACCGGC	CCCCATACCC
11/01	AGCTAATTTT	TATATTTTA	CTACACATCC	GGTTTTGCCA	TGTTGGCCAA
11001	GCTAGTCTCG	AACTCCTCAC	CTCAACTCAT	CONCERCE	CECCTCCA
11001	. AAGTGCTGGG	ATTACACCTC	TOACCCACTC	CACCTGCCTG	CAACCACTCA
	. TCTTAAAAAA				
11951	. IUIIAAAAAA	AVANAMANA	TTCCACAACT	TCCCACTCTT	CTTCCATAAA
12001	GTCTCTCCTA	CUTTATACETEC	CCACCCCCC	TOCCTOACAC	CTATCATCTC
12051	GACCAAAATC	CHAACHGG	CLAGGCGCGG	ATCAACTCAA	CACATTCACA
12101	AGCACTTTGG	GAGGCCGAGG	CAGGCAGATC	ATGAAGTCAA	GAGATIGAGA
12151	CCATCCTGGC	CAACATGGTG	AAACCCCATC	CCCACCTACT	TOCCACCOTC
12201	TAGCTGGTCG	IGG I GGCG I G	IGCCIGIAGI	ACACCTTCC*	TUDDANDUUI
12251	AGGCAGGAGA	ATCACTIGAA	CCTGGAGGC	AGAGGIIGCA	CCATCTCAAA
12301	. ATCACGCCAC	IGCACTCCAG	CCTGGTGACA	GAGTAAGACT	TACACCCCTC
12351	. AAAAAAAAA	AAAAAAAAAA	HCCTTAATT	IGGUL IAUAG	IAGAGCCCIC
12401	CGTAATGTGG	CCTCTCTCCA	CATCTCCACA	ACCICCIGCI	CCCTGCACTT
12451	CAGCCTCACC	ICTCITCTGG	ACAGGCCC FC	CTICIGACAA	GGGCIIGII

```
12501 CATTCTGCTC CCTCTGCCTA GAATGCCCCC TTACTCTGTT CACTTAACTC
12551 CTGCTTATCG TTTAGATCTT TACCTGGATG GCTCAGAGAA ATATAGAAGT
12601 AATTCCTCAC CCTGAAAAAT AGGTTAGGTC CCTGTTTTAT GTTTTCATAG
12651 ACCTITECTT TGAGGETTTT TTTAAAAAAG TAGTTTTAAT CTCACATTTA
12701 TTCATGTGAT CATCTCCTTA ATGATATCTT AAGACCTCTA ATAGAACAAT
12751 TTGGTCATGG ACTGTGGGGT TTTTGCCCCT CATTGTGTCA GCACTGAGCA
12801 TATTGTTGGC ATAGGAGGGA TATTTGTTGA ATGAATTGCT AGAGGTGGCC
12851 AAGAGATATG ATGTAAGTCA GGCTTTTCCC TGCCCTTCCC CTTCCCCTTC
12901 CCCACATCCT TCCTATAGCA GCCACCGTGG CTGCAGTTAC TGTAAATGGC
12951 AAGACGGAAT CAGTTCCGGA CATTGGGTTG TTTTAGAAAA TTGCCTGCAA
13001 GTGTCAGGGT GATAAGTTAA AGCTTTGTCT TTTGCCCTCA GAGGAGCTAT
13051 CCCATAGTGA GTAGAAGCCA GAGAAGCTGA CCCCAGGAGT CCTTCTTTCC
13101 AGCAGCAGGT CTTGAGCTGC ACTTCTCTGT AGCTACAATC CAGGCAGGAA
13151 CAAGCCCTAG GTACCTCCGG AGAGGAGGGC AAGAGAGGAA GAATGAGTTC
13201 AGCTACTCTA GCCACCAAAC TGATTATGAA TTGCCCTGAA ATCTGAAAAA
13251 TITCAATTCC AATCGTAAGT TTGTTTTGTT TCATTTTGTT TTCTTAAATT
13301 GTATATTTGA AAGATGGCAT TAACTAAAGA TATATATTCA ATATAGAGTG
13351 GAAAAAATGG AATACTTGCA TAGTATCTTT TACTTATAGG TGATTTATGA
13401 TGGGGAGTGG GGTGGATAGG TTGGCAGTTC CCCCAAGAAG TTGGAAATGA
13451 AGTTTGTCCT CTGTGAGTTG AACTAATTAG ATCCACAAGT AATGAAAGCA
13501 GTATTGTGTT GTAGTTAAGA GCACACTCTA GAACCAGATT GCTTAGTTTC
13551 AAATCCTGGT TCTGCCTTTT ATTATCTGTG TACTTTGGGC AAGTTACTTG
13601 CCCTTTGTGT GCTTCATTTT TCTCATCTAG AAAATGGAGA GGCCAGGCGT
13651 AGTGGCTCAT GCCTATAATC CCAGCACTTT GGGAGGCCGA GGCGGGCAGA
13701 TCACCTGAGG TGAGAAGTTC AAGACCAGCC TGGCCAACAT GGTGAAACCC
13751 TGTCTCTACA AAAATACAAA AATTAGCCAG GCATGATGGC GGGTGCCTGT
13801 AATCCCAGCT ACCCAGGAGC CTGAGGCGGG AGAAACACTT GAACCTGGAA
13851 GGCAGAGGTT GTAGTGAGCC AGGATTGCAC CACTGCACTC CAGCCTGGGT
13951 TACAGGCTGG GTGCAGGGCT TACACTTATA ATATCAGCAC TITGGGAGGC
14001 CTAGGCGGGA GGATTGCTTG AACTCAGGAG TTTCAAGATC AGTCTGGGTA
14051 ACAGAGCAAG ACCTCATCCC CACAAAAAAT CAAAAATTTA GCCAGGCATG
14101 GTGGCTCATG CCTGTGGTCC CAGCTACTCA GGAGGCTGAG GCGAGAGGAT
14151 TGCTTGAGCC CAGGAGGTTG AGGCTGCAGT GAACCATGAC TGCACCACTA
14201 CATGCCAGCC TGGATGACAG AGCAAGACCC TATCTCAAAA AAAAAAAAA
14251 AAAGAAACGA GCCAGGCGCG TTTGCTCACG CCAGTAATCC CAGCACTTTG
14301 GGAGGCCAAG GCAGGTGGAT CACTTGAGGT CAGGAGATCG AGACTAGCCT
14351 GGCCAACATG GTGAAACCCC ATCTCAACTG AAAATACAAA AATTAGCCAG
14401 GCATGGTGGC ATGCTCCTGT AGTCCCAGCT ACTCACTTGG AGGCTGAGGC
14451 ACGAGAATCG CTTGAACCCA GGAGGCGGAG GTTGCAGTGG GCCAACATCA
14501 TGTCACTGCA CTCCAGCCTG GGAGACAGAG CGAGACTCTG TCTCAATAAA
14601 TGGAGGCCAG CAGGCACGGT GGCTCACGCA TGTAATCCCA GCACTTTGGG
14651 AGGCCGAGGG GGGCGGATCA CAAGGTCAGG AGATCGAGAC CATCCTGGCT
14701 AACACAGTGA AACCGCGTCT CTACTAAAAA TACACAAAAT TAGCCAGGCA
14751 TGGTGGCAGG CACCTGTAGT CCCTGCTACT CAGGAGGCTG AGGCAGGAGA
14801 ATGGCGTGAA CCCGGGAGGC GGAGCTTGCA GTGAGCTGAG ATCGCGCCAC
14851 TGCAGTCCAG CCTGGGCGAC AGAGCAAGAC TCTGTCTCAA AAAAAAAAA
14901 AAAAATGGAG GTTGGGCGCG GTGGCTCGCG CCTGTAATCC CAGCACTTTG
14951 GGAGGTCGAG GCGGGCGGAT CACCTGAGGT CAGGAGTTCC AGACCAGCCT
```

15001	GGCCAACATG	GTGAAACCTT	GTCTCTACTA	AAATTACAAA	AATTAGCCAG
15051	GCACGATGGC	AGGCACCTGT	AATCCCAGCT	ACTTAGGAGA	CTAAGGCAGG
15101	AGAATAGCTT	GAACCTGGGA	GATGGAGGTT	GCAGTGTGCT	GAGATCGCGC
15151	CACTGCCCTC	CAGTAGAGTG	AGATTCCGTC	TCAAAAAAA	AAAAAAAGAA
15201	GAAATGGAGA	TACAAACTTA	CTACCTACCT	CCTTACAACC	TACCCTCACA
15251	GTATTACTGT	GAATAAAAGT	GTGTGTAGCA	CTGGGAACAC	TATTCACAGA
15301	GCACTCATGA	ATGTTTGTTC	TTTGTTATTA	GTTACTAGAG	AGGCAAATGT
15351	CTGCCAGGGC	TGAATAATAT	GTGTGAATTG	GTGATTGTCG	CACATATCTA
15401	AAGAAGTAGT	TATTTTTTC	AATTAAAACT	TAGTTTAAAA	ACCAATATAA
15451	GGCCGAGCGC	AGTGGCTCAC	ACCTGTAATC	CCAGCACTIT	GGGAGGCCGA
15501	GGTGGGCAGA	TCATTTGAGG	TCAGGAGTTC	GAGACTAGCC	TGGCCAACAT
15551	GGTGAAACCC	TGTCTCTGCT	AAAAAAAAA	AAAAAGTACA	AAAATTAGCC
15601	AGGCATGATG	GCAGGTCCCT	<b>GTAATCCCAG</b>	CTACTTGGGA	GGCCGAGGCA
15651	GGAGAATTGC	TTGAACCCAG	GAGGTGGAGG	TTGTAGTGAG	CCGAGTTTGT
15701	GCCACTGCAC	TTCAGCCTGG	GTGACAGAGG	GAGACACTGT	CTCAAAAAAA
15751	AAAAAAAAA	ACCAAAACCA	<b>AAATAATA</b>	TAAGTGGCCA	GCAATGAAAC
15801	AGAAAGTGAA	AAGTTAGTGA	AGCAAAACTA	GTACTGTATT	CAGATAAAGA
15851	TGCTGAATCT	AGATTTGGTC	ACCAGAATAG	GGTCCTTTGT	GGCAACCTGG
15901	GCTAGTTTGG	CTGACTCACC	ACTGCCAGGA	TGAAATTTCT	TTCAGTGGCT
15951	ACTCATTTCC	CTTTATTITA	AGTCCATGCT	CACAGAGCAA	CCTTCTGATG
16001	CCTAATTCAG	CTTCCTGGGA	TACTTAATAA	CAGGAAGGGT	CTGGAAGTAG
16051	TACCTGTATA	GGGGATATGA	GTGTTCTGAT	TTTAATAGTC	AATTCATAAG
16101	TGTACAGAGG	GTTTGATAAA	TGGTTAGGTC	AGAACCATCA	CAGAATGTCT
16151	ACACCTCTTT	GGACATTAGG	AAGGTCAAAA	ACCTGAAAGG	CCAAAAGCTA
16201	GGCCTAGATT	AGGGTCATTC	ACCAAGAAAA	CATCAGCCTT	GAAGAGTTCT
16251	CTGGGTGGTC	CACCAGTCAA	CCTTCCTTTG	ATCACACCTC	CTTCCTCGTT
16201	GCTTCTTTAA	CACCACTOAN	GTAATGGGTA	TGGAATTTTT	TGCTCACCTA
16251	ACTCCTTCCT	TITACAGAGG	AAGAAGTTGA	AGCCCAGAGA	GATTTAATGG
16401	CTTGCCTAAG	ATCACACGCA	CATTITCTGT	TAACCAGGGT	GATTITICAG
16461	GTGTTCCCTG	CCACACGCACG	CCTTTTTCC	TTGAATTGCC	TAGAGATTTC
10401	TTGAGATATC	CCAACCATTT	TTCCCACTCC	AGCCTGGAGA	AGGATGTCCC
10201	TGTCAACACA	CCATTTCTTA	CTCAATGTTA	CACATTCAAT	TTTCTAATTA
16551	GTATCATGGA	CCAACACTCC	ATCATTATCT	ATAACCCTT	CCAATTCCAT
10001	GIAICAIGGA	TTACACCCCA	TATACACAAA	TATCACCTCT	TAAAATCACA
16651	GCTTATGTGC	TIACAGCCCA	CACCACAAAC	CCATACTCTC	CTCTTACTCA
16/01	AGGCAGTAGA	GAIGIGGLLL	DANADADDAD	CATATACACC	CCCAACTCTA
16/51	ACACTAGTTG	GCCAGCAAAT	ATTCACACAC	CCAAACTCCC	AACTAAACAT
16801	GACTTTAGGC	ATTIATACCC	ATTCAGAGAG	TETETAAA	AATCACTCCT
16851	CAGCATTCTC	ITIGGCATII	CAGCITIGCG	CCTCTACCCA	ACTOTTTACO
16901	TGCTTAAATA	CCTCTGATAG	CICITCACIG	CCIGIAGGLA	ACTUITAGE
16951	CTAGCAGACT	TGGTCTTTAG	TGCTCTGCCC	CIACICICII	CCACCATICI
17001	GGCCTCCTGT	CTAATTGCTG	CCCATAIGIG	CCATGCACTA	GAGCTTACAG
17051	ACCTGCTCAG	CGTTATATGA	GCATACCATA	CICITIAIGC	CICAGIGCAI
17101	TTGCACATGT	TGTTCCTTCA	GGCCAGAATG	CCTGTTACTG	CCTGGCAATC
17151	AGCCTATTAG	AGTCTGCCAA	TACCATCCCA	TCTTCTGTGG	AGGAGCCCCC
17201	CGCCAAATCC	ACCCATACCT	CTCCCCACCA	ATCAGAGACT	ICTICTCTCT
17251	TTGTTATTCT	CTTCGTTATT	CTCTTCATAC	CTCAGTTATA	TCCATTTCAG
17301	TATTTGTTTA	CACATCTAGC	ATCACTCTTA	GAGTGTGAAA	TICICCAAGI
17351	GTGGAGCCGT	ATCTAGTTTG	TCTTTGTATC	CCAGAGCTTA	GCAAAGTGCC
17401	TAGAATGTAG	TGGGTGCTCA	GAGTGTTTGC	TGGGTGAATG	ATGTATTTGT
17451	TGAACGACTC	TTTGGACACT	TGAATAAAGT	CCATCCAGTA	TGCACCATTA

```
17501 CCATCTCTC GCTCTACAAT ATTCTTTTAG GCAAGAGCTT ATCTTTTGAG
17551 GTGATAAGAT AAGCTCAAAC TTATGTAGAC TAAGACCTCA GTCTGTAAAT
17601 GTCATCCCTA AGTCTTAAAC CATCAAAACC AGGGCCTCAA GGAATGGCAT
17651 GCCTTCTGCA ACTGTAGCAA CCTGCTGTGC TTATTTTGCC GTGTTTTTCA
17701 TTTTCCCCC AAAAGCTAGA GTCCCTTCTC CCATGGGCAG TGCTGGAAGT
17751 GTGCTAACAA ATTCTTTCTC CATACTGCTT ACGATTACAA AAAAAACCCT
17801 CAGCATCTCA TGCCAGACTT GAGTTAAGGT TGTTTTCTTT TGTGTGTCAG
17851 CTGTATTCTG GTCATGACTT CCTGATGATG CCCTATAGAG ATTTTGCTGA
17901 GATCAGAGGG TGCTCCACTG CCATCAGTAG CACTGACTCT TGCAGAAGCA
17951 CCGTTTCTGA AGTTGGCTAA TGTCATCCCT CACGTTTGTT TGTTTGAAAT
18001 TTGTTTTAGT TCCAGAGATA GCACTTTCAT GGAATGACGC TATCTTCTAG
18051 AATCACTTTT TTTTTTTTT TGAGTTGGAG TCTCGCTGTG TCGCCAGGCT
18101 GGAGTGCAGT GGCACAATCT CAGCTCACTG CAATCTCCAC CTTCCGGGTT
18151 CAAGTGATTC CCCTGCCTCA GCCTCCCGAG GAGCTGTTAC TACAGGCGCA
18201 CACCCCCACT CCTGGCTAAT TTTATGTGTT TTAGTAGAGA CGGGGTTTCA
18251 CCGTGTTGGC CAGGATGGTC TCGATCTCCT GACTTTGTGA TCTGCCTGCT
18301 TCAGCCTCCC AAAGTGCTGG GATTACAGGT GTGAGTCACC GCGCCTGGCC
18351 TAGAATCACC TTTTTATACC ATAACGTGAG CACCACTGCC GCGTCACCAA
18401 GGAAAGAGAG AGGCAGCTAC TGTGGGGTTA CAAATGGGTA AGAGTGGCAC
18451 CAGGAAGGTG AAAGTCTCTA CTTAGCCAAG GCTTAACAAA ATGTCAATCA
18501 CCAAACATTT ATTTATTAAG CTACGTTCAG GATAAGAAGA TGAACAAGCT 18551 ATCTGTACAT TCATTTTCTC GTTTGTAACA AGGTAATGAT AGTGATCTAT
18601 CCTGCCTGCC TCTGAGGGTT ATTGTGAGAA TAAAATGAAA TCAAGTGGAA
18651 AAGCACTTAG GAAAAAGAAA AGCATTGGTT TTCAATTGTT AGTGTGGATC
18701 AGAAACACTG GGGCTTGTTT AAAATGCAGA TTCTTAGCCC CAGTCTCAGC
18751 GATTCTGATT CTGTATATCT GAAGTGGGAC TCAGGAATCT TGATTTTCAA
18801 CAAGCTGACC AGAGGGTCCA ATGCTGCTAT TCCTTTAGTT ACACTTTCAG
18851 AAATATTACT GTAAATCAAA TGGCAAGAAT AAAATAGTTA TTTGAGGCAG
18901 TTTTAGTATG TTGGACCTGG AGTCCAAAGA CTTGGGTCAA ACTCCAGCTT
18951 TGTCAGTTCC TAGACCTGTG ACCTTAAACA GCAACCTTCT CTGTGAACCT
19001 TAGTTCCCTC AGGAACGGCT CTGGTCACCT CCTGCTGTAC TCCATTGATG
19051 ACTCACCACA TAAGGCTCCC TGGGAGTCCC CCAAACCTTT GCTCTCTTAA
19101 CTCCTTTTAC AGCCTCCTAC ATCTCCTGCA GGTGCTGTCT TCTCCTCCTT
19151 TTTCCAGGCC CTGCTCTGAC ACAGCATTCA TTCTCCTCTG GGAAGGGTTC
19201 CTTCAATGTG TCTCCAAGCA CATCACACCC AGGAAGGACC CTGTGGCCAT
19251 ATCTGTCTAT CACCAGATCA AACTACGTGA AGGCAGGCAC TAGGTACTGT
19301 CAGTGCCCAG CATAGGCCTG GCCCATACCA GGTGTCCACA GATGCCTAGT
19351 AAAGAAACCT ATGATTCAGG ACCCCCATGA TGAGCAACTA TAGCACTAGA
19401 ACAGTGATAA TAACTAATGT TTATAATGCA TCTTCAGTTT ACAGAGGGCT
19451 TITGTACTCA TCATCTAGTT TAGTTCCTGC AACAACCTCT TGAGGAATAT
19501 AGCACAAGCA GGACAAGGGA AGCCCAGAGA TGTTAAATAA TTTATCCAAG
19551 TTTATGCTGC TGGGAAGGGC AGCACTGAAA TTAAAAGAAA AGTTTTCTGA
19601 GCTCAAATCC CATGCCCTTT CCTCAATGTG AGCTCTAGCA AGGTATTCAG
19651 GAATCCTGCC TCTACAGTTC AGAGCCTCAA ATTGCTGGGT ATGTTGAGTT
19701 CTTGTATCTG ATTTTTCTAG ATTTCCTGCC CACATTCTTA CTGTCTGGAT
19751 ATCAGGAAAG AGTTTATCAA ATGCCTGTGG AAATCCAAGA TAAGGTCTCA
19801 TGATGAGTAA CCCAGTGAAA ACATGAAGTC AAGTCTAACT AGTCACTACT
19851 ATTTCACTAC TGCTGACTCC TGATGATCAG CTCCTTTTCT AAGTGCTTAC
19901 TGTCCACTTA TTCCATCATC TGCCTAGAAT TTATGTGAAG GAATCAAAGC
19951 AAAAGGATCA TAAGGCTTCC TTTTTCCAGT ATGTTTTTCC TCCTTTTTGA
```

```
20001 AAACTGGGCC AGTTAGCTAT CTCCATTTTT ATTTCATGAA TACATCCCCA
20051 GCGCCTGGTA TATAGTAGAT ATGGAACATT ACACTTTGGA GATATTGCAC
20101 CCATTCTCCA GTTTCTCCAA AGTTACTAAC AATGGTTCCA TCACTGTGCC
20151 AACATATTTT CTTTTTCAA TATATTGGGA AATAATTCTC CCAGTCTGAA
20201 AATCTGAACA CATTTCATGT GACTTGGTAT CCTCATATGT CTTGGGCTTC
20251 CAATTCTCCA TTCCTAGTTT CAAGTTCATG AACTGTAAAA CAAAGGATTA
20301 GACTAAATCT CTAAAGTTCT ATCCAGATGC CAAATTCTTT TCTCTTTCCA
20351 TGATACCTAA GATAGATGCC AAATATTGTC TTTTACCTGG TGTTTGTGAA
20401 CATGACATCA CATTACAGGA GTAGCAGATA CTAAACTCTC ACTCTGTAAA
20451 ACACTGACTG AGTTCCATGA GCCAGATACT GAAGTGAGCT TGTTCACATA
20501 TGTTCTCATT TAATGCTCAT AACCCTGTGA AGCTGGGAAT TGCTGGGACA
20551 TTTTATTTAT TTATTTATTG AGACGGAGTC TGGCTCTGTC ACCTAGGCTG
20601 GTGTGCAATG GCATGATCTT GGCTCACCGC AACCTCCGCC TCCCGGGTTC
20651 AAGCGATTCT CTTGCCTCAG CCTCCGCAGT AGCTGGGATT ACGGGGCACA
20701 CACCACCACA TCCAGCTAAT TTTGTATTTT TAGCAGAGAT GGAGTTTCTC
20751 CATGTTGGCC AGGTTGGTCA CGAACACTTG ACCTCAAGTG ATCTGCCTGC
20801 CTCAGCCTCC CAAAGTGCTG GGATTACAGG CATGAGCCAC CATGCCTGCC
20851 CGGGACCCTT GTTTTAGAAG GATGACTGCT GCTATAATGT AGAAAGTGAT
20901 TTGGAAGAGG GGAGGAGTGG GGCACGAAAG ATGGTTAGTA GATGGGGGTG
20951 GTAATGCTTA CCTTTCAGTA TTTGGAGGCT TCGGAGTCCT CAAAAATTCT
21001 CTTCCTTGAT TGGAGTCCTC CCAGCCAATA GAGGGCTTCA CACAAACAGT
21051 TTCTTGGGTT TTGAATTGTT TGACCAGAGC TTTCTTCCGA CAAAAGGTTG 21101 GGGTGATTCA TTCACTTACC ACACCTTGCC TGAACATTCA CTTGGGGCTG
21151 CCGGTTATGA AGGCTATTGT TCTCCAGCCT GTCACAGACG CTTTGAAGAC
21201 CTGTGCCTCA GCTGGTTCTA AGGAGTCAGT TTGTTCAGCT CCGTGCCAGG
21251 TTTCCAACTT ATGAAATGTG CTGGAGATTA ACACCTCTCC TGCCATTTTA
21301 TCCCTACTAT AATTGCCAGT CAAAGGATTC CTGCAGTTGC CTCTGGCAGC
21351 CATAACTGAT GAATGTTCTG CCAGCTGCTC TGAGGACCTA GAAGAGCAGT
21401 TTTCTATCCA GGACCAGTTT CCAAGGGTGG GAGGGTGAAA TATATCCTCC
21451 AGTGTGACAT TTCATCTCCC AGTGATGGGT GGCTTGGGCC CTTTGAAGTT
21501 GGCTCTGAGG AACCACACAC TTGGGTCTGA GCAGCCAGCA GCTTATCACA
21551 TCTGGTGATC AATCCTTCAA AGGTTCCTCC TGAAGTCTGA ATTTTTGGAG
21601 GTCAAATGGA TTCCACCTGG GAGGGGCTTC TGCTTCAACT CAGGACATGG
21651 GGAGAAGGCT GTTCCTCTTC CAGGGGGAGG CAGTTTTCAT GGCATTGAGA
21701 TGTCCTCTCA CTTATTCCCC ACCCACCCAC CAAGTCCTTT GTAAGAGGAG
21751 TAGGGGGAGA GGAGAGCGCC TGCAGCCTCC TGCTCACATT CCTAGACACC
21801 GACTCACTGA GCCCGTCGCC GCTGGAACAG CAGAGCTGTG TGAAATGTCA
21851 AGAGGAGTTA TGCTCATAGG CTCCCTGGCC TCAGTCTCTT TGTGGCTTGC
21901 ATATTCTTCC ATTAGTACTG TGTTCATCAC ATGGAAATCA GAGGGTACAA
21951 TTAAAAGATA ATTTGCTAGT CCCAGACTTA ATTTGGGGCC CCCTTCTTGC
22001 CTGATTGAAT TACAGGGGAA CATAATAGAT TTTTGGTGAG AAATAGTTGT
22051 CTGTGTGGCT GGGAGAAAGA TTGCTCCCAG CTCTCCAGCT GGGCAGCCCT
22101 TTCAGTATCC CGTATGTTAT TTCCCCACTT CCAGCCCACC TCACCTCCTC
22151 TGTGGCCCTT GTGTGTCCCC TCGGCTAGGA TCCTGACCTC CTGCTCAAGA
22201 GTTTAAACTC AACTTGAGAC CCAAGGAAAA TAGAGAGCCC TCTGCAACCT
22251 CATAGGGGTG AAAAATGTTG ATGCTGGGAG CTATTTAGAG ACCTAACCAA
22301 GGCCCAGACA GAGAGAGTGA CTTGCTAAAG GCCACATAGC TAGCCCACAG
22351 TAGTTGTAAC AATAGTCTTA ATGATATTAA TGGCTAACAT TTATCAACCT
22401 TTAATGTGTC CCAGACTTTG TGCCAAGGGC TTACATGCAG TGCATTGTCG
22451 CATTCAAACC CAGACAGTCT GGCTCTGGGC CCAGGCTGAG CTTTGGTATA
```

22501	GCATGGTAGA	ACGTTGTCTA	TAATGTCTAG	TCTGGGTTCA	AATCCTGGCT
22551	TCACTTCTCA	CATTTACAGC	TGAGTGACCT	CAGGCAAGTG	ATTTAACCTC
22601	CCTGTACCTC	AGTTGCTTTA	TCTGTAAAGA	GAAAAATCAC	AGCACTGTGG
22651	AATAGTGGGG	GTTAAAATTC	ATTCATACAA	GTAGTGCTGC	AAGCAATGTT
22701	TAATACAGGG	TGAGCACCTG	TTCAGTGCTT	CCTTCTTCTG	GCTGCCTCTG
22751	GGGCTAGAGT	GTGGTGTCTT	CGTGGTATAG	ATAGATAGAT	ATGGCTGAGC
22801	TCTGCACAAA	CACCAAGAGC	TGTTCTTCAC	TATTAGAGGT	AGTAAACAGA
22851	GTGGTTGAGC	TCTGTGGTTC	TAGAACAGAG	GCCGGCAAGC	TATGGCCCAT
22901	TGCCTATTTT	AATACGGCCT	GTGATTGATT	GATTTTTTT	TTCTTTTTGA
22951	GACAGAGTTT	CACTCTTGTT	GCCCAGGCTG	GAATGCAATG	GCACGAACTC
23001	AGCTCACCGC	AACCTCTGCC	TCCTGGGTTC	AAGCGATTCT	CCTGTCTCAG
23051	CCTCTCGAGT	AGCTGGGATT	ACAGGCATGT	GCCACCACGC	CTGGCTAATT
23101	TTTGTATTTT	TAGTAGAGAC	AGGGTTTCTC	CATGTTGGTC	AGGCTAGTCT
23151	CGAACTTCCA	ACCTCAGGTG	ATCTGCCCGC	CTCAGCCTTC	CAAAGTGCTG
23201	GGATTACAGG	CGTGAGCCAC	CATGACTGGC	CTGATTGACT	GATTITITA
23251	GTAGAGATAG	GGTCTTGGTT	TGTTACCCAG	GCTGGTCTCA	AACTTCTGGC
23301	TTCAAGCAGT	CCTCCCTCCT	TGGCCTCTCG	AATGCTGGGA	TTATAGGCAT
23351	GAGCCACTAT	GCCTGGCCTA	TATGACCTGT	GATTTTTAAT	GGTTAGGGGA
23401	AAAAAAGCAA	AAGAATGCTT	TGTGACATGT	GGAAATTACA	TGAAACTCAA
23451	ATATCAGTGT	CCCAGCCTGG	GCAACAAAGT	GAGACCCTG1	CICIACAAAA
23501	ΔΔΔΔΔΔΔΔΔ	AATAAGCCAG	GGCCGGGCGC	AGTGGCTCAC	ACCIATAATC
23551	TCAGCACTTT	GGGAGGCCGA	GGCAAGTGGA	TCACCTGAGG	TCAGGAGTIC
23601	AAGACCAGCC	TGACCAATAT	GGTGAAACCC	IGICIGIACI	AAAAACACAA
23651	AAATTAGCCG	AGCATGGTGG	CATGCGCCTG	TAGTCCCAGC	TACTTGGGAG
23701	GCTGAGACAA	GAGAATTGCT	TGAACCTGGG	AGGCGGAGGT	TGCAGTGAGC
23751	CAAGATCGCG	ACACTACACT	GCAGCCTGGG	CAACAGAGCG	AGACTCCGAC
23801	ACACGCACGC	ACGCACACAC	ACACACACAC	ACACACACAC	ACGC TGGGTA
23851	TGGTGGCCAG	CACGTGTGGT	CCCAGGATGC	ACTGGAGGCT	TAGGTAGGAG
23901	GATCACTTGA	GCTTAGGTGG	TTGAGACTAC	AATGAACCAT	GITTATACCA
23951	CTGCACTTTA	GCCAGGGCAA	CAGTGTGAGA	CTGAATCTCA	AAAGAAAAAA
24001	AAAAAAAAAGA	AAAAAATCTT	TCCATAAGTA	AATATCTGTT	GGAACATAGC
24051	CATGTCCCTT	AGTTTATGTT	TTATATATGG	CTGCTTTTGC	CCTATAATGA
24101	CACAATTGAG	TGGCCACGAC	AGTCTGTATG	GCCTGCAGAG	CCTAAGATAT
24151	TTGCTCTCTG	GCCCTTTACA	GAAAAAGTGC	CTTGACCTGT	GCTCTAGAGC
24201	CATATGTACC	AGGTTTGAAA	CTCAGCCTCA	CAGCTGGGTG	IGAIGGCACG
24251	CATCTGTAGT	CCCAGCTACT	CTGGAGGCTG	AGG1GAGAGG	ATCACTIGAG
24301	TCCAGAAGGT	CGAGGTCAAG	ATTGTAGTGA	GCCATGATGG	CATCACCGCA
24351	CTCCAGCCTG	AGTGACAGAG	AGAGACCCTG	ACTCAAAAAA	AAAAAAAACAA
24401	AAAAAAAAA	CACCCTCACC	ACTTATCAGC	TATTIGICII	GAGAATAGTG
24451	ACATAACCCC	TCAGAACCTA	TTTCCTAATC	TGTTAAATGA	GGCTGATGAC
24501	GTTTCCTCCT	TTTACTGGCA	ATTTAAACAT	GATGGATAAT	AAATGCTAAG
24551	CACTTAACAC	AGGGCCTAGA	AGATATTAAC	TGCTCAATAA	ATGGTAGCTT
24601	CTTAACAGTA	TTCAAACCCA	TGTGCTCTTA	TCACATGCAT	TGTTGTCCCT
24651	GTGTCCAGTT	GGTGGAATGG	GAAAAGGCTC	CCTTGTAACC	CCATCTACCA
24701	TCTTTATCAG	ACTTTCCTGC	CATGGTTCAC	AGTAAGAGAT	AGAAGCTGCA
24751	CGGTGACTTC	TGGCTCTTTA	CAATGGTGAG	CGGTGTGTGC	CTGGTAAGGG
24801	AGAGCTGATG	TCACTGCCCC	AAATCCAGTA	GTGAGATCTG	AGIGITOTIGG
24851	TTTCCTCCAG	CAGCCTTGCT	TTTTCCTTTA	CAATCCTGCA	GGCAGGGAGA
24901	CAAGGGCTTT	CTACATGGTA	GGCTCTGGTT	TGGTCATCGT	CACAAC1GGG
24951	GGCTGTTCAG	GTGGGCTCCC	ATTCCAGATA	CCTAGGCTTA	TCAATCCCTT
				_	

25001	TTGGCACCCC	AGGCCTTTTT	CTCCCTCATG	CCCCATTTTT	CAGTTTGAAA
25051	AGCATGGTTA	TCACAGGACA	AGTAGAAGAA	GCTCCACTGT	CCACTGAGGC
25101	CAATGGATGG	TGTTCTGCAT	GTGAACACTC	AGTGAATAGT	GAGTGAATGA
25151	GAGTAACCTG	GGCTCCATCC	TATTTGCAGA	GAGCTTTGGA	AAAGATTTTT
25201	CTCCTTAAAG	AGCCAGAATG	AAGCCTGGTA	GTGGGAGAGC	TCCAGCTCTA
25251	<b>GAGTCACATG</b>	<b>AGCCTACATT</b>	TAAATTCCAG	CCCTGCCACT	GACTCCCTTT
25301	TTGACCTTGA	<b>GTGAGTTACC</b>	TAATCTCTCT	<b>GTACCTCACT</b>	TTTCTTGTCT
25351	GTAGAGTGGG	<b>AATAATTCCT</b>	<b>GTCTCAGAGA</b>	AATAAAAGAG	TGCATATAGT
25401	GTTTGCCACA	TGGAGACACA	TCAGGTGTAG	<b>GTTAATACTC</b>	TGGGCCTTGT
25451	TTCCTTATTT	GCAACACAGC	CCTGCCCTGG	AGTGGAAGTG	GCACCTCCCA
25501	TTGGTCAGCT	CTTGAGGCTG	TCCCCAGGAC	AGGCAGAGGG	AGGGAATGAA
25551	TEGEAGCCCT	AGTGCCAGGA	CAGAACAGAT	GGCAGCTCAG	AGCTAGGATG
25601	CTCTCTCGA	CCTGTCTCTC	CTACCAGAGG	TCCCCCCGTC	TGGTGTGGCT
25651	CTTCCTGGAC	CTGGCATCCT	CTGCTTTTT	TTTTTTCCA	CCTCCAAGCA
25701	CANTTACTCT	CCTGTAGGCA	CCTCCTCTCC	TTGAGGACAT	CTGGGGCCAG
25/01	ATATETTEAC	ACTCTATCCT	CCCTTCCCCT	TOOTGAGOT	CAGGATGGAC
25/31	CCTCAATTCC	TCCCAGTTAT	TETETECAGE	GCCTGCCTGC	AGCCTCGATC
25001	CACCCCACCT	CCACCCCTTG	CCTCCAAGGT	CTGTTTCCTA	ACAGCTGCTC
72001	CAACCACACA	CCTCGGTTCT	CCCCCACCCC	CTCCTCTTCC	TCCCTCCCTC
25901	CAACCACACA	GGGTGGGACT	CAACAACAAC	CTCCTCTTCC	CAGCAGCGCT
<b>70301</b>	TOTTTCTTAG	CTAGTCACCG	CCCCCTCCTC	AACAATCCCA	CTCTCTCTCT
26001	1CITICITAG	CACACCTCCT	TTTCTCCCAC	TCCACACCCC	CCCCCTCACC
26051	AGCCICCACA	GAGAGGTCGT	CCATCCCACC	CATCACCCCC	TCTCCCAATC
26101	TICTGAGAAC	TAGGGAGGAG	CCATCCCAGC	CCCTCCCCA	CCTCCTCCCC
26151	I GC I GGGGGC	CAAGTGGCCT	GUAGICUICA	CCACCCACAC	CTCCCCCCAC
26201	AGGGAGAGGT	GAGCTCAGGG	CAGCCTGCCT	GLAGCCAGAG	CANCECACAC
26251	CCCCGGGCCT	GTCATGGTGG	CCATCTACAG	CCGGCCTGAG	GCAGTCACAG
26301	ACGGATTTGC	AGCTGAGCCT	GTCTATCTGG	TGTGGGAAGA	AGATGGGGAG
26351	TTACTTGTCA	GTCCCGGCTT	ACTICACCIC	CAGAGACCIG	ITTCGGTGAG
26401	TTGGTCTCCG	AGTTCCCCTC	TCCATCTCTC	CTGGCCCCTG	GICCIGAGAG
26451	GAGGGTGGTC	TCCCTAAATC	TCCTTCTCAC	TTAGTCCTTT	ACCATCGGTT
26501	CTGCCGGGCA	GAAGCCAGCG	GAGGTTATAC	CCAAGGAGAA	TCGGCCTTGT
26551	GAGGTACCCC	CATTATGTCC	TGGAAGTGGT	GAGGGGAGGG	ATATACCCAG
26601	AAGGAACTTC	TTAGGGAGCT	CCAGCTCCCC	TTCTATCCCA	GACAAACCTG
26651	AAGGAGCCTC	CAAAAGATGC	CACTGACCTG	CCCATTGTAG	ATGTTACTGC
26701	TTCCGGGGGG	AATAGCCCAA	ATAGAGTGCT	GTTTCCAGCT	CTCACATGTC
26751	TTACCTGCGG	GCCATGCTGC	CTGCCCAGGA	ATTTGTCCCA	ACAAGCAGGA
26801	TGGGCAGGTT	TTGCCAAACT	<b>GTGGAAACTG</b>	GCAAGTCCTG	GGTGTGGGTA
26851	GCCTGGTACA	CAGTAGGCAC	<b>CTTATAAACG</b>	TTTGTTCTCT	TAATGGCAGG
26901	CACATTTGCC	TCTGGCCTTG	AAGGGCTTCT	GAGCTCCCAG	GTGAATGTAG
26951	TTGCTGGGGA	AAGACCTGGG	CGAGTGCTTC	TAAGACTGGA	GCAATGGGCT
27001	TTAGAGTGTT	CCTGAGCTGC	TGGGCCAGCC	CCCACACCTC	CTCAGTCCCT
27051	AGGCCTAAGT	ACCTCCACGA	GCCTCTCTCT	GTGGGGCTTC	TCAGAGGGAG
27101	ATGTGGAAAC	TCTACCTCTA	ACCTGGCTTT	CTTTGCTCAT	TGCCCCACTC
27151	CACCTCCCAT	AGAAACTCCC	CAGGGGGTTT	CTGGCCCTCT	GGGTCCCTTC
27201	TEAATEGAGE	CATTCCAGGC	TAGGGTGGG	TITGITTICA	TTCTTTGGGA
27251	CCACCCTCTT	CTTCCAAAAA	CCCTCCCTCC	CCCTCACCAG	TGGTCCTGGT
27201	CCACTTTTCC	CTTCTCCCTT	CTCTAACCTA	GGTCCAGTGC	CCAGATCTTG
2/301	CTCCCCCAT	ACTACTCACC	TEECLAGEIN	CTCCCCIGC	AAGCAGTGTA
2/351	CATCTCCTT	TTOTOGA ATO		CIGGGCAGAA	TGGGAAGTGTA
2/401	CTCCACACCC	CCAACCCCCA	ACCCAACTCC	TCCTCAATCC	TCACTCTACC
2/451	C I GGALAGGG	AdddddAAdd	מטון אאטטטא	TCCTCAATGC	TGACTCTACC

27501 AAGCGCCCTG CTAGACACTT TATCCTTTAA TCTCTCAACA GCCTAAAGAG 27551 ATTATATATC CCCATTTTAC AGATGAGGCA ACCAGTTTCA ACAGAGTTAA 27601 CATATGGAGC CTCACTGGGC AGCTTTTTCT GTCTTCCTGA CTTTCTCTCA 27651 TCCTTCAGGG GGCTGCAGGT TTGTTTTCTT CTCCTAGTGG AGAGGAAATT 27701 CTCAGGTTTG TTTTCCTCTC CTAGCAGAGA GTAAAAAAAG GGATAGTTTG 27751 CCTGACTTGT TGAAGGTGTG GCTGAGATTG TTTTCTAAAG AGCCAATGGA 27801 AATTGATCTT GAGTTTAGGA GAAAGCTTTT ACATGTGGAA TTAAGATGCC 27851 AAGTGTTGAA GTAGCCACAT TTCAGGTCCT CATTAATTTC TCTTAATCCT 27901 GGGAAGGCAG CTTAGGAGAA GGGTTGTTCC TTTAGGAGCC AGGAACTATA 27951 CCCCTTTTAC CCTTGGAGAG GCAGGGAAGC CAGGGAGGAC ACAACTTCTC 28001 AGGAAGAGGA GAAGCTAGAG CAGATAGTGA ACTCTCAACC TGAACCTTTA 28051 AGGGCCAGAC CACTAATGCC ACCCAAGTCC ACCTGCCGTT TGTCTTGTTC 28101 TGTCCCAGGC TTTCTGGAGA ACCTGATCTT CTTGCCCCTA CCCCCAAGCT 28151 CCGTTTGCCC AGCTAGAGTC TGGGGGGGTAC TGACTGACTT TCGTAGACAT 28201 TCTTCCCTTC CCCAAATAAG AGGCCACATT CCTGAAGTCA CTTCTGAAGA 28251 GATAGCTGCC ACACAGGGCT CTTTCCCCCC AGGGAGGGAC CACCCAGACC 28301 CTCTGCTCTC CCAGGTATCC GTTACCACAT CACTACCTGG TCAGAAAGCT 28351 GTTTCTGCCA TTAGCCCCTC CCTCTTTTAT TATAGGATAT CCTCAAGGGC 28401 TCCTCTTTGG GCCTCAGTTT CATCCTTGGC AGAAAGTAGA AGCTAGACTT 28451 CTTGGGCTCC TGAACAGGGT CCTTGCTGGA TTCTGTGAAA CAAATTAAGT 28501 TCTTGACCCT AGGCCTCTGG GGGAGTACAA AGTCTATGGG AGTTCTGGGG 28551 CTGTGGTTGC AAGGAAAGTG ACGCAACCAG ATTCCATGGG GACATGATCA 28601 GGCGTGACAT GTGAGGGAGG AAGAGGGAGC AAGGGAATGA AGAATACAAC 28651 TTCTGTGTCC CATACACCCC TGCCTGACAG GCCATACATA CTCAGCAGAG 28701 AATGCACTGT CTTTCCTACC ACACTAGCGT GAGGAGTGAG CTGCAATTAC 28751 CACTGTGCTT CCAAGTAAGA AAATACCTCA AATTGGAATT TACAAAAGAG 28801 GTAAATTAGG GAGTGGCTTT TGTCGGACAT CTTTAAAGCA TTTTTCTTTT 28851 TATAGAATTT CACTTAATGT CCAATACTGA TITAATGAGC TTGGGTTTAC 28901 ACATTATCTC TTGAAGAAAA CAAATGAACC TTTGTGTTCC AAAGCAATCC 28951 ATGTTTAAAG GGAAAAAATT ATGCATAACT CTGCCCAGCT TCACAGTAAC 29001 CTTTGGCAGG TGCCTTAGGT CCTCTGGGAC TCTTTTCCTT ATCTGAAAAA 29051 TGAAGGACTT GGATCAGGTG AATGGTTCCC AGCTCTGCAA CTTATGTGGC 29101 TCCTCAGAGG CACACAAGCT CTTTTCCATT ATTTGCCAAA TAATGGAGGC 29151 CCTGTCTTTA ACTGCAGTAC AACTACACAA AATACTTGAA ACTACAGTCT 29201 TCCTGGTTTT TGGTTGGAAC TGAATCAGTG CACTCTAGCA ACACTTATTT 29251 CTTGCTGTTC GTAGGCTTCA TTATGTGTTT GGTTAATTTT TTAAAACAAC 29301 AATAACATAT TCCATAATAA TTACAGCTTA ATTGGCAGAC TGTTTCAGTC 29351 TATAGGATCT GCAGGAAGGA GGAGTAATAA AGGGATTTTT GACTGAGCTC 29401 TTATGGAACA GAGTCTCTCT AGGCCCCTGT CATATCTGCC CTTCTGGGCC 29451 CTGGGGAAAA GTTGGCATCC CCAGTTGTGG TGCTCTCCAG GTGCCCTCAG 29501 GCTGTGGTGG AGGGAGCTTC CCATTCTCTC CTTCAGCCCA CTCAATTCAG 29551 AGGCTAGGGG CTGAAAGAAG CTTCTCTACA ACTGGCTGTT CACTGGGAGG 29601 TTAAGGGATG ACCATCCAGC CAGGCCTTCC TCAGGACATG GGAGGGCTTA 29651 TGCTTTAACA TGTGTAAATC CACTGCAATA ATGACTGGTT CTTTTACCCC 29701 ATAAGGTTGA GAATTTACCT GTAAACATTT TTGTCTGAAG AATTTGGATG 29751 TAAGTGAGGG CTGGGCCTCT ATCTTATCTC ACTTGGCTTC TCTCAGCACA 29801 GCACCTTGCC TGCTTGTTCT TACACATCCT AGATGCACAG TAACTATTTC 29851 CTAATTATTA GAAATCTATT AGAATCAATT GATTTCAGCT GGGCTTGGTG 29901 GCTCCTTCCT GTAATCCCAG CACTTTGGGA GGCTAAGGCT GGAGGATCAC 29951 CTGAGTCCAG GAGTTTAAGA CCAGCCTGGG CAACATAGGG AGACCCTGTC

30001	TCTACAAAAA	TTAAAAAATT	AGCCAGGCAT	GGTGGTGTGC	ACCTGTAGTC
30051	CCAGCTACTC	AGGAGGCTGA	GGCAGGAGGA	TCTCTTGAGC	CTGGGAGGTC
30101	AGACTACAGT	GAGCAATGAT	TGTGCCACTG	CACTCCAGCC	TGGGTGACAG
30151	AGTAAGACTC	TGTCTCTTAA	AAAAAAAAA	AAAAAAGTTG	ATTICIATIT
30201	GGATAGATAA	ATAATTCATT	TTAGGACCTT	TCTTTTTCAC	TTACAGAAAT
30251	CTGTTTCATT	CTGGGCTGAG	AAGCAGGTCC	ATATIGCIAG	GCATAGGAGA
30301	AAAAGGGGTC	TGTCTGCATT	TGCCCTTGGT	GGTCTCAAAT	TGGGGAGGGA
30351	AAGAAATGAA	CACTTACTGG	CTACCTTCTG	TGAGCCAGGC	ATCATGCAAG
30401	ACATCTGTAC	TAATTTAATA	TCTCATAACC	CCATAAGATA	TTATTAGCAA
30451	TGTACAAGTG	AGGAAACTGA	GGCTCAGAGT	CATGAAGTAA	CTGGCCTTGG
30501	GTGACACAGA	TGGTAAATGG	CAGAGAAGGA	ATATGGATCC	AGGTCTTGAA
30551	AGAGAAAATC	TCAACTGATT	ATCTTTTTA	AAAAACTCAT	ATGTTCTCTG
30601	CTGACTCAAA	AGGTCTCTGT	GTGGATCTGG	GTTGACCCAC	TGAACTGACC
30651	ATCAGGGTTC	CATGCACTIT	GTATCTGCCC	AAGCCCTCAG	AACCCCTCAG
30701	TAATGTTTTG	GAAGATGAGT	TTTGGAGGTT	GTCCTTAGGC	ATAGCCTCAG
30751	CGTATGTAGG	CCTCTAGGTG	<b>ATCTCCCCTA</b>	ACCTGAGGAT	TTCAGCTCAA
30201	TTCACTCTGG	CTCCTCAGGA	CAGTGGGATG	ACTGGTTCAG	ACCTCAGCTT
30851	TACCACCTCC	CAGCTGGGTA	CTCTTCTACC	TACAGCCAGG	GCAGATTTTG
30031	ACTITCACTT	GAAACTTCCA	AAAATTGAAA	<b>GGTAGAAAA</b>	CAGCCTTGGC
30301	TTTGGGAAGA	ACGTATGATG	TCCATGGCCT	CTAAGCATCT	GAGGTGGGAC
31001	ATGTTCGAGT	AGCACCTTAC	AGTTCCAAAG	TGTGTTCTGG	GTTCTTTGTT
21051	ΤΛΛΛΔΩΔΔΔ	GAGACTGCTG	GGGAATTGAA	CACTGTGAAG	TATATGAAGG
31101	AGGAGAATTG	TGCTATITAA	CATTCAGTAC	TTGGGCTAAA	GGAGAAGCAT
21151	CACGAAGTGT	TAACACTCAA	AGGGTCTTGA	GCTGTCAGGG	CTCCAGCTTC
31301	CTTATTTTCA	CACCTCACA	TCCTGAGGCT	CAGCTGTTGA	GATGTGCTGT
31201	CTCACTCCGG	TCACATACTA	CAGTGGATGT	GGCTTTGCAG	CCAAGCACAC
31201	ATAGCTTCAC	ATTCCACCTC	CATCAATTAT	GTATTGGGCA	GCTTTGCAGA
21201	ATGATTTGAC	TITAACTCTC	CTTTTCAGTC	TTCTGTAAAA	CAGGGATAAT
31351	CCTGCTACCG	TACCCTTCTC	ACCATTAGAG	ΔΤΔΔΤΔΤΔΔΔ	TAAGGTACCT
31401	CATATAGGAC	CTCCATTATC	CCTCCCATTC	ΔΑΤΔΔΑΤΑΘΤ	AGCTGTTAAT
31451	TGATAGCTAA	CCTACAACTC	TCAACTCTAC	CATGGCAACT	TCTTAAGTGG
31501	TCTGAGAACC	CACTTCTCTT	CTCTCCCAAA	ACACAGCTTA	GGGATCCATA
31551	CCCAGCCCTC	CTCTCACCTC	TTCACCTTCC	ACTICITO	AGACATGTGT
31601	GGCAGTGACT	TTCCCCACAT	ACCTCCCTCT	CCCCTTTAAA	CCCATTCCTT
31651	GGCAGTGACT	TOTOCACTOC	TCACCTTCCT	CTCCACCCAC	CTCTTCTTCC
31/01	GACACAGATA	IGIGGACIGG	CTCCTCCATC	CTCTACTTC	TTTCTCTCCC
31751	CAGCAGGCTG	GCCTGGCTGT	CICCIGCAIG	CTTCCACCAA	ACAAAACCAC
31801	TGCTCCCTCT	CCTGGGCCTG	GUCAGAGUTA	TOCTOCTOC	ATCCCCTCCC
31851	GATATTGGCA	ATGGAAAGGA	GGGIGIGIIC	OCCCACCCCT.	CCATTTCCCT
31901	GCGCACATAC	CATTGCAAGG	GCGTAACAGA	CCACCTCCTC	ACCACCACCC
31951	GCAAATAAGT	CTGCACACAG	AAGAAAAGAA	ACTOCTTOTI	ACCAGGAGCC
32001	ATGGAACCCT	TGTGCTCCCC	TACCTGGGCT	ACIGGITCII	GCCACTCCTA
32051	CCATTTTCAG	TTTGGAAATA	TTIGITAAGG	CITIGUICIT	CUAGGICCII
32101	TGCTTGGTGC	TGAGTCTACC	AAGAGTAAGT	GGGATGCTGT	IIIIGICCIC
32151	AGGGAGCTAA	CAGTCTAGTG	AAGAAGAAAG	AIGGIIGCCC	AGGAACTICT
32201	AAGTCAGAAG	GCAGGAGGCA	AGAAGGAAGC	CCCTGCTCCT	ACTUCCAGCC
32251	CTCTGTTGGG	CACCCCATAG	TTCTTCAGAA	CCACATTTAA	TCCTCACTGC
32301	AGGCCAGGCA	TAGTGGCTCA	CACCTGTAAT	CGCAGCACTT	UGGGAGGCCA
32351	AGGCGGGCAG	ATCACTTGAG	GTCGGGAGTT	CGAGACCAGC	CTCACCAACA
32401	TGGGGAAACC	CCGTCTCTAC	TAAAAATAGA	AAAATTAGCC	GGGTGTGGTG
32451	GCATGCGCCA	GTAATCCCAG	CTACTCAGGA	GGCTGAGGTG	GGAAAATCAC
				_	

32501	TTGAACTCGG	GAAGCAGAGG	TTGCAGTGAG	CCGAGATTGT	GCCACTGCAC
32551	TCCAGCCTGG	GCGATAAGAG	CAAAATTCCA	TCTCAAAAAA	AAAAAGAAAA
32601	AAGAAAAAAT	CCTCACTGCT	ACCTTGAAAG	TAGGTGATGA	CATTGCCATT
32651	TCACAAATGA	GAAGTGAAGG	GGCTAGCCCA	AGATCACTTA	GGTGGTAAAT
32701	GGTGGTGCTA	AGATTAGAAC	CTCAGATCAT	CTAGGGAAAA	ACACAGATAT
32751	GCACAGAGTT	AAGGGGACCC	AGGGTATTGT	TTGTCCTCTT	GTTTCACAGG
32801	TGGGGAAACA	ACCCAGAGAG	GGAAAGGGGC	TTGTCCAAGG	CAATTTAGCA
32851	CCCAAGAACT	<b>TGAACCCATA</b>	TCTCTCTCCT	CCTCATTTAG	AGCTCATCCC
32901	<b>ACATGTATCT</b>	TATATTGAGA	GGAGTGTGAG	CCACATACCA	AGAACAGTCT
32951	TCCCCTCTGC	CTCCAACCTC	ACTGTGCAGT	TTTGAGACAC	TTCACAGCCA
33001	TACTCTTCAT	<b>GCCATACCCA</b>	GCCCTTAAGA	CCCTGAAGTT	CCCCTTCCAT
33051	AAGACAAGTA	GGAAAAGCTA	TAGGGTAAAA	ATAGCCATCA	GTGTTTGTTG
33101	AGCACCCAGG	AGGAATTGGG	CACTCCAGAA	AGATAAAGGG	ATTCTCAGGG
33151	ACTTGCTTCT	CTAGACTTCC	CTAGCTCAGC	TGCTTCAACT	CATTCCTGCC
33201	CCTCTTCTCT	ACCTCCCGCA	<b>GTGCTCAGAA</b>	GTAGTAGAAC	TCACTGTGGC
33251	CTCTCACCTT	<b>GCATTGTTGA</b>	<b>GTTTTATTTA</b>	GACTTTCTCT	TCCTCAACTC
33301	TTCATAAGCT	CATGAAAGGT	GAAGTAGGGT	GCCCTGTGTA	TTTATCTTTT
33351	ATATCTGCAG	TGCTTAGCAA	<b>GTTATAATAA</b>	TGCACTTGCC	TGGCAAAAGG
33401	CTTTCTCTCA	TACATTAGCT	TATTTCCTCT	TCACATTGGC	TCTTTGTAGT
33451	AATAGGATGC	TATTAGTTAT	TTTCAATGAG	AGAAAGCTAC	TAAGAGAAGT
33501	TGTCCAGCTA	GTGACAGTAA	<b>GTGGCTGATA</b>	AAGTGAGCTG	CCATTACATT
33551	GTCATCATCT	TTAATAGAAG	TTAACACATA	CTGAGTTTCT	ACTATATTGG
33601	GTCTTTTTTT	ППППППППППППППППППППППППППППППППППППППП	TTTTTTTA	GAGACGGAAT	CTTGCTCTGT
33651	TGTCCAGGCT	GGAACGCAGT	GGTGCAATTT	TGGGTCACCA	CAACCTCCGC
33701	TTCCCAGGTT	CAAGCGATTC	TCCTGCCTCA	GCCTCCTGAG	TAGCTGGGAC
	TACCAGTGCA	CGCCACCACG	CCCGGCTAAT	TTTTGTATTT	TTAGTAGAGA
33801	CAGGGTTTCA	CCATGTTGGC	CAGGCTGGTC	TTGAACTCCT	GACCTTGTGA
33851	TCTGCCCGCC	TCAGCCTCCC	AAAGTGCTGG	GATTACAGGT	GTGAGCCACC
33001	CCCCCTCC	TATATTAGGA	CTITTATATA	AGCTATCTCT	AGCTAGCTAG
33951	CTAGCTAGCT	ATAATGTTTT	TTGAGACAGA	GTCTGACTCT	GTCACCCAGG
2/101	CTCCACTCCA	CTCCCCTCAT	CTCGACTCAC	TGCAACCTCC	ACCTCCTGGG
34051	TTCCAGTGAT	TCTCCTGCCT	CAGCCTCCCG	AGTAGCTGGG	ATTATAGGTG
2/101	CATGCCACCA	CCCCCACCTA	ATTITITGTA	TTTTTAGTAG	ACCAGGTTTC
34151	ACCATGTTGG	CCAGGCTGGT	CTCGAACTCC	TGACTTCAAG	TGATCCACCC
3/201	CCCTCCCCCT	CCCAAAGTGC	TGGGATTATA	AGCATAAGCC	ACTGTGCCCA
3/251	CCTCCTCTCT	ΔΤΔΤΤΤΤΤΔΔ	TACATATTAT	TTCCATTAAT	TTTCACAGCA
34301	CTTCATTITA	TAGATGAGGA	AACTAGGCCA	GAGAAGTAAA	ATATCTTGCC
34301	CAAGATGATG	TAACTAGTAA	GTGGCAGGAT	CAAGATTCAA	ACCAAGCAAT
34331	CTTCAAACCT	CTTGGAAGCA	AGAATGTGGC	CACTGTGGAA	GGTGCAAGGC
24401	CTTCACAACCI	ACAATACCCA	ΑΔΑΓΑΛΙΤΙΙΟ	CTAGAAGGAA	AGAGATGGCA
24E01	TOCCOTOACA	VCCCC VCCCV	CCTCTTACCT	GTGTGTGTTG	GGAAGCTCAG
24501	AACCCACCAA	CACCITCICI	CTCCACCTAA	GTCCTGAGAA	CACACCAGAC
34501	TTTTCACACC	TECNECTTCA	TAGCCAGGTC	ATTAGGGGAG	AAGGGAGCTA
34001	TACATTITI	THE	TITITITI	TTTTTTAG	AGACGGGGTC
24701	TTACTATCTT	CCCACCCTC	CTCTTGAACT	CCTGGGCTCA	AGTGATCCTC
24761	CCACCTCACC	CTCCCAAACT	CCTCCCATTA	GAGGCATCAG	CCACCCCGCC
2/001	CACCCACCTA	TECATETAAE	ATGTACATCT	TACACAGTGC	TAATAGAATG
34001	TTCCCTTTCT	TCCCCAATAT	TITATITEA	AAAAAAATTC	ΑΔΑΤΑΤΑΤΑ
24001	AAAACTTCAA	AAATCTACTT	CAAACAACAC		TTCACATAGA
34701	PADI I DAM	CTTAATCTTA	TCCCACTTTC	TATATATCTC	TOTOCOTION
34751	HICATGATTI	GITAATGITA	IUCCACIIIU	IMIMIMICIO	1010001001

35001	ATCTGTATAC	TTTTATTTAT	TTATTTTTGC	TGAACTATTT	CAGAGTAACT
35051	TAAAGGCATC	TTGATTTTAC	CCTTGAACAG	TTCAATATGT	TTCTGCTAAG
35101	AATTCTCCTA	TATAAGTCAG	ATATCATTAC	ATCTAAGAAA	ATTCACGGCA
	ATTTTACAAT				
	AAAAAATGTT				
	TTGAGGCATT				
35301	CCTTTTCTTC	TCCCCATGAC	TTTTTAGAAG	AGTCAAGACC	<b>GGTTATTCTT</b>
35351	ATAGAATAAC	CCACATTCTA	GATTTGCCTG	ATTAGTTTT	TTATACTTAA
35401	CGTATTTTG	GCAAGAACAT	TACATTGGTA	ACGCTGTTGG	TGATGGGTCA
35451	GTTTTGAAGA	GTGGAGATGA	TTAAACTGCT	TTTGTTCATT	GAAGTATCTG
35501	TCAAGACCAG	AGATCCTTAA	CTGGTGCCAT	AAATAGGTTT	CAGAGAATCC
35551	TTTATATATA	CACCCTGTCC	CCCACCTAAA	TTATATACAC	ATCTTCTTTA
	TATATTCATT				
	GGGCCCCAAG				
35701	AGGCAACACA	GAGCTGGTTT	CTGGGGCCTT	GTTCAGTCTG	AACCAGCTTC
	CCTTGGGGAG				
35801	TCAAAGAGGA	CTGTCCATTT	TGTTGTCATA	CCTAGGAACC	AGGGACAGCT
35851	TATGTGGCCT	GGTTCCAGGG	ATCCAGGAGA	ATTTCAGTTC	TTGTCTTGCC
35901	TTTCAGGTGT	TCAGAATGCC	AGGATTCCCT	CACCAACTGG	TACTATGAGA
	AGGATGGGAA				
36001	TTCTGTCATG	GGTGCTCCCT	GCTGATGACA	GGGCCTTTTA	TGGTGAGTGA
36051	ATCCCTTCAT	ATCTGCCCCT	CTTGGTCTTC	AGAGTCCATT	GACAGTGCTT
36101	CCAGTTCCCT	GTGGCCTGTT	AATCTTTTAG	TCTTTCCATC	AGCCAGGGCA
36151	TCTCCCTTTA	TTTATTCATT	CATTCAACTA	GCAGGTATCA	ATTGAGCACC
	TACTAAGTGA				
36251	TGGGAGTGGG	AGGAGAGGCA	GGCAGAGAGG	AGACACAATA	TAGTTGGATA
36301	AGGACCTCCA	AGGAGAGTGT	TACAGGCTGA	GAGGAGGATA	TACTTAGGTT
36351	GTCTTTAGGG	AATCAGAAAA	<b>GGAGACTCTG</b>	GAATAGGCTG	GCAGAGAGAG
36401	GGGCTACCTC	CTATACCTGC	TCTGGACAAA	CGACTTTAAG	CATAGTGACA
	GATTTGCCAA				
36501	TACTTCTGGG	GATTTCTTCT	CATAACTGAG	ACCAAAACAG	TTTTGTGCAG
	TCTCAGAAAT				
36601	GGGCAGAGAG	TGAAAGAGTG	GATTTTGACG	GGGGCCTTGC	TTGGAGGTCA
36651	TTCACCCACC	CCTGTCCTCA	CTCCAGCAAC	AGTGATAACT	CACTTCCTTC
36701	CTCCCTTTGT	ACACCCTTCT	CCCCACCTGC	TCACAGGTGG	CTGGGGAGTT
36751	CAAGTACCAC	CCAGAGTGCT	TTGCCTGTAT	GAGCTGCAAG	GTGATCATTG
	AGGATGGGGA				
	GATAGTGGTC				
	GGGACAGTGG				
	CATTGGATTC				
	GCAGAATGAT				
37051	ATGTCTTCAC	TCTGCCCTGC	AATCCTCCCA	GTGGGAGGCA	CTCTTCAAGG
	ACGATCCCAG				
37151	ACCACCTTGG	TTGATAAAAG	AAGTCAGCCT	GGGGCCCATG	GAATAGAATA
37201	GTACAAGGGC	AAGGTTCTCA	TTGTGAGTCA	AAGGTAGAGT	GAAGAGAACC
	CAGACCATCT				
	GCTGCAGATC				
	GGCTCCTCAT				
37401	TGAGACTATG	GGTACTGTTG	CTTAAAGCCA	CATGGTGCAG	TGGTTGCTGG
37451	GGGGCTTCTG	TGTGGGACTC	TAGCATCTTA	TTCCCCCCTG	TGCCCTCTCC

```
37501 CCAGTGGGAA GTGCCACAAT GAGGTGGTGC TGGCACCCAT GTTTGAGAGA
37551 CTCTCCACAG AGTCTGTTCA GGAGCAGCTG CCCTACTCTG TCACGCTCAT
37601 CTCCATGCCG GCCACCACTG AAGGCAGGCG GGGCTTCTCC GTGTCCGTGG
37651 AGAGTGCCTG CTCCAACTAC GCCACCACTG TGCAAGTGAA AGAGTAAGTA
37701 TTTTGAGAAC CCTTCAGCAG GGGTTCTTGA GCAGAGTCTG TAAATGGGCC
37751 TCAGAGGGCT TAGACCTCCA AAGTCTCATG CAGAACTCCC TTTATTCTCA
37801 TCTCATATCT TTCTCCTGGA CCCCACTATG CTGTAACCGT ACCTGGGCCT
37851 TGGCACTTAC TGTTCTCTCT GCCCAGGCTA CTTCCTACCC GATACTTAAG
37901 GCAAGAATCA CTCACCTTTC AGGTGTCAGG TTTCAGGTCA TGTTTGCTCT
37951 TTGAAATCAT CTGGCTTGAT TATGTGTATT AGTTGTTTAT CTTCTATCCC
38001 CTCCACTAGA ATGTAAATTC CAGAAGAAAC TTGCTGTCTT ATTCAGTGCT
38051 GCATGCCCAG GGCTTGGAAG AGTACCTGGC ATATAGTAGG AGTTGATTGA
38101 TTATTATTTT GTCAGTCGAG AGAATGAATG GAGAAAATGT GGTCCATGGC
38151 CCAAAAGAAG TTAAGACCCT ATCCTAGATT CAGGCCAGAG ACCAGATGGA
38201 GAAAGAGTCT GTGTCTATCT AATACCAGTA ATGTCGTACC TCTGGCCGCT
38251 TACCATGTAA ATATTGATTG TGTATCTACC ATGTGTTGGA CACTAGGCTA
38301 GTGCTTGCAC AGCAGGTGAA AGATACTAGA GTTTGGGAAG TCAGGAGGAG
38351 CTAAGGTCTG TTCTACAACC TTATTAGATG AAGAGGAGAG GGAATTGTGT
38401 TCAGGGCAGA GGGAGAAGCA TTTCTCCAAA AGTAGGAGTC TTAATCATGT
38451 CTGATGTAGG TTGAGTGTGG CCAGAAAAGG GGCTGTTAAG TATAGAGGGC
38501 CTGGATTATG AAAATCCAGC AGATCCATTG AGAGTTTAAG CAGCAAGGTG
38551 TTGTGACCAA GTTAACATTT TAGAAGGATC ACTGGTATGG AGGTTGGATT
38601 GGAGAGGGGA AAGCCTAAAG GTATAGAGAC TAGTTAGGAA GCTATTGTAG
38651 GCTGGGCATG GTGGTTCATG CCTGTAATCT CAGCACTTTG GGAGGCTGAG
38701 GTGGGAGGAT TGCTTGAGGC CAGGAGTTGA AGACCAACCT GGCCAACATA
38751 GCAAGACCCC GTCTCTGTTT TTCTTAATTA AAAGAAAAGT CCAGACGTAG
38801 ACATAGTGGC TCACGCCTGT AATGCCAGCA CTTTGGGAGG CCAAGGTGGG
38851 CAGATTGCTT GAGGTCAAGA GTTTGGGATT AGGCCAGGCG CAGTGGCTCA
38901 CGCCTGTAAT CCCAGCACTT TGGGAGGCCG AGGTGGGCGG ATCACAAGGT
38951 CAGGAGATCA AGACCATCCT GGCTAACACA ATGAAACCCC GTCTCTACTA
39001 AAAGTACAAA AATTAGCCGG GCATGGTGGC GGACGCCTGT AGTCCCAGCT
39051 ACTCGGGAGG CTGAGGCAGG AGAATGGCGT GAACCTAGGA GGCGGAGCTT
39101 GCTGTGAGCA GAGATCACGC CACTGCACTC CAGCCTGAGC GACAGAGCGA
39151 GACTCCATCT CAAAAAAAA AAAGAGTTTG GGATTAGCCT GGCCAACATG
39201 GCAAAACCCC ATCTCTACAA AAAGTACAAA AAAATTAGCT GGGTATGGTG
39251 GTGCGCGCCT GTAATCCCAG TTACTCAGGA GGCTGAGGCA TGAGAATTGC
39301 TTGAGCCTGG GAGGTGGAGG TTGCAGTGAG CCCAGATCAT GCCACTGCAC
39351 TCCAGCCTGG ATGACAGAGT AAGATGCCAT CTCAAATAAA AATTAAAAAC
39401 AAAGTTTAAA AAAAAATAG AAGCTATTAC CGTGATCCAG GTAAGAGATG
39451 TGAATAACTA CAATGATGGA AAGAAGGCAG AGTTCTTAGA GATGGGAGTA
39501 GGAGAGATGA GGGAACTCCA GATTGGGAAG ATGATGTTCA AGTTTCTGGC
39551 TTAGGCCACA GGGTGAGTGG CAATTCCCTT CACTGAGATG GGGCATCCTG
39601 GAAAAGGTGT TGCCTTTCTG TGTGGGTATC CTGGGCCCCT TAGGGGCCAC
39651 TGGTGGCCTG GGACCTGGTA AACCTTCCCT GCACAAGCAG AATTGGTCAA
39701 GCAGGTTTTT AGGACATCTT TACCCTGCCT CAACTCTTGT CTGGCCCAGG
39751 GTCAACCGGA TGCACATCAG TCCCAACAAT CGAAACGCCA TCCACCCTGG
39801 GGACCGCATC CTGGAGATCA ATGGGACCCC CGTCCGCACA CTTCGAGTGG
39851 AGGAGGTAGA GTGTGTGTCT AATCTGTCTT GTGAGGGTGG GACATGGAAC
39901 AGATCCTCTG GGAAATCAGG CTGTAGCCTT TACCTTTTCC TACCCCCAGC
39951 CCATCTCTTT GTCTTAGCAT TGAGCCTGTG ACCACTGGTG ACCTATTTCA
```

```
40001 GCGTAACAGG TTCCCAGGGT AGCAGGGATG GTTGATGGAC GGGAGAGCTG
 40051 ACAGGATGCC AGGCAGAGGG CACTGTGAGG CCACTGGCAG CTAAAGGCCA
 40101 CCATTAGACA AGTTGAGCAC TGGCCACACT GTGCCTGAGT CATCTGGGTT
 40151 GGCCATGGGT GGCCTGGGAT GGGGCAGCCT GTGGGAGCTT TATACTGCTC
 40201 TTGGCCACAG GTGGAGGATG CAATTAGCCA GACGAGCCAG ACACTTCAGC
 40251 TGTTGATTGA ACATGACCCC GTCTCCCAAC GCCTGGACCA GCTGCGGCTG
 40301 GAGGCCCGGC TCGCTCCTCA CATGCAGAAT GCCGGACACC CCCACGCCCT
 40351 CAGCACCCTG GACACCAAGG AGAATCTGGA GGGGACACTG AGGAGACGTT
 40401 CCCTAAGGTG CCACCTCCCA CCCTGGCTCT GTTCTGTCCT ATGTCTGTCT
40451 CTCGGATGAA GCTGAGCTGG CTTTCAGAAG CCTGCAGAGT TAGGAAAGGA
40501 ACCAGCTGGC CAGGGACAGA CTATGAGGAT TGTGCTGACC CAGCTGCCCC
40551 TGTGGGGATC ACAGTTTACA GCCAGAGCCT GTGCGGACCC AGCTGTCTGC
40601 CAGGTTTCCT TAGAAACCTG AGAGTCAGTC TCTGTCCACT GAACTCCTAA
40651 GCTGGACAGG AGGCAGTGAT GCTAAACCCT GAAGGGCAAC ATGGCCTATG
40701 GAGAAAGCAT GGAGCTCAGA GCCTGGAGTA CGGGCACAGA TAGGATTGAA
40751 TAAATTGTGT AGAAAGACTT TGAAAACAAT AAAGCAAAAG ATGAATGAAC
40801 GTTTTTTTA GACTTGAGGG ACCAACACC CCCAAACCCC AGATTCTGCC
40851 AGGTCCATGG GGAAGGAGAA GTTGCCTTGA GTGGAAGCCC CAAGTAGGGA
40901 GACTTACAGA AAAGAAGTCA AGAGCACTGG CTCCCAGGCA GAAATACTGA
40951 TACCCTACTG GGGCTTCAGG CTGAGCTCCT CCCTTCACAA ATCACTTCAT
41001 CTCTCTGAGC CTGTTTCTGC ATCTGTGACA TAAGATGGTA AGATAAAGGT
41051 GGCTGTCTCA CCAATTATGT AAGGATTAAA TGTGGAAAAG GACATAAAGT
41101 TGTATAGTGC TGCCATAGGG ACAGTGTTCA GTAAACGTGA CACATTCTTA
41151 GTATCACTAA GAATCAGGTT CTTGGCCAGG CACCGTGGCT CATGCCTGTA
41201 ATCCCAACAC TCTGGGAGGC CTAGGTCGGA GGATGGCTTG AACACAGGAG
41351 CACCTGTAAT CCCAGCACTT TGGGAGGCCA AGGCCGGAGG ATTGCTTGAG
41401 GCCAGGAGTT CAGGAGCAGC CTGGGCCACA TTCCTGTCTC TACAAAGAAT
41451 AAAAAAGTTA ACTGGGCATG GTGGCACATG CCTGTAATCC CAGCTACTCA
41501 AGAGGCTGAG GAGGAGGATT GCCTGAGCCC AGGAGTTCAA GACTGCAGTG
41551 AGCCTTGATC ACACCACTGT ACTACAGCTT GGGCAACAGA GTGAGACCTT
41601 GTCTCCAAAA AAAAAAGTTT GTTTTTTTT ATCCACTCTC CTCACCAAAC
41651 AAACTGAGTA AGTTAGAGCC CTCTCAGCTG GCATGTGTTG GAAACAGTGC
41701 CCTCTCATTA AAGTGCTGCC CTCACTCCCA TTGCCTCTTG GCCTTGGTCA
41751 GTATGATGAA ATTAGTGGGA GGCAGGGCAA CAGAGGGCAG GGAAGAGCTA
41801 GAAATCCATG GCCTGGAAAA GGGAAGATTT GGGAGTGGCC AGGTATCTGT
41851 AGAGCCACCA TGCAGAGGAG GGGGGCAGCT AGCCTTGTGT GCTCTGGTGG
41901 GCATGGTCAG CAGGAGGCAG AGCAAAAGGA CAAGGGTAAG TAAACCTGTA
41951 GGTCGGGACA AGCCAAGAGC CATCCAGCGT CAGTCCTCTC TGGGTAGCCC
42001 AAGTAAAGCA GGAGCATACC CCAGAGAGAA AGTTCGCAGG GCTGTTCACC
42051 TGCAGTGCTG TGGACTTCAA CCTTCTTGTT CCTTCTTCAG TAAGTGAAAA
42101 TAACAGTCAT TGACCATGAC TATTATCGAC CGCTTTTGAA AATGTAAACA
42151 TAGTGACTTT ATTGCTGTAA AAATCATACG TGTTTATCAT CTTAAAATTC
42201 AGGAAACATG GACAGGTACA AAGATGTGCA AAATATCATC CAAAATCCCA
42251 TTTGCTGGCC AGGCACGGTG GCTCACGCCT GTAATCCCAG CACATTGGGA
42301 GGCCGAGGCG GGCAAATCAC TTGAGGTCAG GAGTTTGAGA CCAGCCTGGC
42351 CAACATGGTG AAACCCTATC TCTACTAAAA ATACAATAAT TAGGCTGGGC
42401 GCAGTGGCTC ACGCCTATAA TCCCAGCACT TTGGGAGGCC GAGGTGGGCG
42451 AATCACAAGG TCAGGAGTTT GAGACTAGCC TGGCCAATAT GGTGAAACCC
```

	CATCTCTACT				
	TGTAATCCCA				
	AGTTCGAGAC				
	AATACAAAAA				
	TTGGGAGGCT				
	AGTGAGTGGA				
	CTCCATCAAA				
	CGTGCACCTA				
	TGAACCTGGA				
	TCAGCCTGGG				
	AATAACTAGC				
	AGGCGGAGGC				
	GCCAAGATCA				
	TCTCAAAAAA				
	CTATCACTCT				
	TGAATTACCA				
	AGCTAGTAGA				
	CATTTTGAAT				
	CCCCAAAATG				
	TCTAAACTAT				
	CAGGGTTTCT				
	TCCTCATCTT				
	TCCCCAAAGG				
	CCTTCGTTGT				
	TAATCCATGG				
	GTGAGCGCAG				
	ACTGTCTTTC				
	GATGCCAGGC				
	CACCCCCACC				
	TGGACCTGGA				
	TCCAGTCAGT				
	GCTACAAGGA				
	TCAGGGACTA				
44151	ACTGGGAGGG	GGGGTCAGGT	AAGACGTGTG	TCTCAGCTTG	GGGGCAGCAG
	GGCTGGAGAG				
	GCACTGACCT				
	TATGCCAAAT				
	CTTCTTCCCC				
	CCAGCTCTCC				
	CACGCTGCAT				
44501	TGCCCTCCAA	GGGATGGGAT	GGCCAGCTGC	ATAGATTTTC	TCAAACAGTT
44551	CTCCAGAACT	TCCTCTGGTC	TCAGCACCAT	TAACAGTCAC	CCTCCCTGTA
44601	GGTGACACAC	AAAGCCACGG	GCAAAGTGAT	GGTCATGAAA	GAGTTAATTC
44651	GATGTGATGA	GGAGACCCAG	AAAACTTTTC	TGACTGAGGT	AAGAAGATGG
44701	AGGGGGCCCG	GGAGGTTGGT	GTCACCATTG	GAAGAGAGAA	GACCTTACAA
44751	ATAATGGCTT	CAAGAGAAAA	TACAGTTTGG	AATTACTGTC	TTAAAGACTA
44801	AGCAGAAAAG	AGCCCTAGAG	GAATATCCCA	CTCCCTCTAA	ATTACAGCGT
44851	AATTATTTGT	TCAATGAACA	CTTACTAAAA	GCAACACAAA	CAGGGTACAA
	GGGATGCAGT				
	<b>GGATGATGGA</b>				

```
45001 CCTCACCTGA ACGCCCTGCT AAGGGAGCCT GGAGGGGAGC TCCCTGAGCA
45051 CTCACACTCC TTGGGCATTT ACAGTTTTCA CTACCCCTCC CAAGTTACTT
45101 CATGGAGTAA CTTAAGTTGG GGACACCTGT GGTCTGGGTA TTGCCCTCCA
45151 AGCCACTTGG CCACTCCCAC CCCAGTTCTC CCAATGCAGT TCCAAGGGTA
45201 AGGCCTATGA AGCCATCTCC ATCTATATGG TGGTGGTCTT CCCTCATCCT
45251 GATCTTAGTG CCCTGTCATA TCACAAGATA GGAGGTAGGA GATACAGGTG
45301 GTAACACTTG TCAAGCTGAT TCCTTGGAGG GAAGAGGTAA GGAAGACAGT
45351 GAGAAGTTAA CCACCAGCTT TCCTTGGCTT CCCCCACCCC CAGGTGAAAG
45401 TGATGCGCAG CCTGGACCAC CCCAATGTGC TCAAGTTCAT TGGTGTGCTG
45451 TACAAGGATA AGAAGCTGAA CCTGCTGACA GAGTACATTG AGGGGGGCAC
45501 ACTGAAGGAC TTTCTGCGCA GTATGGTGAG CACACCACCC CATAGTCTCC
45551 AGGAGCCTTG GTGGGTTGTC AGACACCTAT GCTATCACTA CCCTAGGAGC
45601 TTAAAGGGCA GAGGGGCCCT GCTTTGCCTC CAAAGGACCA TGCTGGGTGG
45651 GACTGAGCAT ACATAGGGAG GCTTCACTGG GAGACCACAT TGACCCATGG
45701 GGCCTGGACC ACGAGTGGGA CAGGGCTCAA CAGCCTCTGA AAATCATTCC
45751 CCATTCTGCA GGATCCGTTC CCCTGGCAGC AGAAGGTCAG GTTTGCCAAA
45801 GGAATCGCCT CCGGAATGGT GAGTCCCACC AACAAACCTG CCAGCAGGGC
45851 GAGAGTAGGG AGAGGTGTGA GAATTGTGGG CTTCACTGGA AGGTAGAGAC
45901 CCCTTCCTAT GCAACTTGTG TGGGCTGGGT CAGCAGCTAT TCATTGAGTT
45951 TGTCTGTGTC ACTGAAACTG ACCCCAGCCA ACTGTTCTCA GTTCACAGCC
46001 CTGTTTTCAA AGAATTACAC ATCTCTAAAG GCAAACAGGG CACGGACAAG
46051 GCAAACTGGA GAGGCAAACT GTAGCCTGAG ATGGCCTGGG CTTGCCATCA
46101 CAGGTATTCA GGTGCTGAGG GCCCTTAGAC CAACTAGAGC ACCTCACTGC
46151 CTAGGAAATC AATGAAGGGG AAATGAGTTC TAGCGGAGCC CTGAAGGATC
46201 AGAATTGGAT AAAGTTCTTA TTGGCAGAGA GGCACCAGGA TTGAAGTGAC
46251 AGGAGCAAAG ACCTGGGAGG AAAGAGGAGA AAATCATCTA TTTCACCTGG
46301 AAACAAATGA TTCCAAGCAT AGAAATAATA ACAGCTGACA AGTACTGAGT
46351 GCCCTCTATA TGCTAGGCAC TGGGCTGAGG GATTAACATG CATGTGCATG
46401 TITATTCCTC ATGACAACCT TGGTTTCCAG ATAAGCTGGA CTGGAAAGGG
46451 ACAGAGCTGG GATCCTGGGC TAATCAGTCT GGTCGCCAAG CCTGAGACTT
46501 TAGCCACTGC CCTTCACATG GGGGTCCATG AAAATAGTAG TAGTCTGGAA
46551 CAGTITGGGG GTACATCAAG GTCGCTGTGT TTTAAGCTAT GGAGTCTGGA
46601 CTATAGGAGA CAAATGTAAA AGAGTTTTTT GGTTGACTGG CTTTTTGGTT
46651 TTTTGTTTG TTTGTTTGTT TGTTTGTTTG TTTGTTTGTT TTTTCCTGTT
46701 TCTGGGGCTT GAATCAGGAA GGAGGTTTTT TTGTTGTTGT TGTTTTGAGA
46751 AAGGATATTG CTCTGTTGCC CAGACTGGAG TGCAGTGGCA CGATCATGGC
46801 TCACTACAGC TTCGACCTCC TGGGCTCAAG CAATCCTCCT GCCTTAGCCT
46851 CCCAAGTAGC TGGACTACAG GTGTGTACCA CCACACCTAA TTTTTTGAAT
46901 TTTTTTTCT TTTTTTTTT TTTTTTTTT GGTAGAGACA GGTTCTCACT
46951 TTGTTGCCCA GGCCTGAATC TCAAACTCCT GGGCTCAAGC ATTCCTCCTG
47001 CCTCGCCCTC CCAAAGTGTT GGGATTACAG TTGTGAGCCA CCATGCCCGG
47051 CAGGAAAAGA TTTTTAAGCA AGAAAGCTTA AGAGCTGTGG TTTTTCCAAA
47101 ATGAGTCTGG GCTGGCACAG TGGCTCATGC CTGTAATCCC AGCACTTTTT
47151 TGGGAGGCCG AGGTGAGTGG ATCACTTGAG GTCAGGAGTT TGAGACCAGC
47201 CTGGCCAACT GGTGAAACCC CTGTTTCTAC TAAAGAAAAA AATGCAAAAA
47251 TTAGCTGGGC GTGGTGGTGC ACGCCTGTAG TCCCAGCTAC TCAGGAGGCC
47301 GAGGCAGGAG AATAGCTTGA ACCTGGGAGG CAGAAGTTGC AGTGAGCCAA
47351 GATCACACCA CTGCATTCCA GCCTGGGTGA CAGAGTGAGA CTTCATCTCA
47401 AAAAAAAAA AAAAGAGAGA CTGATATGGT TAGTACATTG GGGTGGAATG
47451 CGGAGGGTCC AGGGAATGGA GCCCTGCATA GGGGGCTAAT GAAACATTTC
```

```
47501 AGATTTCTGA ATTAAGGTAG TGGCTGTGGG GACAGGAGCC TGGGAGGCAG
47551 GGTGGAGTCA GAATGGAGAG ACTGGTTGGC AATGAGGGAA CAGGAGGAGG
47601 AGGAGGAGGA GTTACGAGTG GCTTGAGGTG TCACTTACCA GACATTTGGG
47651 GGATGGGGGA TAGCCGTGAT TGTTGAGCAA CTGGTTTGGG AAGAGCTAGC
47701 ATTGATCCCT GCTGTTCTGT GCTAGCAGAA CCTATCAGCA TCTTCTGGGC
47751 AGGAAACTGG CTCCATGAGA CTGGCTTAGG GAGAGGCTGC TAGTCACCTA
47801 ATCTGCAGAG AAGGGGCAGC TGGAGCTGTG GGACAGAAGA GGCATCCATG
47851 TAGCTGGTGG GGGTGTCTCA GCTTGTGAAG AGGAGATGGC TITGAGCAGG
47901 GCTGACACTG AAAAGGCTGG AAGAAAAAA CAGACACACA AGAGTCTCAG
47951 GATCAGGTAG CATAGGAAAG TTGTGGACAG TCTTTGAGGA GCACTCCCTC
48001 AGGCAGGCAG GCAGGCAGGT CATGAGCTAT AGCGATTCAG GAAGAGCTCC
48051 CTGGGTGTGT GAGCAGCTCC AGGAGCCTAA GGGATGAAAG TAGTATTGCA
48101 GGGGGCTGGA GAGCAAGGAG TGGCTCCTTC TACATTTGCA AGGGAAGGAG
48151 AAAGGAAGTT GCTCCTGAGA GTGGTAAGAG TCAGTGGTGG AGGCCTGGAG
48201 AGGAGACATA ACAAACAAAT TTGTTGACAA ACATTTTGGT AGGAAGGGGG
48251 AGAGCTTAAA GTTTAGACAG TGGGGAAGGT GGAGTCTTAG AGGAGGTGAA
48301 TGTCTGAAAG ACAGAGCTAG CTGGAGCAAG AAGTCACTTC TCTGTTGCAG
48351 GCAGGAAGGA TCCAAAGTGG CTCAAGCCAG AGATTGGGAG AGTGGGGAGG
48401 AGGGAGCAGC CTGGATCTAA GTAAAATGGG TAGAGGTGGA GGGGGTGCTG
48451 CAACGCCAG GGTTTTCTGA AGTTGGGGAC ATTAGGAGAG AGCTGTGAGG
48501 GCTTTGGCCA GCCACTGTGC TAGTGATTGG TGAACCAAAG GATGGGCAGG
48551 AGATGGCAGC AGGGAAGCAG AGGAAGTCCA GGCTTCCTGT TGGTATTGGG
48601 ACAAGGGAGA GGCCATAGGA GGCCCTGGCC CTGTTGTCCA GGTTGGGTTC
48651 TGAAGCTGGG TGGGCATGGC CTGGTAGGAG AGCATCTATG GCGCCCAATT
48701 CCAGATTCAG GGTCTAGTTG ATTTGCTGGC CCTGTAGCCT CAGCTCATGC
48751 TTCTGTTCCA GGCCTATTTG CACTCTATGT GCATCATCCA CCGGGATCTG
48801 AACTCGCACA ACTGCCTCAT CAAGTTGGTA TGTCCCACTG CTCTGGGCCT
48851 GGCCTCCAGG GTCCTATCCT TCCTGGCTTC CTTGTCACAA AGGAGGCTGA
48901 CTTGTCCCCT CTGGCTAGAG GGCAGAGGTG TTGCCTAGGA GCTCCTATCT 48951 TTCCCTTCCT GCTTCTTCCA ATGCCCTTCT CTGTCCTCTG GGAGCTCCGA
49001 GACACACACA GACATAATTT CACCTTCTCT CATTAGCAAC CTTTGAAATA
49051 ATTTGATTAG AAGGGACTTC AGAAGTTTGT TGACTATATG TAGAAAACCC
49101 TGTCATTITA CCTGCTTTTG CCCCATAGTA GTCTTGTAAA ACAGTTCATT
49151 GCTGACCCCA TTTTACAGTG GTGGCACCTG AAGCCTCAGC CTGAGGCCAC
49201 CGAGCTAGTA AATTTACAGG GACCAGTTTG AGACCAGCAT TCCTCCCACT
49251 GCCCCTCAGC TGTGGTGGTT ACAATGTTGT TTGTCTTACT GACTTGCTAT
49301 CTGGCTTCCT GGGTGTCTAC CGGCTGGCCC TGGCTCTGCC CTCTAGACCC
49351 ACACCACGCA ATCTTCATTC CTTTCCCACA TGACTGCCCT GTAGCTATTC
49401 AAAGAGCTTG TCTCCCCCAA GTCTCCCCAT CTACTGCCTC CACCTTGCCT
49451 TITTCTGTCT TATCCTGGTT CTAGCCACTG CCTGAAATCA TTTTAGGAAT
49501 AAGACAGGAC AGGGAAAAAC AAAAGCAACC CCCTGTCCCA CCTCTGAGTT
49551 CCACTCTCCA AGTCCCTGAG CCTCACCTCC AGGGCTCCAG TGGCTCTGCC
49501 ATGAACCCAC TGTGGGCTGG GAGTCTGCTG TGCACAGATA CCAGACCCTC
49701 TITTTAGATG GAGTCTCATT CTGTTTCCCA GGCTGGAGTG CAGTGGTGCA
49751 ATCTTGGCTT ACTGCAGCCT CTACCTCCCG GGTTCTAGTG ATTGTTCTGC
49801 TTCAGCCTCC CAGTAGCTAG GACTACAGGC GTGTGCCACC ACGCCCAGCT
49851 AATTTTTTT TTTTTTTTT TGTATTTTA GTAGAGACAG GGTTTTGCCA
49901 TGTTGGCCAG GCTGGTCTTG AACTCCTGAC CTCAGGTGAT TCACCCGCCT
49951 TGGCCTCCCA AAGTTCTGGG ATTACAGGTG GAAGCCACCG TGCCTGGCCT
```

50001	GAGTGTGTCT	ATTTGATAGA	GCTTTCTGCT	CTGATTCTCC	CTTGCTATAC
50051	ACCTTTTCTC	CCCTTCTCAG	TGGCTTCTCT	TGCCTATGCT	TCCTCCCCAG
50101	GGCCAGGTTT	GAGAACATCC	CCATGAAGTC	CTGACCTGTC	TTTTATCCTA
50151	CCAGGACAAG	ACTGTGGTGG	TGGCAGACTT	TGGGCTGTCA	CGGCTCATAG
50201	TGGAAGAGAG	GAAAAGGGCC	CCCATGGAGA	AGGCCACCAC	CAAGAAACGC
50251	ACCTTGCGCA	AGAACGACCG	CAAGAAGCGC	TACACGGTGG	TGGGAAACCC
50301	CTACTGGATG	GCCCCTGAGA	TGCTGAACGG	TGAGTCCTGA	AGCCCTGGAG
					AGAGCCCTGG
					CAGAGCTGAG
					CCTGAGCTCA
					GGTGAGTTCT
		TTTGTGCCTC			
		CTTCTCTCTC			
		GCTCAAACCA			
		AGGCCTCAGA			
					AGCTGCCTAA
		TAGATGAACC			
50851	AGTTTCATCC	TAGGCAGTGT	TATGTTATAA	GGGCTCTCCA	AGGCAGTTCA
		AGGAAGGACT			
		CCCTACAGAA			
51001	TTAGATTGAC	CCTAGACCCA	GTGCAGAGCA	GGTAAGGGAT	GTAAACTTAA
51051	CAGTGTGCTC	TCCTGTGTTC	CCCAAGGAAA	GAGCTATGAT	GAGACGGTGG
51101	ATATCTTCTC	CTTTGGGATC	GTTCTCTGTG	AGGTGAGCTC	TGGCACCAAG
51151	GCCATGCCCG	AGGCAGCAGG	CCTAGCAGCT	CTGCCTTCCC	TCGGAACTGG
51201	GGCATCTCCT	CCTAGGGATG	ACTAGCTTGA	CTAAAATCAA	CATGGGTGTA
51251	GGGTTTTATG	GTTTATAACG	CATCTGCACA	TCTTTGCCAC	GTTCGTGTTT
51301	CATTGGTCTT	AAGAGAAGGA	CTGGCAGGGT	TTTTTGTTT	TAGATGGAGC
		TGCCCAGGCT			
51401	CAACCTCTGC	CTTCTGGGTT	CAAGTGATTC	TCCTGCCTCA	GCCTCCCAAG
51451	TAGCTGGGAC	TACCGGCACA	CACCACCATG	CCCGGCTAAT	TTTTGTATTT
51501	TTAGTAGAGA	CAGGGTTTCA	CCATGTTGGC	CAGGCTGGTC	TTGAACTCCG
51551	GACCTCAGGT	GATCCGCCTG	CCTCAGCCTC	TAAAAGTGCT	GGAATTAATA
51601	GGCGTGAGCT	ACCTCGCCCG	GCCAGGTTTT	ППППППППППППППППППППППППППППППППППППППП	TTTTTAGTTG
51651	AGGAAACTGA	GGCTTGGAAG	AGGGCAGTGG	CTTGCACATG	GTCGATAAGG
51701	GGCAGATGAG	ACTCAGAATT	CCAGAAGGAA	GGGCAAGAGA	CTGTTCATGT
51751	GGCTGTCTAG	CTAGCTCTTG	GGCCAAATGT	AGCCCTTCTC	AGTTCCCTTC
		AGCCACTCTA			
51851	TGGACAGAGT	GAGGAATCTT	GGAAAGATTC	CTACCTTTAG	GAGTTTAGTC
51901	AGGTGACAGC	<b>ATATCTCAGC</b>	GACTCAAACA	CACACACATT	CAAAGCCTTC
51951	TGTAATTCCT	ACAAAGTTGT	GAGGGGTAGA	GGAGAGGAGA	GACAAGGGAT
52001	<b>GGTTAGGATA</b>	ATGAAGGAAT	GTTTTGTTTT	TGTTTTTGTT	TTTGAGATGG
52051	<b>AGTTTCACTC</b>	<b>TGTCACCCAG</b>	GCTGGAGTGC	AGAGGTGCAA	TCTTGGCTCA
52101	CTGCAGCCTC	CGCCTCCCAG	GTTCAAGCAA	TCCTCCTGCC	TCAGCCTCCC
52151	AAGTAGCTGG	GACTACAGGT	GTGCGCCACC	ACGCCTGGCT	AATTTTTGTA
		AGACAGGGTT			
		<b>GGTGATACAC</b>			
		CTACCGTGCC			
		TAATATTAAT			
		TTTCAGACAT			
		CACACACAGC			

52501	ATGAGTGGAA	GCTAGGAGCA	GATGCTGATT	TGGAACACTT	GGCTTCTGCA
52551	GTGAAGCCCC	TTCTTAGTCC	TCTTCAGTAA	CCCAGCTCTC	AGTGGATACA
		AGTAAGATTT			
		TTTACCACCT			
		TTTCCCTTGC			
		CTTCTTACCC			
52801		TCCCCGAACA			
52851		TTGTTCCCAC			
		TGCAGACTGG			
		TCACAGGGTC			
		CTGCAAGCAC			
		ACCCCTGAGC			
		TAAAGACATA			
		AAAAGAAAGT			
		AGTGTATTCA			
		TTTTTATAGT			
		CTATCCAGTC			
		GAGAGACTGT			
		TCTCTTTACA			
		TAATTTCTCC			
		GTAATAATTT			
		GTTAAAAAAC			
		AGCACTTTGG			
		GACCAGCCTG			
		CTTAGCCAGG			
		TGAGGCAGGA			
		TATCACGCCA			
		AAAAATGGGG			
		AAGTTCAAAC			
		TCTCCCTTAA			
		CCTCCCAGGA			
		GGATAGAGAA			
		ACAAAGGGCG			
		GCCCGGGGGC			
		CCCTCGCCGC			
		GGAGGCGGCG			
		CCGCCGTGGC			
		GCCCCGGCCC			
		TCAGAGCCCC			
		GAGGGCCCAG			
		GGAGCTACGG			
		CGCGCCTCTA			
		GTGGATGAGC			
		CAAGGAGCTG			
		GCCTGCTGGA			
		AAGTGAGGGT			
		TACCCCCCGA			
		CCTGGTTCCA			
54901	GGGTCTCTTC	CCCTGCCCCC	TCAGTTTTCC	ACTITTGGAT	TTTTTATTG
54951	TTATTAAACT	GATGGGACTT	TGTGTTTTTA	TATTGACTCT	GCGGCACGGG

```
55001 CCCTTTAATA AAGCGAGGTA GGGTACGCCT TTGGTGCAGC TCAAAAAAA
55051 AAAAAAAAT GATTTCCAGC GGTCCACATT AGAGTTGAAA TTTTCTGGTG
55101 GGAGAATCTA TACCTTGTTC CTTTATAGGC CAAGGACCGC AGTCCTTCAG
55151 TAACACCAGT GTAAAAGCTT GAGGAGAAAT TGTGAAGCTA CACAGTATTT
55201 GTTTTCTAAT ACCTCTTGTC ATTCTAAATA TCTTTAATTT ATTAAAAAAT
55251 ATATATATA AGTATTGAAT GCCTACTGTG TGCTAGGTAC AGTTCTAAAC
55301 ACTTGGGTTA CAGCAGCGAA CAAAATAAAG GTGCTTACCC TCATAGAACA
55351 TAGATTCTAG CATGGTATCT ACTGTATCAT ACAGTAGATA CAATAAGTAA
55401 ACTATATTGA ATATTAGAAT GTGGCAGATG CTATGGAAAA AGAGTCAAGA
55451 CAAGTAAAGA CGATTGTTCA GGGTACCAGT TGCAATTTTA AATATGGTCG
55501 TCAGAGCAGG CCTCACTGAG GTGACATGAC ATTTAAGCAT AAACATGGAG
55551 GAGGAGGAGT AAGCCTGAGC TGTCTTAGGC TTCCGGGGCA GCCAAGCCAT 55601 TTCCGTGGCA CTAGGAGCCT GGTGTTTCCG ATTCCACCTT TGATAACTGC
55651 ATTTTCTCTA AGATATGGGA GGGAAGTTTT TCTCCTATTG TTTTTAAGTA
55701 TTAACTCCAG CTAGTCCAGC CTTGTTATAG TGTTACCTAA TCTTTATAGC
55751 AAATATATGA GGTACCGGTA ACATTATGCC CATTTCTCAC AGAGGCACTA
55801 CTAGGTGAAG GAGTTTGCCT GACGTTATAC AACCAGGAAG TAGCTGAGCC
55851 TAGATCCCTT CCACCCACCC CATGGCCCTG CTCATGTTCC ACCTGCCTCT
55901 AATTTACCTC TTTTCCTTCT AGACCAGCAT TCTCGAAATT GGAGGACTCC
55951 TTTGAGGCCC TCTCCCTGTA CCTGGGGGAG CTGGGCATCC CGCTGCCTGC
56001 AGAGCTGGAG GAGTTGGACC ACACTGTGAG CATGCAGTAC GGCCTGACCC
56051 GGGACTCACC TCCCTAGCCC TGGCCCAGCC CCCTGCAGGG GGGTGTTCTA
56101 CAGCCAGCAT TGCCCCTCTG TGCCCCATTC CTGCTGTGAG CAGGGCCGTC
56151 CGGGCTTCCT GTGGATTGGC GGAATGTTTA GAAGCAGAAC AAGCCATTCC
56201 TATTACCTCC CCAGGAGGCA AGTGGGCGCA GCACCAGGGA AATGTATCTC
56251 CACAGGTTCT GGGGCCTAGT TACTGTCTGT AAATCCAATA CTTGCCTGAA
56301 AGCTGTGAAG AAGAAAAAA CCCCTGGCCT TTGGGCCAGG AGGAATCTGT
56351 TACTCGAATC CACCCAGGAA CTCCCTGGCA GTGGATTGTG GGAGGCTCTT
56401 GCTTACACTA ATCAGCGTGA CCTGGACCTG CTGGGCAGGA TCCCAGGGTG
56451 AACCTGCCTG TGAACTCTGA AGTCACTAGT CCAGCTGGGT GCAGGAGGAC
56501 TTCAAGTGTG TGGACGAAAG AAAGACTGAT GGCTCAAAGG GTGTGAAAAA
56551 GTCAGTGATG CTCCCCCTTT CTACTCCAGA TCCTGTCCTT CCTGGAGCAA
56601 GGTTGAGGGA GTAGGTTTTG AAGAGTCCCT TAATATGTGG TGGAACAGGC
56651 CAGGAGTTAG AGAAAGGGCT GGCTTCTGTT TACCTGCTCA CTGGCTCTAG
56701 CCAGCCCAGG GACCACATCA ATGTGAGAGG AAGCCTCCAC CTCATGTTTT
56751 CAAACTTAAT ACTGGAGACT GGCTGAGAAC TTACGGACAA CATCCTTTCT
56801 GTCTGAAACA AACAGTCACA AGCACAGGAA GAGGCTGGGG GACTAGAAAG
56851 AGGCCCTGCC CTCTAGAAAG CTCAGATCTT GGCTTCTGTT ACTCATACTC
56901 GGGTGGGCTC CTTAGTCAGA TGCCTAAAAC ATTTTGCCTA AAGCTCGATG
56951 GGTTCTGGAG GACAGTGTGG CTTGTCACAG GCCTAGAGTC TGAGGGAGGG
57001 GAGTGGGAGT CTCAGCAATC TCTTGGTCTT GGCTTCATGG CAACCACTGC
57051 TCACCCTTCA ACATGCCTGG TTTAGGCAGC AGCTTGGGCT GGGAAGAGGT
57101 GGTGGCAGAG TCTCAAAGCT GAGATGCTGA GAGAGATAGC TCCCTGAGCT
57151 GGGCCATCTG ACTTCTACCT CCCATGTTTG CTCTCCCAAC TCATTAGCTC
57201 CTGGGCAGCA TCCTCCTGAG CCACATGTGC AGGTACTGGA AAACCTCCAT
57251 CTTGGCTCCC AGAGCTCTAG GAACTCTTCA TCACAACTAG ATTTGCCTCT
57301 TCTAAGTGTC TATGAGCTTG CACCATATTT AATAAATTGG GAATGGGTTT
57351 GGGGTATTAA TGCAATGTGT GGTGGTTGTA TTGGAGCAGG GGGAATTGAT
57401 AAAGGAGAGT GGTTGCTGTT AATATTATCT TATCTATTGG GTGGTATGTG
57451 AAATATTGTA CATAGACCTG ATGAGTTGTG GGACCAGATG TCATCTCTGG
```

```
57501 TCAGAGTTTA CTTGCTATAT AGACTGTACT TATGTGTGAA GTTTGCAAGC
57551 TTGCTTTAGG GCTGAGCCCT GGACTCCCAG CAGCAGCACA GTTCAGCATT
57601 GTGTGGCTGG TTGTTTCCTG GCTGTCCCCA GCAAGTGTAG GAGTGGTGGG
57651 CCTGAACTGG GCCATTGATC AGACTAAATA AATTAAGCAG TTAACATAAC
57701 TGGCAATATG GAGAGTGAAA ACATGATTGG CTCAGGGACA TAAATGTAGA
57751 GGGTCTGCTA GCCACCTTCT GGCCTAGCCC ACACAAACTC CCCATAGCAG
57801 AGAGTTTTCA TGCACCCAAG TCTAAAACCC TCAAGCAGAC ACCCATCTGC
57851 TCTAGAGAAT ATGTACATCC CACCTGAGGC AGCCCCTTCC TTGCAGCAGG
57901 TGTGACTGAC TATGACCTTT TCCTGGCCTG GCTCTCACAT GCCAGCTGAG
57951 TCATTCCTTA GGAGCCCTAC CCTTTCATCC TCTCTATATG AATACTTCCA
58001 TAGCCTGGGT ATCCTGGCTT GCTTTCCTCA GTGCTGGGTG CCACCTTTGC
58051 AATGGGAAGA AATGAATGCA AGTCACCCCA CCCCTTGTGT TTCCTTACAA
58101 GTGCTTGAGA GGAGAAGACC AGTTTCTTCT TGCTTCTGCA TGTGGGGGAT
58151 GTCGTAGAAG AGTGACCATT GGGAAGGACA ATGCTATCTG GTTAGTGGGG
58201 CCTTGGGCAC AATATAAATC TGTAAACCCA AAGGTGTTTT CTCCCAGGCA
58251 CTCTCAAAGC TTGAAGAATC CAACTTAAGG ACAGAATATG GTTCCCGAAA
58301 AAAACTGATG ATCTGGAGTA CGCATTGCTG GCAGAACCAC AGAGCAATGG
58351 CTGGGCATGG GCAGAGGTCA TCTGGGTGTT CCTGAGGCTG ATAACCTGTG
58401 GCTGAAATCC CTTGCTAAAA GTCCAGGAGA CACTCCTGTT GGTATCTTTT
58451 CTTCTGGAGT CATAGTAGTC ACCTTGCAGG GAACTTCCTC AGCCCAGGGC
58501 TGCTGCAGGC AGCCCAGTGA CCCTTCCTCC TCTGCAGTTA TTCCCCCTTT
58551 GGCTGCTGCA GCACCACCCC CGTCACCCAC CACCCAACCC CTGCCGCACT
58601 CCAGCCTTTA ACAAGGGCTG TCTAGATATT CATTTTAACT ACCTCCACCT
58651 TGGAAACAAT TGCTGAAGGG GAGAGGATTT GCAATGACCA ACCACCTTGT
58701 TGGGACGCCT GCACACCTGT CTTTCCTGCT TCAACCTGAA AGATTCCTGA
58751 TGATGATAAT CTGGACACAG AAGCCGGGCA CGGTGGCTCT AGCCTGTAAT
58801 CTCAGCACTT TGGGAGGCCT CAGCAGGTGG ATCACCTGAG ATCAAGAGTT
58851 TGAGAACAGC CTGACCAACA TGGTGAAACC CCGTCTCTAC TAAAAATACA
58901 AAAATTAGCC AGGTGTGGTG GCACATACCT GTAATCCCAG CTACTCTGGA
58951 GGCTGAGGCA GGAGAATCGC TTGAACCCAC AAGGCAGAGG TTGCAGTGAG
59001 GCGAGATCAT GCCATTGCAC TCCAGCCTGT GCAACAAGAG CCAAACTCCA
59051 TCTCAAAAAA AAAAA (SEQ ID NO:3)
```

#### **FEATURES:**

Stop:

Start: 3000

Exon: 3000-3044 Intron: 3045-45393 Exon: 45394-45525 Intron: 45526-45761 Exon: 45762-45818 Intron: 45819-50154 50155-50329 Exon: Intron: 50330-51076 51077-51132 Exon: Intron: 51133-52775 Exon: 52776-52933 Intron: 52934-55922 55923-56064 Exon:

56065

FIG.3-24

CHROMOSOME MAP POSITION: Chromosome 22

ALLELIC	<b>VARIANTS</b>	(SNPs):
DΝΔ		

DNA			
<u>Position</u>	Major	<u> Minor</u>	Domain
941	Α	T	Beyond ORF(5')
2612	G	Α	Beyond ORF(5')
5080	G	Α	Intron
6599	-	A C	Intron
6983	C	G	Intron
9885	Α .	•	Intron
12538	G	T	Intron
17707	T	С	Intron
18219	-	Α	Intron
19670	С	T	Intron
21153	G	T	Intron
24566	С	-	Intron
26604	G	Α	Intron
27255	С	G	Intron
27399	T	С	Intron
28088	G	Α	Intron
28734	G	Α	Intron
29246	-	T	Intron
29490	G	Α	Intron
29934	T	С	Intron
34480	Α	G	Intron
38812	T	С	Intron
40731	С	G	Intron
41303	T	Α	Intron
41305	•	Α	Intron
41457	G	С	Intron
43168	Α	- T	Intron
43357	T	G	Intron
45664	T	С	Intron
47549	Α	С	Intron
47908	С	Α	Intron
52267	С	Α	Intron
54654	T	С	Intron
54679	С	G	Intron
54693	Α	G C C	Intron
54706	T	C.	Intron
54712	T	С	Intron
54799	Ť	Č	Intron
54819	G	Ā	Intron
55499	Ċ	Ť	Intron
56825	Č	À	Beyond ORF(3')
58871	Ť	Ä	Beyond ORF(3')
	•		

Context:

FIG.3-25

DNA **Position** 941

GAGTAAGTGGGTGGTCAGGTTACAGACTTAATTTTGGGTTAAAAAGTAAAAACAAGAAAC AAGGTGTGGCTCTAAAATAATGAGATGTGCTGGGGGTGGGGCATGGCAGCTCATAAACTG ACCCTGAAAGCTCTTACATGTAAGAGTTCCAAAAATATTTCCAAAACTTGGAAGATTCAT TTGGATGTTTGTGTTCATTAAAATCTCTCACTAATTCATTGTCTTGTCCACTGTCCGTAA CCCAACCTGGGATTGGTTTGAGTGAGTCTCTCAGACTTTCTGCCTTGGAGTTTGTGAGAG [A.T]

GATGGCATACTCTGTGACCACTGTCACCCTAAAACCAAAAAGGCCCCTCTTGACAAGGAG GCATGAGAAGAGTGGAATGGGTGGGTTGAGGTGGTTTTTAAGGCCTCTTGCCAGCTTGT TTAACTCTTCTCTGGGGAACGAGGGGGACAACTGTGTACATTGGCTGCTCCAGAATGATG TTGAGCAATCTTGAAGTGCCAGGAGCTGTGCTTTGTCTATTCATGGCCCCTGTGCCTGTG

TGAGTTGGAACAGTTTGATACCAAAACCATCCCCCGCCCCCCAACCCCCAGCCTAGGGT 2612 CCGTGGAAAAATTGGCCCCTGGTGCCAAAAAGGTTGAGGACTGCTGATCTAGAGGACCAA TTTATTCAATGTTGGTTGAGTAAATGAGCTCTTGGATTAGGTGATGGAAAAATCTGAAAA AACAGGGCTTTTGAGGAATAGGAAAAGGCAGTAACATGTTTAACCCAGAGAGAAGTTTCT GGCTGTTGGCTGGGAATAGTCATAGGAAGGGCTGACACTGAAAAGAAGAAGAAGATTGTGTTC [G.A]

> TTTCTTCTTCTCAGAGCTATAAGCAAAGGCTGAAAGTTCTAGAAAAAGGCAAGTTTTGTT TCAGTAGAAAAAAGGATAATCAGAACCATTTTTAGAAAATGGAATGAGACTACTTTTGAG GCCATGAGTTCCTTGTCCCTGGAGAGATGAGCAGAGGTTGGACAAGTGCTTACCAGAGAT CTTGTGGAGGCAGAAACTGTGCATCTAGCAGAGCATTGGCCTAACCCTTTCAAATGAGAT GCTGTTAACTCAGTCTTATTCTACATGGTAGGAATCCTGTCCCTTTGCCTCCTGCTACTT

ACAACGTAAAATAGTTGAAATTTGTTGGTGGAAAGAAGAGCAGTCCACTCCAGAGGCTGG 5080 ATGGGCATGCCTGGCCCCCAAGGTCTGAAGTGGTAGGGCTGTGCCTATATCCTGAGAATG AGATAGACTAGGCAGCACCTTGTGCTGTAGATTCCAGCTCCTGCACATAGCTCTTGTTG TAAAACATCCCTGTGCTTATACCAAGTAATTGAGTTGACCTTTAAACACTTGCCTCTTCC CTGGGAACCATATAGGGGATTGGCCTGGAGACGTCTGGCCTCTGGAAGAGTTGGAAAGCA rg.Al CCATCATTATTATCCTTTCCTTTCAGCTATAACTCAGAGCTCTCAAGTCTTTTCTGTGGA TCTTATTGCCTTGGTTCTTGCCCCTTTTACTCCCAGGGAAGTTGATTCTGTCTTTTCTGT

TCCATTTAGTATGACAGGAGCAGAGAATGTCAGAGCTGTAAGGGACCTTATAGTTAAAGC CTTTGGCTGGTCCTTTCATTTTATAGCTGGGACTAATAAGTAACGTCAAAACCCAATGAG TTCACAGATTGGGTCTCGCCTTGGCATGTAACCCATATGTTCATATTCTTGCTGTTTTTCC

6599 CTGTAATCCTAGCACTCTGGGAGGCCGAGGCAGAAGGATCGCTTGAGCCCATGAGCCCAG GAGTTTGAGACCAGCCTGGCCAACATGGCAAAACTCCACCTCTACAAAAAATACAAAAAT ATTAGCCAGGCGTGATGGCACACACCTGTAGTCCCAGCTACTTGGGAAGCTGAGGAGCGA TGATTACCTGAGCCCAGGGATATCAAGGCTGTAGTGAGCTGTGATCATGCCACTGTACTC [-.A.C]

> ATATGTATACATTTCTCTTATTACACATTCATTGGTGATCTGATGTGGAGCCCCAGGGAT TAAGGGCAACTTTGAACTACCCTGACACAATCAAGCCAAATATCATTCCCGTGGAGGAAG TAGAGTATCTAGGTTCTGTCTCCTAGTTGCAGCTTTACCTTGAGGACAGAGACTCTAATC CAGCTGTGCTGAAGGAGCACATCTCCTGACTTCTGAGCTTTCCCCTGGTAAATTCAAACT

> > FIG.3-26

6983

CACATTCATTGGTGATCTGATGTGGAGCCCCAGGGATTAAGGGCAACTTTGAACTACCCT GACACAATCAAGCCAAATATCATTCCCGTGGAGGAAGTAGAGTATCTAGGTTCTGTCTCC TAGTTGCAGCTTTACCTTGAGGACAGAGCTCTAATCCAGCTGTGCTGAAGGAGCACATC TCCTGACTTCTGAGCTTTCCCCTGGTAAATTCAAACTGGATGTCACGGCGCCCTCAGATA GAGCCTGGTAATTTGCCCTGGGGAGAGTGACTGTCTTTTGGATCTAATTTGACTTTTGCC

CAGTTGGAGGAAAATCTTCAGGGCTAGGAAGGATTGTATTTGTCTGACCCCAGAGATAAC CTGGGTTTTGAGGAACATGGGGCATCAACCTGAATGGTCTTGTAAGATCTCTCCCACGCC AGCTTGCCAGTGTTTCTCTGATGAATTTAGAGTACCTGAGTAGTGCAGGCCTGCTGGGAG GAGGACTCTCCCTCTGTGCTACTCAGAGAAATTCATTCTTCAAGGCCCCCTTCCAGCCTT GCTCTTACCCAGCTGGGCTACAGTTACAATAAAGGAAATGACTTTCTTCTCCCCTTCCC

9885

GGCGTGCCACCACCCTTGCCATTTTTTTTTTATTTTAAGTAGAAACAAGGTCTTATTAAT ACTATGTTGCCCAGGCTGGTCTTGAACTCCAGCGATCCTCCTGCCCCAGCCTCCCAAAGT GCTTGGGATTACGGAAGTAAGCCACTGTGCCTGGCCAGTGCAACCCCCATTTTATACTAA AACAGGAAGGCCCAGAAAGGTTTGGAGTAACTTGTCCAGGGTCACACAGATGATATTTGA ACTCAGGTCTCCCTGGCTCCCAAGAGAGTCTGCTTTCCACTAGGACTCCCAGGAGAAAAA  $[A, \cdot]$ 

AAAAAAAAAAACAGTAGACTTGGAGACAGAAAATCTGATTTGAGTCTTAGTTGAGCTAGG CTAACTGTGTAACTGTGGGCAAGTTCCTTAGCCCCTGTGAGCCTCAGTTTCTTATCTGTA AAATGTCATAAAAGAAATCCATCTCATGGAGTAGTTGTGATGATCAAGGACTCTGAAAAC ATTAGAATGGTTTAATGTGAAGGATTAGCAGCAGCACATGGCAACATTGTGCATCTTATA 

12538

ACTTGGGAGGCTGAGGCAGGAGAATCACTTGAACCTGGGAGGCAGAGGTTGCAGTGAGCC AAAAAAAAAAATTCCTTAATTTGGCCTACAGTAGAGCCCTCCGTAATGTGGCCTCTCT CCACATCTCCACAACCTCCTGCTCCCTGCACTTCAGCCTCACCTCTCTTCTGGACAGGCC CTCCTTCTGACAAGGGCTTTGTTCATTCTGCTCCCTCTGCCTAGAATGCCCCCTTACTCT

TTCACTTAACTCCTGCTTATCGTTTAGATCTTTACCTGGATGGCTCAGAGAAATATAGAA GTAATTCCTCACCCTGAAAAATAGGTTAGGTCCCTGTTTTATGTTTTCATAGACCTTTCC TTTGAGGCTTTTTTTAAAAAAGTAGTTTTAATCTCACATTTATTCATGTGATCATCTCCT TAATGATATCTTAAGACCTCTAATAGAACAATTTGGTCATGGACTGTGGGGTTTTTGCCC 

17707

GTAGTGGGTGCTCAGAGTGTTTGCTGGGTGAATGATGTATTTGTTGAACGACTCTTTGGA CACTTGAATAAAGTCCATCCAGTATGCACCATTACCATCTCTTCGCTCTACAATATTCTT TTAGGCAAGAGCTTATCTTTTGAGGTGATAAGATAAGCTCAAACTTATGTAGACTAAGAC CTCAGTCTGTAAATGTCATCCCTAAGTCTTAAACCATCAAAACCAGGGCCTCAAGGAATG GCATGCCTTCTGCAACTGTAGCAACCTGCTGTGCTTATTTTGCCGTGTTTTTCATTTTTC [T.C]

CCCAAAAGCTAGAGTCCCTTCTCCCATGGGCAGTGCTGGAAGTGTGCTAACAAATTCTTT CTCCATACTGCTTACGATTACAAAAAAACCCTCAGCATCTCATGCCAGACTTGAGTTAA GGTTGTTTTCTTTTGTGTGTCAGCTGTATTCTGGTCATGACTTCCTGATGATGCCCTATA GAGATTTTGCTGAGATCAGAGGGTGCTCCACTGCCATCAGTAGCACTGACTCTTGCAGAA  18219 TGCCATCAGTAGCACTGACTCTTGCAGAAGCACCGTTTCTGAAGTTGGCTAATGTCATCC CTCACGTTTGTTTGAAATTTGTTTTAGTTCCAGAGATAGCACTTTCATGGAATGAC GCTATCTTCTAGAATCACTTTTTTTTTTTTTTTTGAGTTGGAGTCTCGCTGTGTCGCCAGG CTGGAGTGCAGTGGCACAATCTCAGCTCACTGCAATCTCCACCTTCCGGGTTCAAGTGAT TCCCCTGCCTCAGCCTCCCGAGGAGCTGTTACTACAGGCGCACACCCCCACTCCTGGCTA [-.A] TTTTATGTGTTTTAGTAGAGACGGGGTTTCACCGTGTTGGCCAGGATGGTCTCGATCTCC

Jan. 22, 2002

TGACTTTGTGATCTGCCTGCTTCAGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGTCAC CGCGCCTGGCCTAGAATCACCTTTTTATACCATAACGTGAGCACCACTGCCGCGTCACCA AGGAAAGAGAGAGCCAGCTACTGTGGGGTTACAAATGGGTAAGAGTGGCACCAGGAAGGT 

- 19670 GACCCCCATGATGAGCAACTATAGCACTAGAACAGTGATAATAACTAATGTTTATAATGC ATCTTCAGTTTACAGAGGGCTTTTGTACTCATCTAGTTTAGTTCCTGCAACAACCTC TTGAGGAATATAGCACAAGCAGGACAAGGGAAGCCCAGAGATGTTAAATAATTTATCCAA GTTTATGCTGCTGGGAAGGGCAGCACTGAAATTAAAAGAAAAGTTTTCTGAGCTCAAATC CCATGCCCTTTCCTCAATGTGAGCTCTAGCAAGGTATTCAGGAATCCTGCCTCTACAGTT AGAGCCTCAAATTGCTGGGTATGTTGAGTTCTTGTATCTGATTTTTCTAGATTTCCTGCC CACATTCTTACTGTCTGGATATCAGGAAAGAGTTTATCAAATGCCTGTGGAAATCCAAGA TAAGGTCTCATGATGAGTAACCCAGTGAAAACATGAAGTCAAGTCTAACTAGTCACTACT ATTTCACTACTGCTGACTCCTGATGATCAGCTCCTTTTCTAAGTGCTTACTGTCCACTTA TTCCATCATCTGCCTAGAATTTATGTGAAGGAATCAAAGCAAAAGGATCATAAGGCTTCC
- 21153 GGACCCTTGTTTTAGAAGGATGACTGCTGCTATAATGTAGAAAGTGATTTGGAAGAGGGG AGGAGTGGGGCACGAAAGATGGTTAGTAGATGGGGGTGGTAATGCTTACCTTTCAGTATT TGGAGGCTTCGGAGTCCTCAAAAATTCTCTTCCTTGATTGGAGTCCTCCCAGCCAATAGA GGGCTTCACACAAACAGTTTCTTGGGTTTTTGAATTGTTTGACCAGAGCTTTCTTCCGACA AAAGGTTGGGGTGATTCATTCACTTACCACACCTTGCCTGAACATTCACTTGGGGCTGCC rg.Tl GTTATGAAGGCTATTGTTCTCCAGCCTGTCACAGACGCTTTGAAGACCTGTGCCTCAGCT GGTTCTAAGGAGTCAGTTTGTTCAGCTCCGTGCCAGGTTTCCAACTTATGAAATGTGCTG GAGATTAACACCTCTCCTGCCATTTTATCCCTACTATAATTGCCAGTCAAAGGATTCCTG CAGTTGCCTCTGGCAGCCATAACTGATGAATGTTCTGCCAGCTGCTCTGAGGACCTAGAA GAGCAGTTTTCTATCCAGGACCAGTTTCCAAGGGTGGGAGGGTGAAATATATCCTCCAGT
- 24566 CTACTCTGGAGGCTGAGGTGAGAGGATCACTTGAGTCCAGAAGGTCGAGGTCAAGATTGT TAGTGACATAACCCCTCAGAACCTATTTCCTAATCTGTTAAATGAGGCTGATGACGTTTC CTCCTTTTACTGGCAATTTAAACATGATGGATAATAAATGCTAAGCACTTAACACAGGGC rc.-1 TAGAAGATATTAACTGCTCAATAAATGGTAGCTTCTTAACAGTATTCAAACCCATGTGCT CTTATCACATGCATTGTTGTCCCTGTGTCCAGTTGGTGGAAATGGGAAAAGGCTCCCTTGT AACCCCATCTACCATCTTTATCAGACTTTCCTGCCATGGTTCACAGTAAGAGATAGAAGC TGCACGGTGACTTCTGGCTCTTTACAATGGTGAGCGGTGTGTGCCTGGTAAGGGAGAGCT GATGTCACTGCCCCAAATCCAGTAGTGAGATCTGAGTGTTCTGGTTTCCTCCAGCAGCCT

FIG.3-28

26604

GATTTGCAGCTGAGCCTGTCTATCTGGTGTGGGAAGAAGATGGGGAGTTACTTGTCAGTC CCGGCTTACTTCACCTCCAGAGACCTGTTTCGGTGAGTTGGTCTCCGAGTTCCCCTCTCC ATCTCTCCTGGCCCCTGGTCCTGAGAGGAGGGTGGTCTCCCTAAATCTCCTTCTCACTTA GTCCTTTACCATCGGTTCTGCCGGGCAGAAGCCAGCGGAGGTTATACCCAAGGAGAATCG [G,A]

AACTTCTTAGGGAGCTCCAGCTCCCCTTCTATCCCAGACAAACCTGAAGGAGCCTCCAAA AGATGCCACTGACCTGCCCATTGTAGATGTTACTGCTTCCGGGGGGAATAGCCCAAATAG AGTGCTGTTTCCAGCTCTCACATGTCTTACCTGCGGGCCATGCTGCCCGGGAATTT GTCCCAACAAGCAGGATGGGCAGGTTTTGCCAAACTGTGGAAACTGGCAAGTCCTGGGTG 

27255

TGGGGAAAGACCTGGGCGAGTGCTTCTAAGACTGGAGCAATGGGCTTTAGAGTGTTCCTG AGCTGCTGGGCCAGCCCCACACCTCCTCAGTCCCTAGGCCTAAGTACCTCCACGAGCCT GCTCATTGCCCCACTCCACCTCCCATAGAAACTCCCCAGGGGGTTTCTGGCCCTCTGGGT CC.G1

CTGTTGTTCCAAAAAGGCTGCCTCCCCCTCACCAGTGGTCCTGGTCGACTTTTCCCTTCT GGCTTCTCTAAGCTAGGTCCAGTGCCCAGATCTTGCTGCCGGGATACTAGTCAGGTGGCC AGGCCCTGGGCAGAAAAGCAGTGTACCATGTGGTTTTGTGGAATGACCGGACCCTGGTAG ATTGCTGGGAAGTGTCTGGACAGGGGGAAGGGGAACTGGTCCTCAATGCTGACT CTACCAAGCGCCCTGCTAGACACTTTATCCTTTAATCTCTCAACAGCCTAAAGAGATTAT

27399

AGATGTGGAAACTCTACCTCTAACCTGGCTTTCTTTGCTCATTGCCCCACTCCACCTCCC ATAGAAACTCCCCAGGGGGTTTCTGGCCCTCTGGGTCCCTTCTGAATGGAGCCATTCCAG GCTAGGGTGGGGTTTGTTTTCATTCTTTGGGAGCAGCCTGTTGTTCCAAAAAGGCTGCCT CCCCCTCACCAGTGGTCCTGGTCGACTTTTCCCTTCTGGCTTCTCTAAGCTAGGTCCAGT GCCCAGATCTTGCTGCCGGGATACTAGTCAGGTGGCCAGGCCCTGGGCAGAAAAGCAGTG

ACCATGTGGTTTTGTGGAATGACCGGACCCTGGTAGATTGCTGGGAAGTGTCTGGACAGG GGGAAGGGGAAGGGAACTGGTCCTCAATGCTGACTCTACCAAGCGCCCTGCTAGACACT TTATCCTTTAATCTCTCAACAGCCTAAAGAGATTATATATCCCCATTTTACAGATGAGGC AACCAGTTTCAACAGAGTTAACATATGGAGCCTCACTGGGCAGCTTTTTCTGTCTTCCTG ACTITCTCTCATCCTTCAGGGGGCTGCAGGTTTGTTTTCTTCTCCTAGTGGAGAGAAAT

28088

AAGAGCCAATGGAAATTGATCTTGAGTTTAGGAGAAAGCTTTTACATGTGGAATTAAGAT GCCAAGTGTTGAAGTAGCCACATTTCAGGTCCTCATTAATTTCTCTTAATCCTGGGAAGG CAGCTTAGGAGAAGGGTTGTTCCTTTAGGAGCCAGGAACTATACCCCTTTTACCCTTGGA GAGGCAGGGAAGCCAGGGAGGACACACTTCTCAGGAAGAGGAGAAGCTAGAGCAGATAG TGAACTCTCAACCTGAACCTTTAAGGGCCAGACCACTAATGCCACCCAAGTCCACCTGCC [G.A]

TTTGTCTTGTTCTGTCCCAGGCTTTCTGGAGAACCTGATCTTCTTGCCCCTACCCCCAAG TCCCCAAATAAGAGGCCACATTCCTGAAGTCACTTCTGAAGAGATAGCTGCCACACAGGG CTCTTTCCCCCCAGGGAGGGACCACCCAGACCCTCTGCTCTCCCAGGTATCCGTTACCAC 

FIG.3-29

### 28734

AAGTAGAAGCTAGACTTCTTGGGCTCCTGAACAGGGTCCTTGCTGGATTCTGTGAAACAA
ATTAAGTTCTTGACCCTAGGCCTCTGGGGGAGTACAAAGTCTATGGGAGTTCTGGGGCTG
TGGTTGCAAGGAAAGTGACGCAACCAGATTCCATGGGGACATGATCAGGCGTGACATGTG
AGGGAGGAAGAGGGAACAAGGGAATGAAGAATACAACTTCTGTGTCCCATACACCCCTGC
CTGACAGGCCATACATACTCAGCAGAGAATGCACTGTCTTTCCTACCACACTAGCGTGAG
ГG.A7

AGTGAGCTGCAATTACCACTGTGCTTCCAAGTAAGAAAATACCTCAAATTGGAATTTACA
AAAGAGGTAAATTAGGGAGTGGCTTTTGTCGGACATCTTTAAAGCATTTTTCTTTTATA
GAATTTCACTTAATGTCCAATACTGATTTAATGAGCTTGGGTTTACACATTATCTCTTGA
AGAAAACAAATGAACCTTTGTGTTCCAAAGCAATCCATGTTTAAAGGGAAAAAATTATGC
ATAACTCTGCCCAGCTTCACAGTAACCTTTGGCAGGTGCCTTAGGTCCTCTGGGACTCTT

#### 29246

AATCCATGTTTAAAGGGAAAAAATTATGCATAACTCTGCCCAGCTTCACAGTAACCTTTG GCAGGTGCCTTAGGTCCTCTGGGACTCTTTTCCTTATCTGAAAAATGAAGGACTTGGATC AGGTGAATGGTTCCCAGCTCTGCAACTTATGTGGCTCCTCAGAGGCACACAAGCTCTTTT CCATTATTTGCCAAATAATGGAGGCCCTGTCTTTAACTGCAGTACAACACACAAAATAC TTGAAACTACAGTCTTCCTGGTTTTTGGTTGGAACTGAATCAGTGCACTCTAGCAACACT [-.T]

ATTTCTTGCTGTTCGTAGGCTTCATTATGTGTTTGGTTAATTTTTTAAAACAACAATAAC
ATATTCCATAATAATTACAGCTTAATTGGCAGACTGTTTCAGTCTATAGGATCTGCAGGA
AGGAGGAGTAATAAAGGGATTTTTGACTGAGCTCTTATGGAACAGAGTCTCTCTAGGCCC
CTGTCATATCTGCCCTTCTGGGCCCTGGGGAAAAGTTGGCATCCCCAGTTGTGGTGCTCT
CCAGGTGCCCTCAGGCTGTGGTGGAGGGAGCTTCCCATTCTCTCCTTCAGCCCACTCAAT

#### 29490

AACTACAGTCTTCCTGGTTTTTGGTTGGAACTGAATCAGTGCACTCTAGCAACACTTATT
TCTTGCTGTTCGTAGGCTTCATTATGTGTTTGGTTAATTTTTTAAAACAACAATAACATA
TTCCATAATAATTACAGCTTAATTGGCAGACTGTTTCAGTCTATAGGATCTGCAGGAAGG
AGGAGTAATAAAGGGATTTTTGACTGAGCTCTTATGGAACAGAGTCTCTCTAGGCCCCTG
TCATATCTGCCCTTCTGGGCCCTGGGGAAAAGTTGGCATCCCCAGTTGTGGTGCTCTCCA
[G,A]

GTGCCCTCAGGCTGTGGTGGAGGGAGCTTCCCATTCTCCTTCAGCCCACTCAATTCAG AGGCTAGGGGCTGAAAGAAGCTTCTCTACAACTGGCTGTTCACTGGGAGGTTAAGGGATG ACCATCCAGCCAGGCCTTCCTCAGGACATGGGAGGGCTTATGCTTTAACATGTGTAAATC CACTGCAATAATGACTGGTTCTTTTACCCCATAAGGTTGAGAATTTACCTGTAAACATTT TTGTCTGAAGAATTTGGATGTAAGTGAGGGCTGGGCCTCTATCTTATCTCACTTGGCTTC

## 29934

GGACATGGGAGGCTTATGCTTTAACATGTGTAAATCCACTGCAATAATGACTGGTTCTT
TTACCCCATAAGGTTGAGAATTTACCTGTAAACATTTTTGTCTGAAGAATTTGGATGTAA
GTGAGGGCTGGGCCTCATCTTATCTCACTTGGCTTCTCCAGCACAGCACCTTGCCTGC
TTGTTCTTACACATCCTAGATGCACAGTAACTATTTCCTAATTATTAGAAATCTATTAGA
ATCAATTGATTTCAGCTGGGCTTGGTGGCTCCTTCCTGTAATCCCAGCACTTTGGGAGGC
LT.C1

Jan. 22, 2002

34480

CTGACTTCAAGTGATCCACCCGCCTCGGCCTCCCAAAGTGCTGGGATTATAAGCATAAGC CACTGTGCCCAGCTGCTCTCTATATTTTTAATACATATTATTTCCATTAATTTTCACAGC AGTTCATTTTATAGATGAGGAAACTAGGCCAGAGAAGTAAAATATCTTGCCCAAGATGAT GTAACTAGTAAGTGGCAGGATCAAGATTCAAACCAAGCAATGTTCAAACCTCTTGGAAGC AAGAATGTGGCCACTGTGGAAGGTGCAAGGCCTTGACAACAAGAATAGGGAAAAGAAGGA ΓA.G1 CTAGAAGGAAAGAGATGGCATGGGCTCAGCAGGCCAGGGAGCTCTTAGCTGTGTGTTG GGAAGCTCAGAAGGGAAGAGAGGTTGTCTGTGCAGGTAAGTCCTGAGAACACACCAGAC

TTTTGAGAGGTGGAGCTTCATAGCCAGGTCATTAGGGGAGAAGGGAGCTATAGATTTTTT TTTTTTTTTTTTTTTTTTTTTAGAGACGGGTCTTACTATGTTGCCCAGGCTG GTCTTGAACTCCTGGGCTCAAGTGATCCTCCCACCTCAGCCTCCCAAAGTGCTGGGATTA

38812

AAATCCAGCAGATCCATTGAGAGTTTAAGCAGCAAGGTGTTGTGACCAAGTTAACATTTT AGAAGGATCACTGGTATGGAGGTTGGATTGGAGAGGGGAAAGCCTAAAGGTATAGAGACT AGTTAGGAAGCTATTGTAGGCTGGGCATGGTGGTTCATGCCTGTAATCTCAGCACTTTGG GAGGCTGAGGTGGGAGGATTGCTTGAGGCCAGGAGTTGAAGACCAACCTGGCCAACATAG CAAGACCCCGTCTCTCTTTCTTAATTAAAAGAAAAGTCCAGACGTAGACATAGTGGCT TT.C1

ACGCCTGTAATGCCAGCACTTTGGGAGGCCAAGGTGGGCAGATTGCTTGAGGTCAAGAGT TTGGGATTAGGCCAGGCGCAGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAG GTGGGCGGATCACAAGGTCAGGAGATCAAGACCATCCTGGCTAACACAATGAAACCCCGT CTCTACTAAAAGTACAAAAATTAGCCGGGCATGGTGGCGGACGCCTGTAGTCCCAGCTAC TCGGGAGGCTGAGGCAGGAGAATGGCGTGAACCTAGGAGGCGGAGCTTGCTGTGAGCAGA

40731

GTTCTGTCCTATGTCTCTCTCGGATGAAGCTGAGCTGGCTTTCAGAAGCCTGCAGAGT TAGGAAAGGAACCAGCTGGCCAGGGACAGACTATGAGGATTGTGCTGACCCAGCTGCCCC TGTGGGGATCACAGTTTACAGCCAGAGCCTGTGCGGACCCAGCTGTCTGCCAGGTTTCCT TAGAAACCTGAGAGTCAGTCTCTGTCCACTGAACTCCTAAGCTGGACAGGAGGCAGTGAT GCTAAACCCTGAAGGGCAACATGGCCTATGGAGAAAGCATGGAGCTCAGAGCCTGGAGTA

GGGCACAGATAGGATTGAATAAATTGTGTAGAAAGACTTTGAAAACAATAAAGCAAAAGA TGAATGAACGTTTTTTTAGACTTGAGGGACCAACAACCCCCAAACCCCAGATTCTGCCA GGTCCATGGGGAAGGAGAAGTTGCCTTGAGTGGAAGCCCCAAGTAGGGAGACTTACAGAA AAGAAGTCAAGAGCACTGGCTCCCAGGCAGAAATACTGATACCCTACTGGGGCTTCAGGC TGAGCTCCTCCCTTCACAAATCACTTCATCTCTCTGAGCCTGTTTCTGCATCTGTGACAT

41303

CTCTGAGCCTGTTTCTGCATCTGTGACATAAGATGGTAAGATAAAGGTGGCTGTCTCACC AATTATGTAAGGATTAAATGTGGAAAAGGACATAAAGTTGTATAGTGCTGCCATAGGGAC AGTGTTCAGTAAACGTGACACATTCTTAGTATCACTAAGAATCAGGTTCTTGGCCAGGCA CCGTGGCTCATGCCTGTAATCCCAACACTCTGGGAGGCCTAGGTCGGAGGATGGCTTGAA LY.TJ

AATAATAATTGTTTTTAATTAGATGGGCAGGGCACTGTGGCTCACACCTGTAATCCC AGCACTTTGGGAGGCCAAGGCCGGAGGATTGCTTGAGGCCAGGAGTTCAGGAGCAGCCTG GGCCACATTCCTGTCTCTACAAAGAATAAAAAAGTTAACTGGGCATGGTGGCACATGCCT GTAATCCCAGCTACTCAAGAGGCTGAGGAGGAGGATTGCCTGAGCCCAGGAGTTCAAGAC TGCAGTGAGCCTTGATCACACCACTGTACTACAGCTTGGGCAACAGAGTGAGACCTTGTC

43357

41305 CTGAGCCTGTTTCTGCATCTGTGACATAAGATGGTAAGATAAAGGTGGCTGTCTCACCAA TTATGTAAGGATTAAATGTGGAAAAGGACATAAAGTTGTATAGTGCTGCCATAGGGACAG TGTTCAGTAAACGTGACACATTCTTAGTATCACTAAGAATCAGGTTCTTGGCCAGGCACC GTGGCTCATGCCTGTAATCCCAACACTCTGGGAGGCCTAGGTCGGAGGATGGCTTGAACA [-,A] TAATAATAATTGTTTTTAATTAGATGGGCAGGGCACTGTGGCTCACACCTGTAATCCCAG CACTTTGGGAGGCCAAGGCCGGAGGATTGCTTGAGGCCAGGAGTTCAGGAGCAGCCTGGG CCACATTCCTGTCTCTACAAAGAATAAAAAAGTTAACTGGGCATGGTGGCACATGCCTGT

Jan. 22, 2002

- AATCCCAGCTACTCAAGAGGCTGAGGAGGAGGAGTTGCCTGAGCCCAGGAGTTCAAGACTG CAGTGAGCCTTGATCACACCACTGTACTACAGCTTGGGCAACAGAGTGAGACCTTGTCTC
- CTAAGAATCAGGTTCTTGGCCAGGCACCGTGGCTCATGCCTGTAATCCCAACACTCTGGG 41457 AGGCCTAGGTCGGAGGATGGCTTGAACACAGGAGTTTGAGACCAGCCTGAGCAACATAGT GAGACACTGTCTCTACAAAAAAAAAAAATAATAATAATTGTTTTTAATTAGATGGGCAG GGCACTGTGGCTCACACCTGTAATCCCAGCACTTTGGGAGGCCAAGGCCGGAGGATTGCT TGAGGCCAGGAGTTCAGGAGCAGCCTGGGCCACATTCCTGTCTCTACAAAGAATAAAAAA [G.C] TTAACTGGGCATGGTGGCACATGCCTGTAATCCCAGCTACTCAAGAGGCTGAGGAGGAGG ATTGCCTGAGCCCAGGAGTTCAAGACTGCAGTGAGCCTTGATCACACCACTGTACTACAG CTCCTCACCAAACAACTGAGTAAGTTAGAGCCCTCTCAGCTGGCATGTGTTGGAAACAG TGCCCTCTCATTAAAGTGCTGCCCTCACTCCCATTGCCTCTTGGCCTTGGTCAGTATGAT
- 43168 AGCTACTTGGGAGGCTGAGGCAGGAGAATCGCTTGAACCTGGAAGGCGGAGGTCGCAGTG AGCCGAGATCGTGCCATTGCACTTCAGCCTGGGCGACAGAGCGAGACTCTGTCTCAAAAA TAATAATAACAATAACTAGCCGGGCCTGGTGGCACATGCCTGTAGTCCCAGTTACTC AGGAGGCGGAGGCATGAGACTCAGGTGAACTAGGGAGACAGAGGTTGCAGTGAGCCAAGA [A.-,T] CCCATTTGCTCATTTTTTGGATACTAGTATAACTATCACTCTAAACCAGTTAGTACTTAA ATCAAGCAGATATGGGAGATGGTGAATTACCATCTACAGTGTTGTCATATATGTCACATA CTGAGCATTATCAGCTAGTAGAATCTAGTTAATTGTTCTATGTGTGATGTATGCAGAGTT CCCATTTTGAATGTGTTTTTACTATGCTTAAATAAATGACTGATGTCAGCAACCCCAAAA TGATACATCTGATGTAAGAGCCCCTGTTCCCCAATAATAACATCTAAACTATAGACATTG
- CTCATTTTTTGGATACTAGTATAACTATCACTCTAAACCAGTTAGTACTTAAATCAAGCA GATATGGGAGATGGTGAATTACCATCTACAGTGTTGTCATATATGTCACATACTGAGCAT TATCAGCTAGTAGAATCTAGTTAATTGTTCTATGTGTGATGTATGCAGAGTTCCCATTTT AATGTGTTTTTACTATGCTTAAATAAATGACTGATGTCAGCAACCCCAAAATGATACATC TGATGTAAGAGCCCCTGTTCCCCAATAATAACATCTAAACTATAGACATTGGAATGAACA GGTGCCCCTAAGTTTCCTCCCTCCAGGGTTTCTTGGCCGGTCTCTGAGGACTACACATCC CTACTCCCGTCTTTCCTCATCTTCAGGCGCAGTAACAGTATCTCCAAGTCCCCTGGCCCC AGCTCCCCAAAGGAGCCCCTGCTGTTCAGCCGTGACATCAGCCGCTCAGAATCCCTTCGT

AGGCATGAGACTCAGGTGAACTAGGGAGACAGAGGTTGCAGTGAGCCAAGATCACACCAC

TCCTATGCAACTTGTGTGGGCTGGGTCAGCAGCTATTCATTGAGTTTGTCTGTGTCACTG

CCAGCTTTCCTTGGCTTCCCCCACCCCCAGGTGAAAGTGATGCGCAGCCTGGACCACCCC 45664 AATGTGCTCAAGTTCATTGGTGTGCTGTACAAGGATAAGAAGCTGAACCTGCTGACAGAG TACATTGAGGGGGCACACTGAAGGACTTTCTGCGCAGTATGGTGAGCACACCACCCCAT AGTCTCCAGGAGCCTTGGTGGGTTGTCAGACACCTATGCTATCACTACCCTAGGAGCTTA [T,C]AGGGAGGCTTCACTGGGAGACCACATTGACCCATGGGGCCTGGACCACGAGTGGGACAGG GCTCAACAGCCTCTGAAAATCATTCCCCATTCTGCAGGATCCGTTCCCCTGGCAGCAGAA GGTCAGGTTTGCCAAAGGAATCGCCTCCGGAATGGTGAGTCCCACCAACAAACCTGCCAG CAGGGCGAGAGTAGGGAGAGGTGTGAGAATTGTGGGCTTCACTGGAAGGTAGAGACCCCT

Jan. 22, 2002

47549 AATTAGCTGGGCGTGGTGGTGCACGCCTGTAGTCCCAGCTACTCAGGAGGCCGAGGCAGG AGAATAGCTTGAACCTGGGAGGCAGAAGTTGCAGTGAGCCAAGATCACACCACTGCATTC GTTAGTACATTGGGGTGGAATGCGGAGGGTCCAGGGAATGGAGCCCTGCATAGGGGGCTA ATGAAACATTTCAGATTTCTGAATTAAGGTAGTGGCTGTGGGGACAGGAGCCTGGGAGGC [A.C] AGTTACGAGTGGCTTGAGGTGTCACTTACCAGACATTTGGGGGGATGGGGGATAGCCGTGA TTGTTGAGCAACTGGTTTGGGAAGAGCTAGCATTGATCCCTGCTGTTCTGTGCTAGCAGA ACCTATCAGCATCTTCTGGGCAGGAAACTGGCTCCATGAGACTGGCTTAGGGAGAGGCTG

GGAGTTACGAGTGGCTTGAGGTGTCACTTACCAGACATTTGGGGGGATGGGGGATAGCCGT 47908 GATTGTTGAGCAACTGGTTTGGGAAGAGCTAGCATTGATCCCTGCTGTTCTGTGCTAGCA GAACCTATCAGCATCTTCTGGGCAGGAAACTGGCTCCATGAGACTGGCTTAGGGAGAGGC TGCTAGTCACCTAATCTGCAGAGAAGGGGCAGCTGGAGCTGTGGGACAGAAGAGGCATCC ATGTAGCTGGTGGGGGTGTCTCAGCTTGTGAAGAGGAGATGGCTTTGAGCAGGGCTGACA TGAAAAGGCTGGAAGAAAAAACAGACACACAAGAGTCTCAGGATCAGGTAGCATAGGAA

ATAGCGATTCAGGAAGAGCTCCCTGGGTGTGTGAGCAGCTCCAGGAGCCTAAGGGATGAA AGTAGTATTGCAGGGGGCTGGAGAGCAAGGAGTGGCTCCTTCTACATTTGCAAGGGAAGG 

GAAGCTAGGAGCAGATGCTGATTTGGAACACTTGGCTTCTGCAGTGAAGCCCCTTCTTAG

CTAGTCACCTAATCTGCAGAGAGGGGCAGCTGGAGCTGTGGGACAGAAGAGGCATCCAT

52267 TTGTGAGGGGTAGAGGAGAGAGAGACAAGGGATGGTTAGGATAATGAAGGAATGTTTTG TTTTTGTTTTTGTGTTTTTGAGATGGAGTTTCACTCTGTCACCCAGGCTGGAGTGCAGAGGT GCAATCTTGGCTCACTGCAGCCTCCGCCTCCCAGGTTCAAGCAATCCTCCTGCCTCAGCC TCCCAAGTAGCTGGGACTACAGGTGTGCGCCACCACGCCTGGCTAATTTTTGTATTTTCA GTAGAGACAGGGTTTCGCCATATTGGCCAGGCTGGTCTCAAATGCCTGACCTCAGGTGAT [C,A]CACCCGCTTCAGCCTCCCAAAGTGCTGAGATTACAGGCATGAGCTACCGTGCCTGGCCAT GAAGGAAGATTTGTTTTAAAAAATTGTTTTCTTTAATATTAATTGAACACCTCTGTTCAG AGCACTGGGCTGGTGCCAGAGGGTTTCAGACATGAATCAGATCCAGCACCTCATAGAGCC TTAATCTGGCACACACACACAGCCACAAGGAGACACAGACAAGGCAGGGTAGGATGAGTG

FIG.3-33

54654

GGCCCGGCCCCGGCCCCAGGCCAGGCAGTGGCGGCCAAGGACCACGCATCTACTTTCA GAGCCCCCCGGGGCCGCAGGAGAGGGCCCGGGCTGGCCGGATGATGAGGGCCCAGTGA GGCGCCAAGGGAAGGTCACCATCAAGTATGACCCCAAGGAGCTACGGAAGCACCTCAACC CAGAACTAGAGATTGACGTGGATGAGCTCCTGGACATGGAGAGTGACGATGCCTGGGCTT [T.C]

CAGGGTCAAGGAGCTGCTGGTTGACTGTTACAAACCCACAGAGGCCTTCATCTCTGGCCT GCTGGACAAGATCCGGGCCATGCAGAAGCTGAGCACCCCCAGAAGAAGTGAGGGTCCCC GACCCAGGCGAACGGTGGCTCCCATAGGACAATCGCTACCCCCGACCTCGTAGCAACAG CAATACCGGGGGACCCTGCGGCCAGGCCTGGTTCCATGAGCAGGGCTCCTCGTGCCCCTG GCCCAGGGGTCTCTTCCCCTGCCCCCTCAGTTTTCCACTTTTGGATTTTTTATTGTTAT

54679

GGCAGTGGCGGCCAAGGACCACGCATCTACTTTCAGAGCCCCCCCGGGGCCGCAGGAGA GGGCCCGGGCTGGGCGGATGATGAGGGCCCAGTGAGGCGCCAAGGGAAGGTCACCATCAA GTATGACCCCAAGGAGCTACGGAAGCACCTCAACCTAGAGGAGTGGATCCTGGAGCAGCT CACGCGCCTCTACGACTGCCAGGAAGAGGAGATCTCAGAACTAGAGATTGACGTGGATGA GCTCCTGGACATGGAGAGTGACGATGCCTGGGCTTCCAGGGTCAAGGAGCTGCTGGTTGA [C.G]

TGTTACAAACCCACAGAGGCCTTCATCTCTGGCCTGCTGGACAAGATCCGGGCCATGCAG AAGCTGAGCACACCCCAGAAGAAGTGAGGGTCCCCGACCCAGGCGAACGGTGGCTCCCAT AGGACAATCGCTACCCCCGACCTCGTAGCAACAGCAATACCGGGGGACCCTGCGGCCAG GCCTGGTTCCATGAGCAGGGCTCCTCGTGCCCCTGGCCCAGGGGTCTCTTCCCCTGCCCC CTCAGTTTTCCACTTTTGGATTTTTTTATTGTTATTAAACTGATGGGACTTTGTGTTTTT

54693

AGGACCACGCATCTACTTTCAGAGCCCCCCCGGGGCCGCAGGAGAGGGCCCGGGCTGGG CGGATGATGAGGCCCAGTGAGGCGCCAAGGGAAGGTCACCATCAAGTATGACCCCAAGG AGCTACGGAAGCACCTCAACCTAGAGGAGTGGATCCTGGAGCAGCTCACGCGCCTCTACG ACTGCCAGGAAGAGGAGATCTCAGAACTAGAGATTGACGTGGATGAGCTCCTGGACATGG AGAGTGACGATGCCTGGGCTTCCAGGGTCAAGGAGCTGCTGGTTGACTGTTACAAACCCA

AGAGGCCTTCATCTCTGGCCTGCTGGACAAGATCCGGGCCATGCAGAAGCTGAGCACACC CCAGAAGAAGTGAGGGTCCCCGACCCAGGCGAACGGTGGCTCCCATAGGACAATCGCTAC CCCCCGACCTCGTAGCAACAGCAATACCGGGGGACCCTGCGGCCAGGCCTGGTTCCATGA GCAGGGCTCCTCGTGCCCCTGGCCCAGGGGTCTCTTCCCCTGCCCCCTCAGTTTTCCACT TTTGGATTTTTTATTGTTATTAAACTGATGGGACTTTGTGTTTTTATATTGACTCTGCG

54706

TACTTTCAGAGCCCCCCCGGGGCCGCAGGAGAGGGCCCGGGCTGGGCGGATGATGAGGG CCCAGTGAGGCGCCAAGGGAAGGTCACCATCAAGTATGACCCCAAGGAGCTACGGAAGCA CCTCAACCTAGAGGAGTGGATCCTGGAGCAGCTCACGCGCCTCTACGACTGCCAGGAAGA GGAGATCTCAGAACTAGAGATTGACGTGGATGAGCTCCTGGACATGGAGAGTGACGATGC CTGGGCTTCCAGGGTCAAGGAGCTGCTGGTTGACTGTTACAAACCCACAGAGGCCTTCAT

TCTGGCCTGCTGGACAAGATCCGGGCCATGCAGAAGCTGAGCACACCCCAGAAGAAGTGA GGGTCCCCGACCCAGGCGAACGGTGGCTCCCATAGGACAATCGCTACCCCCCGACCTCGT AGCAACAGCAATACCGGGGGACCCTGCGGCCAGGCCTGGTTCCATGAGCAGGGCTCCTCG TGCCCCTGGCCCAGGGGTCTCTTCCCCTGCCCCCTCAGTTTTCCACTTTTGGATTTTTTT ATTGTTATTAAACTGATGGGACTTTGTGTTTTTATATTGACTCTGCGGCACGGGCCCTTT

CAGAGCCCCCCGGGGCCGCAGGAGAGGGCCCGGGCTGGGCGGATGATGAGGGCCCAGT 54712 GAGGCGCCAAGGAAGGTCACCATCAAGTATGACCCCAAGGAGCTACGGAAGCACCTCAA CTCAGAACTAGAGATTGACGTGGATGAGCTCCTGGACATGGAGAGTGACGATGCCTGGGC TTCCAGGGTCAAGGAGCTGCTGGTTGACTGTTACAAACCCACAGAGGCCTTCATCTCTGG CTGCTGGACAAGATCCGGGCCATGCAGAAGCTGAGCACACCCCAGAAGAAGTGAGGGTCC CCGACCCAGGCGAACGGTGGCTCCCATAGGACAATCGCTACCCCCGACCTCGTAGCAAC AGCAATACCGGGGGACCCTGCGGCCAGGCCTGGTTCCATGAGCAGGGCTCCTCGTGCCCC TGGCCCAGGGGTCTCTTCCCCTGCCCCCTCAGTTTTCCACTTTTGGATTTTTTATTGTT

Jan. 22, 2002

GTATGACCCCAAGGAGCTACGGAAGCACCTCAACCTAGAGGAGTGGATCCTGGAGCAGCT 54799 CACGCGCCTCTACGACTGCCAGGAAGAGAGAGATCTCAGAACTAGAGATTGACGTGGATGA GCTCCTGGACATGGAGAGTGACGATGCCTGGGCTTCCAGGGTCAAGGAGCTGCTGGTTGA CTGTTACAAACCCACAGAGGCCTTCATCTCTGGCCTGCACAAGATCCGGGCCATGCA GAAGCTGAGCACACCCCAGAAGAAGTGAGGGTCCCCGACCCAGGCGAACGGTGGCTCCCA [T.C]

AGGACAATCGCTACCCCCGACCTCGTAGCAACAGCAATACCGGGGGACCCTGCGGCCAG GCCTGGTTCCATGAGCAGGGCTCCTCGTGCCCCTGGCCCAGGGGTCTCTTCCCCTGCCCC CTCAGTTTTCCACTTTTGGATTTTTTTATTGTTATTAAACTGATGGGACTTTGTGTTTTT ATATTGACTCTGCGGCACGGGCCCTTTAATAAAGCGAGGTAGGGTACGCCTTTGGTGCAG CTCAAAAAAAAAAAAAAAATGATTTCCAGCGGTCCACATTAGAGTTGAAATTTTCTGGT

ATTAAACTGATGGGACTTTGTGTTTTTATATTGACTCTGCGGCACGGGCCCTTTAATAAA

54819 GGAAGCACCTCAACCTAGAGGAGTGGATCCTGGAGCAGCTCACGCGCCTCTACGACTGCC AGGAAGAGGAGATCTCAGAACTAGAGATTGACGTGGATGAGCTCCTGGACATGGAGAGTG ACGATGCCTGGGCTTCCAGGGTCAAGGAGCTGCTGGTTGACTGTTACAAACCCACAGAGG CCTTCATCTCTGGCCTGCTGGACAAGATCCGGGCCATGCAGAAGCTGAGCACACCCCAGA AGAAGTGAGGGTCCCCGACCCAGGCGAACGGTGGCTCCCATAGGACAATCGCTACCCCCC TG.AT

> ACCTCGTAGCAACAGCAATACCGGGGGACCCTGCGGCCAGGCCTGGTTCCATGAGCAGGG CTCCTCGTGCCCCTGGCCCAGGGGTCTCTTCCCCTGCCCCCTCAGTTTTCCACTTTTGGA TTTTTTTATTGTTATTAAACTGATGGGACTTTGTGTTTTTATATTGACTCTGCGGCACGG TGATTTCCAGCGGTCCACATTAGAGTTGAAATTTTCTGGTGGGAGAATCTATACCTTGTT

55499 ACAGTATTGAATGCCTACTGTGTGCTAGGTACAGTTCTAAACACTTGGGTTACAGCAGCG AACAAAATAAAGGTGCTTACCCTCATAGAACATAGATTCTAGCATGGTATCTACTGTATC ATACAGTAGATACAATAAGTAAACTATATTGAATATTAGAATGTGGCAGATGCTATGGAA AAAGAGTCAAGACAAGTAAAGACGATTGTTCAGGGTACCAGTTGCAATTTTAAATATGGT [C,T]

> GTCAGAGCAGGCCTCACTGAGGTGACATGACATTTAAGCATAAACATGGAGGAGGAGGAG TAAGCCTGAGCTGTCTTAGGCTTCCGGGGCAGCCAAGCCATTTCCGTGGCACTAGGAGCC TTCTCCTATTGTTTTTAAGTATTAACTCCAGCTAGTCCAGCCTTGTTATAGTGTTACCTA ATCTTTATAGCAAATATATGAGGTACCGGTAACATTATGCCCATTTCTCACAGAGGCACT

Jan. 22, 2002

56825

ACTGATGGCTCAAAGGGTGTGAAAAAGTCAGTGATGCTCCCCCTTTCTACTCCAGATCCT GTCCTTCCTGGAGCAAGGTTGAGGGAGTAGGTTTTGAAGAGTCCCTTAATATGTGGTGGA ACAGGCCAGGAGTTAGAGAAAGGGCTGGCTTCTGTTTACCTGCTCACTGGCTCTAGCCAG CCCAGGGACCACATCAATGTGAGAGGAAGCCTCCACCTCATGTTTTCAAACTTAATACTG [C,A]

AGGAAGAGGCTGGGGGACTAGAAAGAGGCCCTGCCCTCTAGAAAGCTCAGATCTTGGCTT CTGTTACTCATACTCGGGTGGGCTCCTTAGTCAGATGCCTAAAACATTTTGCCTAAAGCT GGAGTCTCAGCAATCTCTTGGTCTTGGCTTCATGGCAACCACTGCTCACCCTTCAACATG CCTGGTTTAGGCAGCAGCTTGGGCTGGGAAGAGGTGGTGGCAGAGTCTCAAAGCTGAGAT

58871

CGTCACCCACCCCAACCCCTGCCGCACTCCAGCCTTTAACAAGGGCTGTCTAGATATT CATTTTAACTACCTCCACCTTGGAAACAATTGCTGAAGGGGAGAGGATTTGCAATGACCA ACCACCTTGTTGGGACGCCTGCACACCTGTCTTTCCTGCTTCAACCTGAAAGATTCCTGA TGATGATAATCTGGACACAGAAGCCGGGCACGGTGGCTCTAGCCTGTAATCTCAGCACTT TGGGAGGCCTCAGCAGGTGGATCACCTGAGATCAAGAGTTTGAGAACAGCCTGACCAACA [A,T]

GGTGAAACCCCGTCTCTACTAAAAATACAAAAATTAGCCAGGTGTGGTGGCACATACCTG TAATCCCAGCTACTCTGGAGGCTGAGGCAGGAGAATCGCTTGAACCCACAAGGCAGAGGT TGCAGTGAGGCGAGATCATGCCATTGCACTCCAGCCTGTGCAACAAGAGCCAAACTCCAT CTCAAAAAAAAAA

FIG.3-36

## ISOLATED HUMAN KINASE PROTEINS, NUCLEIC ACID MOLECULES ENCODING **HUMAN KINASE PROTEINS, AND USES THEREOF**

## FIELD OF THE INVENTION

The present invention is in the field of kinase proteins that are related to the serine/threonine kinase subfamily, recombinant DNA molecules, and protein production. The present invention specifically provides novel peptides and proteins that effect protein phosphorylation and nucleic acid molecules encoding such peptide and protein molecules, all of which are useful in the development of human therapeutics and diagnostic compositions and methods.

## BACKGROUND OF THE INVENTION

## Protein Kinases

Kinases regulate many different cell proliferation, 20 differentiation, and signaling processes by adding phosphate groups to proteins. Uncontrolled signaling has been implicated in a variety of disease conditions including inflammation, cancer, arteriosclerosis, and psoriasis. Reversible protein phosphorylation is the main strategy for 25 controlling activities of eukaryotic cells. It is estimated that more than 1000 of the 10,000 proteins active in a typical mammalian cell are phosphorylated. The high energy phosphate, which drives activation, is generally transferred from adenosine triphosphate molecules (ATP) to a particular 30 protein by protein kinases and removed from that protein by protein phosphatases. Phosphorylation occurs in response to extracellular signals (hormones, neurotransmitters, growth and differentiation factors, etc), cell cycle checkpoints, and environmental or nutritional stresses and is roughly analogous to turning on a molecular switch. When the switch goes on, the appropriate protein kinase activates a metabolic enzyme, regulatory protein, receptor, cytoskeletal protein, ion channel or pump, or transcription factor.

The kinases comprise the largest known protein group, a 40 superfamily of enzymes with widely varied functions and specificities. They are usually named after their substrate, their regulatory molecules, or some aspect of a mutant phenotype. With regard to substrates, the protein kinases may be roughly divided into two groups; those that phos- 45 phorylate tyrosine residues (protein tyrosine kinases, PTK) and those that phosphorylate serine or threonine residues (serine/threonine kinases, STK). A few protein kinases have dual specificity and phosphorylate threonine and tyrosine amino acid catalytic domain. The N-terminal domain, which contains subdomains I-IV, generally folds into a two-lobed structure, which binds and orients the ATP (or GTP) donor molecule. The larger C terminal lobe, which contains subdomains VI A-XI, binds the protein substrate and carries out 55 the transfer of the gamma phosphate from ATP to the hydroxyl group of a serine, threonine, or tyrosine residue. Subdomain V spans the two lobes.

The kinases may be categorized into families by the different amino acid sequences (generally between 5 and 60 100 residues) located on either side of, or inserted into loops of, the kinase domain. These added amino acid sequences allow the regulation of each kinase as it recognizes and interacts with its target protein. The primary structure of the kinase domains is conserved and can be further subdivided 65 into 11 subdomains. Each of the 11 subdomains contains specific residues and motifs or patterns of amino acids that

are characteristic of that subdomain and are highly conserved (Hardie, G. and Hanks, S. (1995) The Protein Kinase Facts Books, Vol I:7-20 Academic Press, San Diego, Calif.).

The second messenger dependent protein kinases primarily mediate the effects of second messengers such as cyclic AMP (cAMP), cyclic GMP, inositol triphosphate, phosphatidylinositol, 3,4,5-triphosphate, cyclic-ADPribose, arachidonic acid, diacylglycerol and calcium-calmodulin. The cyclic-AMP dependent protein kinases (PKA) are important members of the STK family. Cyclic-AMP is an intracellular mediator of hormone action in all prokaryotic and animal cells that have been studied. Such hormoneinduced cellular responses include thyroid hormone secretion, cortisol secretion, progesterone secretion, glycogen breakdown, bone resorption, and regulation of heart rate and force of heart muscle contraction. PKA is found in all animal cells and is thought to account for the effects of cyclic-AMP in most of these cells. Altered PKA expression is implicated in a variety of disorders and diseases including cancer, thyroid disorders, diabetes, atherosclerosis, and cardiovascular disease (Isselbacher, K. J. et al. (1994) Harrison's Principles of Internal Medicine, McGraw-Hill, New York, N.Y., pp. 416-431, 1887).

Calcium-calmodulin (CaM) dependent protein kinases are also members of STK family. Calmodulin is a calcium receptor that mediates many calcium regulated processes by binding to target proteins in response to the binding of calcium. The principle target protein in these processes is CaM dependent protein kinases. CaM-kinases are involved in regulation of smooth muscle contraction (MLC kinase), glycogen breakdown (phosphorylase kinase), and neurotransmission (CaM kinase I and CaM kinase II). CaM kinase I phosphorylates a variety of substrates including the neurotransmitter related proteins synapsin I and II, the gene transcription regulator, CREB, and the cystic fibrosis conductance regulator protein, CFTR (Haribabu, B. et al. (1995) EMBO Journal 14:3679-86). CaM II kinase also phosphorylates synapsin at different sites, and controls the synthesis of catecholamines in the brain through phosphorylation and activation of tyrosine hydroxylase. Many of the CaM kinases are activated by phosphorylation in addition to binding to CaM. The kinase may autophosphorylate itself, or be phosphorylated by another kinase as part of a "kinase cascade".

Another ligand-activated protein kinase is 5'-AMPactivated protein kinase (AMPK) (Gao, G. et al. (1996) J. Biol Chem. 15:8675-81). Mammalian AMPK is a regulator of fatty acid and sterol synthesis through phosphorylation of the enzymes acetyl-CoA carboxylase and residues. Almost all kinases contain a similar 250-300 50 hydroxymethylglutaryl-CoA reductase and mediates responses of these pathways to cellular stresses such as heat shock and depletion of glucose and ATP. AMPK is a heterotimeric complex comprised of a catalytic alpha subunit and two non-catalytic beta and gamma subunits that are believed to regulate the activity of the alpha subunit. Subunits of AMPK have a much wider distribution in nonlipogenic tissues such as brain, heart, spleen, and lung than expected. This distribution suggests that its role may extend beyond regulation of lipid metabolism alone.

The mitogen-activated protein kinases (MAP) are also members of the STK family. MAP kinases also regulate intracellular signaling pathways. They mediate signal transduction from the cell surface to the nucleus via phosphorylation cascades. Several subgroups have been identified, and each manifests different substrate specificities and responds to distinct extracellular stimuli (Egan, S. E. and Weinberg, R. A. (1993) Nature 365:781-783). MAP kinase signaling pathways are present in mammalian cells as well as in yeast. The extracellular stimuli that activate mammalian pathways include epidermal growth factor (EGF), ultraviolet light, hyperosmolar medium, heat shock, endotoxic lipopolysaccharide (LPS), and pro-inflammatory cytokines such as 5 tumor necrosis factor (TNF) and interleukin-1 (IL-1).

PRK (proliferation-related kinase) is a serum/cvtokine inducible STK that is involved in regulation of the cell cycle and cell proliferation in human megakaroytic cells (Li, B. et al. (1996) J. Biol. Chem. 271:19402-8). PRK is related to 10 the polo (derived from humans polo gene) family of STKs implicated in cell division. PRK is downregulated in lung tumor tissue and may be a proto-oncogene whose deregulated expression in normal tissue leads to oncogenic transformation. Altered MAP kinase expression is implicated in 15 a variety of disease conditions including cancer, inflammation, immune disorders, and disorders affecting growth and development.

The cyclin-dependent protein kinases (CDKs) are another group of STKs that control the progression of cells through the cell cycle. Cyclins are small regulatory proteins that act by binding to and activating CDKs that then trigger various phases of the cell cycle by phosphorylating and activating selected proteins involved in the mitotic process. CDKs are unique in that they require multiple inputs to become activated. In addition to the binding of cyclin, CDK activation requires the phosphorylation of a specific threonine residue and the dephosphorylation of a specific tyrosine residue.

Protein tyrosine kinases, PTKs, specifically phosphorylate tyrosine residues on their target proteins and may be divided into transmembrane, receptor PTKs and nontransmembrane, non-receptor PTKs. Transmembrane protein-tyrosine kinases are receptors for most growth factors. Binding of growth factor to the receptor activates the transfer of a phosphate group from ATP to selected tyrosine side chains of the receptor and other specific proteins. Growth factors (GF) associated with receptor PTKs include; epidermal GF, platelet-derived GF, fibroblast GF, hepatocyte GF, insulin and insulin-like GFs, nerve GF, vascular endothelial GF, and macrophage colony stimulating factor.

Non-receptor PTKs lack transmembrane regions and, instead, form complexes with the intracellular regions of cell surface receptors. Such receptors that function through non- 45 Gene 236 (2), 259-271 (1999). receptor PTKs include those for cytokines, hormones (growth hormone and prolactin) and antigen-specific receptors on T and B lymphocytes.

Many of these PTKs were first identified as the products of mutant oncogenes in cancer cells where their activation 50 was no longer subject to normal cellular controls. In fact, about one third of the known oncogenes encode PTKs, and it is well known that cellular transformation (oncogenesis) is often accompanied by increased tyrosine phosphorylation activity (Carbonneau H and Tonks NK (1992) Annu. Rev. 55 Cell. Biol. 8:463-93). Regulation of PTK activity may therefore be an important strategy in controlling some types of cancer.

### LIM Domain Kinases

The novel human protein, and encoding gene, provided by the present invention is related to the family of serine/ threonine kinases in general, particularly LIM domain kinases (LIMK), and shows the highest degree of similarity to LIMK2, and the LIMK2b isoforn (Genbank gi8051618) in particular (see the amino acid sequence alignment of the protein of the present invention against LIMK2b provided in

FIG. 2). LIMK proteins generally have serine/threonine kinase activity. The protein of the present invention may be a novel alternative splice form of the art-known protein provided in Genbank gi805161; however, the structure of the gene provided by the present invention is different from the art-known gene of gi8051618 and the first exon of the gene of the present invention is novel, suggesting a novel gene rather than an alternative splice form. Furthermore, the protein of the present invention lacks an LIM domain relative to gi8051618. The protein of the present invention does contain the kinase catalytic domain.

Approximately 40 LIM proteins, named for the LIM domains they contain, are known to exist in eukaryotes. LIM domains are conserved, cystein-rich structures that contain 2 zinc fingers that are thought to modulate protein-protein interactions. LIMK1 and LIMK2 are members of a LIM subfamily characterized by 2 N-terminal LIM domains and a C-terminal protein kinase domain. LIMK1 and LIMK2 mRNA expression varies greatly between different tissues. The protein kinase domains of LIMK1 and LIMK2 contain a unique sequence motif comprising Asp-Leu-Asn-Ser-His-Asn in subdomain VIB and a strongly basic insert between subdomains VII and VIII (Okano et al., J. Biol. Chem. 270 (52), 31321-31330 (1995)). The protein kinase domain present in LIMKs is significantly different than other kinase domains, sharing about 32% identity.

LIMK is activated by ROCK (a downstream effector of Rho) via phosphorylation. LIMK then phosphorylates cofilin, which inhibits its actin-depolymerizing activity, thereby leading to Rho-induced reorganization of the actin cytoskeleton (Maekawa et al., Science 285: 895-898, 1999).

The LIMK2a and LIMK2b alternative transcript forms are differentially expressed in a tissue-specific manner and are generated by variation in transcriptional initiation utilizing alternative promoters. LIMK2a contains 2 LIM domains, a PDZ domain (a domain that functions in protein-protein interactions targeting the protein to the submembranous compartment), and a kinase domain; whereas LIMK2b just has 1.5 LIM domains. Alteration of LIMK2a and LIMK2b regulation has been observed in some cancer cell lines (Osada et al., Biochem. Biophys. Res. Commun. 229: 582-589, 1996).

For a further review of LIMK proteins, see Nomoto et at,

Kinase proteins, particularly members of the serine/ threonine kinase subfamily, are a major target for drug action and development. Accordingly, it is valuable to the field of pharmaceutical development to identify and characterize previously unknown members of this subfamily of kinase proteins. The present invention advances the state of the art by providing previously unidentified human kinase proteins that have homology to members of the serine/ threonine kinase subfamily.

### SUMMARY OF THE INVENTION

The present invention is based in part on the identification of amino acid sequences of human kinase peptides and proteins that are related to the serine/threonine kinase subfamily, as well as allelic variants and other mammalian orthologs thereof. These unique peptide sequences, and nucleic acid sequences that encode these peptides, can be used as models for the development of human therapeutic targets, aid in the identification of therapeutic proteins, and serve as targets for the development of human therapeutic agents that modulate kinase activity in cells and tissues that express the kinase. Experimental data as provided in FIG. 1

indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland.

## DESCRIPTION OF THE FIGURE SHEETS

FIG. 1 provides the nucleotide sequence of a cDNA molecule that encodes the kinase protein of the present invention. (SEQ ID NO:1) In addition, structure and functional information is provided, such as ATG start, stop and tissue distribution, where available, that allows one to readily determine specific uses of inventions based on this molecular sequence. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland.

FIG. 2 provides the predicted amino acid sequence of the kinase of the present invention. (SEQ ID NO:2) In addition structure and functional information such as protein family, based on this molecular sequence.

FIG. 3 provides genomic sequences that span the gene encoding the kinase protein of the present invention. (SEQ ID NO:3) In addition structure and functional information, 25 such as intron/exon structure, promoter location, etc., is provided where available, allowing one to readily determine specific uses of inventions based on this molecular sequence. As illustrated in FIG. 3, SNPs were identified at 42 different nucleotide positions.

### DETAILED DESCRIPTION OF THE INVENTION

## General Description

The present invention is based on the sequencing of the human genome. During the sequencing and assembly of the human genome, analysis of the sequence information revealed previously unidentified fragments of the human genome that encode peptides that share structural and/or 40 sequence homology to protein/peptide/domains identified and characterized within the art as being a kinase protein or part of a kinase protein and are related to the serine/ threonine kinase subfamily. Utilizing these sequences, additional genomic sequences were assembled and transcript 45 and/or cDNA sequences were isolated and characterized. Based on this analysis, the present invention provides amino acid sequences of human kinase peptides and proteins that are related to the serine/threonine kinase subfamily, nucleic acid sequences in the form of transcript sequences, cDNA 50 sequences and/or genomic sequences that encode these kinase peptides and proteins, nucleic acid variation (allelic information), tissue distribution of expression, and information about the closest art known protein/peptide/domain that has structural or sequence homology to the kinase of the 55 present invention.

In addition to being previously unknown, the peptides that are provided in the present invention are selected based on their ability to be used for the development of commercially important products and services. Specifically, the present peptides are selected based on homology and/or structural relatedness to known kinase proteins of the serine/threonine kinase subfamily and the expression pattern observed. Experimental data as provided in FIG. 1 indicates exprestissue, bladder, infant and fetal brain, and thyroid gland. The art has clearly established the commercial importance of

members of this family of proteins and proteins that have expression patterns similar to that of the present gene. Some of the more specific features of the peptides of the present invention, and the uses thereof, are described herein, particularly in the Background of the Invention and in the annotation provided in the Figures, and/or are known within the art for each of the known serine/threonine kinase family or subfamily of kinase proteins.

## Specific Embodiments

## Peptide Molecules

The present invention provides nucleic acid sequences that encode protein molecules that have been identified as being members of the kinase family of proteins and are related to the serine/threonine kinase subfamily (protein sequences are provided in FIG. 2, transcript/cDNA sequences are provided in FIG. 1 and genomic sequences are larly allelic variants as identified herein and using the information in FIG. 3, will be referred herein as the kinase peptides of the present invention, kinase peptides, or peptides/proteins of the present invention.

> The present invention provides isolated peptide and protein molecules that consist of, consist essentially of, or comprise the amino acid sequences of the kinase peptides disclosed in the FIG. 2, (encoded by the nucleic acid molecule shown in FIG. 1, transcript/cDNA or FIG. 3, genomic sequence), as well as all obvious variants of these peptides that are within the art to make and use. Some of these variants are described in detail below.

> As used herein, a peptide is said to be "isolated" or "purified" when it is substantially free of cellular material or free of chemical precursors or other chemicals. The peptides of the present invention can be purified to homogeneity or other degrees of purity. The level of purification will be based on the intended use. The critical feature is that the preparation allows for the desired function of the peptide, even if in the presence of considerable amounts of other components (the features of an isolated nucleic acid molecule is discussed below).

> In some uses, "substantially free of cellular material" includes preparations of the peptide having less than about 30% (by dry weight) other proteins (i.e., contaminating protein), less than about 20% other proteins, less than about 10% other proteins, or less than about 5% other proteins. When the peptide is recombinantly produced, it can also be substantially free of culture medium, i.e., culture medium represents less than about 20% of the volume of the protein preparation.

> The language "substantially free of chemical precursors or other chemicals" includes preparations of the peptide in which it is separated from chemical precursors or other chemicals that are involved in its synthesis. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of the kinase peptide having less than about 30% (by dry weight) chemical precursors or other chemicals, less than about 20% chemical precursors or other chemicals, less than about 10% chemical precursors or other chemicals, or less than about 5% chemical precursors or other chemicals.

The isolated kinase peptide can be purified from cells that sion in humans in teratocarcinoma, ovary, testis, nervous 65 naturally express it, purified from cells that have been altered to express it (recombinant), or synthesized using known protein synthesis methods. Experimental data as

provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. For example, a nucleic acid molecule encoding the kinase peptide is cloned into an expression vector, the expression vector introduced into a host cell and the protein expressed in the host cell. The protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Many of these techniques are described in detail below.

Accordingly, the present invention provides proteins that consist of the amino acid sequences provided in FIG. 2 (SEQ ID NO:2), for example, proteins encoded by the transcript/ cDNA nucleic acid sequences shown in FIG. 1 (SEQ ID NO:1) and the genornic sequences provided in FIG. 3 (SEQ ID NO:3). The amino acid sequence of such a protein is provided in FIG. 2. A protein consists of an amino acid sequence when the amino acid sequence is the final amino acid sequence of the protein.

The present invention further provides proteins that consist essentially of the amino acid sequences provided in FIG. 2 (SEQ ID NO:2), for example, proteins encoded by the transcript/cDNA nucleic acid sequences shown in FIG. 1 (SEQ ID NO:1) and the genomic sequences provided in FIG. 3 (SEQ ID NO:3). A protein consists essentially of an amino 25 acid sequence when such an amino acid sequence is present with only a few additional amino acid residues, for example from about 1 to about 100 or so additional residues, typically from 1 to about 20 additional residues in the final protein.

The present invention further provides proteins that com- 30 prise the amino acid sequences provided in FIG. 2 (SEQ ID NO:2), for example, proteins encoded by the transcript/ cDNA nucleic acid sequences shown in FIG. 1 (SEQ ID NO:1) and the genomic sequences provided in FIG. 3 (SEQ ID NO:3). A protein comprises an amino acid sequence 35 when the amino acid sequence is at least part of the final amino acid sequence of the protein. In such a fashion, the protein can be only the peptide or have additional amino acid molecules, such as amino acid residues (contiguous encoded sequence) that are naturally associated with it or heterolo- 40 gous amino acid residues/peptide sequences. Such a protein can have a few additional amino acid residues or can comprise several hundred or more additional amino acids. The preferred classes of proteins that are comprised of the kinase peptides of the present invention are the naturally 45 occurring mature proteins. A brief description of how various types of these proteins can be made/isolated is provided

The kinase peptides of the present invention can be attached to heterologous sequences to form chimeric or 50 fusion proteins. Such chimeric and fusion proteins comprise a kinase peptide operatively linked to a heterologous protein having an amino acid sequence not substantially homologous to the kinase peptide. "Operatively linked" indicates fused in-frame. The heterologous protein can be fused to the N-terminus or C-terminus of the kinase peptide.

In some uses, the fusion protein does not affect the activity of the kinase peptide per se. For example, the fusion protein can include, but is not limited to, enzymatic fusion 60 proteins, for example beta-galactosidase fusions, yeast twohybrid GAL fusions, poly-His fusions, MYC-tagged, HI-tagged and Ig fusions. Such fusion proteins, particularly poly-His fusions, can facilitate the purification of recombinant kinase peptide. In certain host cells (e.g., mammalian 65 host cells), expression and/or secretion of a protein can be increased by using a heterologous signal sequence.

A chimeric or fusion protein can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different protein sequences are ligated together in-frame in accordance with conventional techniques. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and re-amplified to generate a chimeric gene sequence (see Ausubel et al., Current Protocols in Molecular Biology, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a GST protein). A kinase peptide-encoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the kinase peptide.

As mentioned above, the present invention also provides and enables obvious variants of the amino acid sequence of the proteins of the present invention, such as naturally occurring mature forms of the peptide, allelic/sequence variants of the peptides, non-naturally occurring recombinantly derived variants of the peptides, and orthologs and paralogs of the peptides. Such variants can readily be generated using art-known techniques in the fields of recombinant nucleic acid technology and protein biochemistry. It is understood, however, that variants exclude any amino acid sequences disclosed prior to the invention.

Such variants can readily be identified/made using molecular techniques and the sequence information disclosed herein. Further, such variants can readily be distinguished from other peptides based on sequence and/or structural homology to the kinase peptides of the present invention. The degree of homology/identity present will be based primarily on whether the peptide is a functional variant or non-functional variant, the amount of divergence present in the paralog family and the evolutionary distance between the orthologs.

To determine the percent identity of two amino acid sequences or two nucleic acid sequences, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second amino acid or nucleic acid sequence for optimal alignment and nonhomologous sequences can be disregarded for comparison purposes). In a preferred embodiment, at least 30%, 40%, 50%, 60%, 70%, 80%, or 90% or more of the length of a reference sequence is aligned for comparison purposes. The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in the first sequence is occupied by the same amino acid residue or nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position (as used herein amino acid or nucleic acid "identity" is equivalent to amino acid or nucleic that the kinase peptide and the heterologous protein are 55 acid "homology"). The percent identity between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which need to be introduced for optimal alignment of the two sequences.

The comparison of sequences and determination of percent identity and similarity between two sequences can be accomplished using a mathematical algorithm. (Computational Molecular Biology, Lesk, A. M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D. W., ed., Academic Press, New York, 1993; Computer Analysis of Sequence Data, Part 1, Griffin, A. M., and Griffin, H. G.,

eds., Humana Press, New Jersey, 1994; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991). In a preferred embodiment, the percent identity between two amino acid sequences is determined using the Needleman and Wunsch (J. Mol. Biol. (48):444-453 (1970)) algorithm which has been incorporated into the GAP program in the GCG software package (available at http://www.gcg.com), using either a Blossom 62 matrix or a PAM250 matrix, and a gap weight of 16, 14, 12, 10, 8, 6, or 4 and a length weight of 1, 2, 3, 4, 5, or 6. In yet another preferred embodiment, the percent identity between two nucleotide sequences is determined using the GAP program in the GCG software package (Devereux, J., et al., Nucleic Acids Res. 12(1):387 (1984)) (available at http://www.gcg.com), using a NWSgapdna.CMP matrix and a gap weight of 40, 50, 60, 70, or 80 and a length weight of 1, 2, 3, 4, 5, or 6. In another embodiment, the percent identity between two amino acid or nucleotide sequences is determined using the algorithm of E. 20 Myers and W. Miller (CABIOS, 4:11-17 (1989)) which has been incorporated into the ALIGN program (version 2.0), using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4.

The nucleic acid and protein sequences of the present 25 invention can further be used as a "query sequence" to perform a search against sequence databases to, for example, identify other family members or related sequences. Such searches can be performed using the NBLAST and XBLAST programs (version 2.0) of Altschul, et al. (J. Mol. 30 Biol. 215:403-10 (1990)). BLAST nucleotide searches can be performed with the NBLAST program, score=100, wordlength=12 to obtain nucleotide sequences homologous to the nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score=50, wordlength=3 to obtain amino acid sequences homologous to the proteins of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al. (Nucleic Acids Res. 25(17):3389-3402 (1997)). When uti- 40 lizing BLAST and gapped BLAST programs, the default parameters of the respective programs (e.g., XBLAST and NBLAST) can be used.

Full-length pre-processed forms, as well as mature processed forms, of proteins that comprise one of the peptides 45 of the present invention can readily be identified as having complete sequence identity to one of the kinase peptides of the present invention as well as being encoded by the same genetic locus as the kinase peptide provided herein. The gene encoding the novel kinase protein of the present 50 invention is located on a genome component that has been mapped to human chromosome 22 (as indicated in FIG. 3), which is supported by multiple lines of evidence, such as STS and BAC map data.

tified as being a human protein having a high degree (significant) of sequence homology/identity to at least a portion of the kinase peptide as well as being encoded by the same genetic locus as the kinase peptide provided herein. Genetic locus can readily be determined based on the 60 genomic information provided in FIG. 3, such as the genomic sequence mapped to the reference human. The gene encoding the novel kinase protein of the present invention is located on a genome component that has been mapped to human chromosome 22 (as indicated in FIG. 3), which is 65 supported by multiple lines of evidence, such as STS and BAC map data. As used herein, two proteins (or a region of

the proteins) have significant homology when the amino acid sequences are typically at least about 70-80%, 80-90%, and more typically at least about 90-95% or more homologous. A significantly homologous amino acid sequence, according to the present invention, will be encoded by a nucleic acid sequence that will hybridize to a kinase peptide encoding nucleic acid molecule under stringent conditions as more fully described below.

FIG. 3 provides information on SNPs that have been found in the gene encoding the kinase protein of the present invention. SNPs were identified at 42 different nucleotide positions. Some of these SNPs, which are located outside the ORF and in introns, may affect gene transcription.

Paralogs of a kinase peptide can readily be identified as having some degree of significant sequence homology/ identity to at least a portion of the kinase peptide, as being encoded by a gene from humans, and as having similar activity or function. Two proteins will typically be considered paralogs when the amino acid sequences are typically at least about 60% or greater, and more typically at least about 70% or greater homology through a given region or domain. Such paralogs will be encoded by a nucleic acid sequence that will hybridize to a kinase peptide encoding nucleic acid molecule under moderate to stringent conditions as more fully described below.

Orthologs of a kinase peptide can readily be identified as having some degree of significant sequence homology/ identity to at least a portion of the kinase peptide as well as being encoded by a gene from another organism. Preferred orthologs will be isolated from mammals, preferably primates, for the development of human therapeutic targets and agents. Such orthologs will be encoded by a nucleic acid sequence that will hybridize to a kinase peptide encoding nucleic acid molecule under moderate to stringent conditions, as more fully described below, depending on the degree of relatedness of the two organisms yielding the proteins.

Non-naturally occurring variants of the kinase peptides of the present invention can readily be generated using recombinant techniques. Such variants include, but are not limited to deletions, additions and substitutions in the amino acid sequence of the kinase peptide. For example, one class of substitutions are conserved amino acid substitution. Such substitutions are those that substitute a given amino acid in a kinase peptide by another amino acid of like characteristics. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu, and Ile; interchange of the hydroxyl residues Ser and Thr; exchange of the acidic residues Asp and Glu; substitution between the amide residues Asn and Gln; exchange of the basic residues Lys and Arg; and replacements among the aromatic residues Phe and Tyr. Guidance concerning which amino acid changes are likely to Allelic variants of a kinase peptide can readily be iden- 55 be phenotypically silent are found in Bowie et al., Science 247:1306-1310 (1990).

> Variant kinase peptides can be fully functional or can lack function in one or more activities, e.g. ability to bind substrate, ability to phosphorylate substrate, ability to mediate signaling, etc. Fully functional variants typically contain only conservative variation or variation in non-critical residues or in non-critical regions. FIG. 2 provides the result of protein analysis and can be used to identify critical domains/ regions. Functional variants can also contain substitution of similar amino acids that result in no change or an insignificant change in function. Alternatively, such substitutions may positively or negatively affect function to some degree.

Non-functional variants typically contain one or more non-conservative amino acid substitutions, deletions, insertions, inversions, or truncation or a substitution, insertion, inversion, or deletion in a critical residue or critical region.

Amino acids that are essential for function can be identified by methods known in the art, such as site-directed mutagenesis or alanine-scanning mutagenesis (Cunningham et al., Science 244:1081-1085 (1989)), particularly using the single alanine mutations at every residue in the molecule. The resulting mutant molecules are then tested for biological activity such as kinase activity or in assays such as an in vitro proliferative activity. Sites that are critical for binding partner/substrate binding can also be determined by struc- 15 tural analysis such as crystallization, nuclear magnetic resonance or photoaffinity labeling (Smith et al., J. Mol. Biol. 224:899-904 (1992); de Vos et al. Science 255:306-312 (1992)).

The present invention further provides fragments of the 20 kinase peptides, in addition to proteins and peptides that comprise and consist of such fragments, particularly those comprising the residues identified in FIG. 2. The fragments to which the invention pertains, however, are not to be construed as encompassing fragments that may be disclosed publicly prior to the present invention.

As used herein, a fragment comprises at least 8, 10, 12, 14, 16, or more contiguous amino acid residues from a kinase peptide. Such fragments can be chosen based on the ability to retain one or more of the biological activities of the kinase peptide or could be chosen for the ability to perform a function, e.g. bind a substrate or act as an immunogen. Particularly important fragments are biologically active fragments, peptides that are, for example, about 8 or more amino acids in length. Such fragments will typically comprise a domain or motif of the kinase peptide, e.g., active site, a transmembrane domain or a substrate-binding domain. Further, possible fragments include, but are not limited to, domain or motif containing fragments, soluble peptide fragments, and fragments containing immunogenic structures. Predicted domains and functional sites are readily identifiable by computer programs well known and readily available to those of skill in the art (e.g., PROSITE analysis). The results of one such analysis are provided in FIG. 2.

Polypeptides often contain amino acids other than the 20 amino acids commonly referred to as the 20 naturally occurring amino acids. Further, many amino acids, including the terminal amino acids, may be modified by natural processes, such as processing and other post-translational 50 known to those skilled in the art. References disclosing such modifications, or by chemical modification techniques well known in the art. Common modifications that occur naturally in kinase peptides are described in basic texts, detailed monographs, and the research literature, and they are well known to those of skill in the art (some of these features are 55 identified in FIG. 2).

Known modifications include, but are not limited to, acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide 60 derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphotidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent crosslinks, formation of cystine, formation of pyroglutamate, formylation, gamma carboxylation, 65 glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination.

Such modifications are well known to those of skill in the art and have been described in great detail in the scientific literature. Several particularly common modifications, glycosylation, lipid attachment, sulfation, gammacarboxylation of glutamic acid residues, hydroxylation and results provided in FIG. 2. The latter procedure introduces 10 ADP-ribosylation, for instance, are described in most basic texts, such as Proteins-Structure and Molecular Properties, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993). Many detailed reviews are available on this subject, such as by Wold, F., Posttranslational Covalent Modification of Proteins, B. C. Johnson, Ed., Academic Press, New York 1-12 (1983); Seifter et al. (Meth. Enzymol. 182: 626-646 (1990)) and Rattan et al. (Ann. N.Y. Acad. Sci. 663:48-62 (1992)).

> Accordingly, the kinase peptides of the present invention also encompass derivatives or analogs in which a substituted amino acid residue is not one encoded by the genetic code. in which a substituent group is included, in which the mature kinase peptide is fused with another compound, such as a compound to increase the half-life of the kinase peptide (for example, polyethylene glycol), or in which the additional amino acids are fused to the mature kinase peptide, such as a leader or secretory sequence or a sequence for purification of the mature kinase peptide or a pro-protein sequence.

## Protein/Peptide Uses

The proteins of the present invention can be used in substantial and specific assays related to the functional information provided in the Figures; to raise antibodies or to elicit another immune response; as a reagent (including the labeled reagent) in assays designed to quantitatively determine levels of the protein (or its binding partner or ligand) in biological fluids; and as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in a disease state). Where the protein binds or potentially binds to another protein or ligand (such as, for example, in a kinase-effector protein interaction or kinase-ligand interaction), the protein can be used to identify the binding partner/ligand so as to develop a system to identify inhibitors of the binding interaction. Any or all of these uses are capable of being developed into reagent grade or kit format for commercialization as commercial products.

Methods for performing the uses listed above are well methods include "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E. F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology: Guide to Molecular Cloning Techniques", Academic Press, Berger, S. L. and A. R. Kimmel eds., 1987.

The potential uses of the peptides of the present invention are based primarily on the source of the protein as well as the class/action of the protein. For example, kinases isolated from humans and their human/mammalian orthologs serve as targets for identifying agents for use in mammalian therapeutic applications, e.g. a human drug, particularly in modulating a biological or pathological response in a cell or tissue that expresses the kinase. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant

brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain. A large percentage of pharmaceutical agents are being developed that modulate the activity of kinase proteins, particularly members of the serine/threonine kinase subfamily (see Background of the Invention). The structural and functional information provided in the Background and Figures provide specific and substantial uses for the molecules of the present invention, particularly in combination with the expression information 10 provided in FIG. 1. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. Such uses can readily be determined using the information provided herein, that which is known in the art, 15 and routine experimentation.

The proteins of the present invention (including variants and fragments that may have been disclosed prior to the present invention) are useful for biological assays related to kinases that are related to members of the serine/threonine 20 kinase subfamily. Such assays involve any of the known kinase functions or activities or properties useful for diagnosis and treatment of kinase-related conditions that are specific for the subfamily of kinases that the one of the present invention belongs to, particularly in cells and tissues 25 that express the kinase. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma. ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain.

The proteins of the present invention are also usefull in drug screening assays, in cell-based or cell-free systems. Cell-based systems can be native, i.e., cells that normally 35 express the kinase, as a biopsy or expanded in cell culture. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. In binant host cells expressing the kinase protein.

The polypeptides can be used to identify compounds that modulate kinase activity of the protein in its natural state or an altered form that causes a specific disease or pathology associated with the kinase. Both the kinases of the present 45 invention and appropriate variants and fragments can be used in high-throughput screens to assay candidate compounds for the ability to bind to the kinase. These compounds can be further screened against a functional kinase to determine the effect of the compound on the kinase activity. 50 Further, these compounds can be tested in animal or invertebrate systems to determine activity/effectiveness. Compounds can be identified that activate (agonist) or inactivate (antagonist) the kinase to a desired degree.

Further, the proteins of the present invention can be used 55 to screen a compound for the ability to stimulate or inhibit interaction between the kinase protein and a molecule that normally interacts with the kinase protein, e.g. a substrate or a component of the signal pathway that the kinase protein normally interacts (for example, another kinase). Such assays typically include the steps of combining the kinase protein with a candidate compound under conditions that allow the kinase protein, or fragment, to interact with the target molecule, and to detect the formation of a complex between the protein and the target or to detect the biochemi- 65 cal consequence of the interaction with the kinase protein and the target, such as any of the associated effects of signal

transduction such as protein phosphorylation, cAMP turnover, and adenylate cyclase activation, etc.

Candidate compounds include, for example, 1) peptides such as soluble peptides, including Ig-tailed fusion peptides and members of random peptide libraries (see, e.g., Lam et al., Nature 354:82-84 (1991); Houghten et al., Nature 354:84-86 (1991)) and combinatorial chemistry-derived molecular libraries made of D- and/or L-configuration amino acids; 2) phosphopeptides (e.g., members of random and partially degenerate, directed phosphopeptide libraries, see, e.g., Songyang et al., Cell 72:767-778 (1993)); 3) antibodies (e.g., polyclonal, monoclonal, humanized, antiidiotypic, chimeric, and single chain antibodies as well as Fab, F(ab')2, Fab expression library fragments, and epitopebinding fragments of antibodies); and 4) small organic and inorganic molecules (e.g., molecules obtained from combinatorial and natural product libraries).

One candidate compound is a soluble fragment of the receptor that competes for substrate binding. Other candidate compounds include mutant kinases or appropriate fragments containing mutations that affect kinase function and thus compete for substrate. Accordingly, a fragment that competes for substrate, for example with a higher affinity, or a fragment that binds substrate but does not allow release, is encompassed by the invention.

The invention further includes other end point assays to identify compounds that modulate (stimulate or inhibit) kinase activity. The assays typically involve an assay of events in the signal transduction pathway that indicate kinase activity. Thus, the phosphorylation of a substrate, activation of a protein, a change in the expression of genes that are up- or down-regulated in response to the kinase protein dependent signal cascade can be assayed.

Any of the biological or biochemical functions mediated by the kinase can be used as an endpoint assay. These include all of the biochemical or biochemical/biological events described herein, in the references cited herein, incorporated by reference for these endpoint assay targets, an alternate embodiment, cell-based assays involve recom- 40 and other functions known to those of ordinary skill in the art or that can be readily identified using the information provided in the Figures, particularly FIG. 2. Specifically, a biological function of a cell or tissues that expresses the kinase can be assayed. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain.

> Binding and/or activating compounds can also be screened by using chimeric kinase proteins in which the amino terminal extracellular domain, or parts thereof, the entire transmembrane domain or subregions, such as any of the seven transmembrane segments or any of the intracellular or extracellular loops and the carboxy terminal intracellular domain, or parts thereof, can be replaced by heterologous domains or subregions. For example, a substratebinding region can be used that interacts with a different substrate then that which is recognized by the native kinase. Accordingly, a different set of signal transduction components is available as an end-point assay for activation. This allows for assays to be performed in other than the specific host cell from which the kinase is derived.

The proteins of the present invention are also useful in competition binding assays in methods designed to discover compounds that interact with the kinase (e.g. binding partners and/or ligands). Thus, a compound is exposed to a kinase polypeptide under conditions that allow the compound to bind or to otherwise interact with the polypeptide. Soluble kinase polypeptide is also added to the mixture. If the test compound interacts with the soluble kinase polypeptide, it decreases the amount of complex formed or activity from the kinase target. This type of assay is particularly useful in cases in which compounds are sought that interact with specific regions of the kinase. Thus, the soluble polypeptide that competes with the target kinase region is designed to contain peptide sequences corresponding to the region of interest.

To perform cell free drug screening assays, it is sometimes desirable to immobilize either the kinase protein, or fragment, or its target molecule to facilitate separation of complexes from uncomplexed forms of one or both of the proteins, as well as to accommodate automation of the assay.

Techniques for immobilizing proteins on matrices can be used in the drug screening assays. In one embodiment, a fusion protein can be provided which adds a domain that 20 allows the protein to be bound to a matrix. For example, glutathione-S-transferase fusion proteins can be adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, Mo.) or glutathione derivatized microtitre plates, which are then combined with the cell lysates (e.g., 35Slabeled) and the candidate compound, and the mixture incubated under conditions conducive to complex formation (e.g., at physiological conditions for salt and pH). Following incubation, the beads are washed to remove any unbound label, and the matrix immobilized and radiolabel determined directly, or in the supernatant after the complexes are dissociated. Alternatively, the complexes can be dissociated from the matrix, separated by SDS-PAGE, and the level of kinase-binding protein found in the bead fraction quantitated from the gel using standard electrophoretic techniques. For 35 example, either the polypeptide or its target molecule can be immobilized utilizing conjugation of biotin and streptavidin using techniques well known in the art. Alternatively, antibodies reactive with the protein but which do not interfere with binding of the protein to its target molecule can be 40 derivatized to the wells of the plate, and the protein trapped in the wells by antibody conjugation. Preparations of a kinase-binding protein and a candidate compound are incubated in the kinase protein-presenting wells and the amount of complex trapped in the well can be quantitated. Methods 45 for detecting such complexes, in addition to those described above for the GST-immobilized complexes, include immunodetection of complexes using antibodies reactive with the kinase protein target molecule, or which are reactive with kinase protein and compete with the target molecule, as well 50 as enzyme-linked assays which rely on detecting an enzymatic activity associated with the target molecule.

Agents that modulate one of the kinases of the present invention can be identified using one or more of the above assays, alone or in combination. It is generally preferable to 55 use a cell-based or cell free system first and then confirm activity in an animal or other model system. Such model systems are well known in the art and can readily be employed in this context.

Modulators of kinase protein activity identified according 60 to these drug screening assays can be used to treat a subject with a disorder mediated by the kinase pathway, by treating cells or tissues that express the kinase. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant 65 and fetal brain, and thyroid gland. These methods of treatment include the steps of administering a modulator of

kinase activity in a pharmaceutical composition to a subject in need of such treatment, the modulator being identified as described herein.

In yet another aspect of the invention, the kinase proteins can be used as "bait proteins" in a two-hybrid assay or three-hybrid assay (see, e.g., U.S. Pat. No. 5,283,317; Zervos et al. (1993) Cell 72:223-232; Madura et al. (1993) Biolechniques 14:920-924; Iwabuchi et al. (1993) Biotechniques 14:920-924; Iwabuchi et al. (1993) Oncogene 8:1693/1696; and Brent WO94110300), to identify other proteins, which bind to or interact with the kinase and are involved in kinase activity. Such kinase-binding proteins are also likely to be involved in the propagation of signals by the kinase proteins or kinase targets as, for example, downstream elements of a kinase-mediated signaling pathway. Alternatively, such kinase-binding proteins are likely to be kinase inhibitors.

The two-hybrid system is based on the modular nature of most transcription factors, which consist of separable DNAbinding and activation domains. Briefly, the assay utilizes two different DNA constructs. In one construct, the gene that codes for a kinase protein is fused to a gene encoding the DNA binding domain of a known transcription factor (e.g., GAL-4). In the other construct, a DNA sequence, from a library of DNA sequences, that encodes an unidentified protein ("prey" or "sample") is fused to a gene that codes for the activation domain of the known transcription factor. If the "bait" and the "prey" proteins are able to interact, in vivo, forming a kinase-dependent complex, the DNAbinding and activation domains of the transcription factor 30 are brought into close proximity. This proximity allows transcription of a reporter gene (e.g., LacZ) which is operably linked to a transcriptional regulatory site responsive to the transcription factor. Expression of the reporter gene can be detected and cell colonies containing the functional transcription factor can be isolated and used to obtain the cloned gene which encodes the protein which interacts with the kinase protein.

This invention further pertains to novel agents identified by the above-described screening assays. Accordingly, it is within the scope of this invention to further use an agent identified as described herein in an appropriate animal model. For example, an agent identified as described herein (e.g., a kinase-modulating agent, an antisense kinase nucleic acid molecule, a kinase-specific antibody, or a kinase-binding partner) can be used in an animal or other model to determine the efficacy, toxicity, or side effects of treatment with such an agent. Alternatively, an agent identified as described herein can be used in an animal or other model to determine the mechanism of action of such an agent. Furthermore, this invention pertains to uses of novel agents identified by the above-described screening assays for treatments as described herein.

The kinase proteins of the present invention are also useful to provide a target for diagnosing a disease or predisposition to disease mediated by the peptide. Accordingly, the invention provides methods for detecting the presence, or levels of, the protein (or encoding mRNA) in a cell, tissue, or organism. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. The method involves contacting a biological sample with a compound capable of interacting with the kinase protein such that the interaction can be detected. Such an assay can be provided in a single detection format or a multi-detection format such as an antibody chip array.

One agent for detecting a protein in a sample is an antibody capable of selectively binding to protein. A bio-

logical sample includes tissues, cells and biological fluids isolated from a subject, as well as tissues, cells and fluids present within a subject.

The peptides of the present invention also provide targets for diagnosing active protein activity, disease, or predispo- 5 sition to disease, in a patient having a variant peptide, particularly activities and conditions that are known for other members of the family of proteins to which the present one belongs. Thus, the peptide can be isolated from a biological sample and assayed for the presence of a genetic 10 mutation that results in aberrant peptide. This includes amino acid substitution, deletion, insertion, rearrangement, (as the result of aberrant splicing events), and inappropriate post-translational modification. Analytic methods include altered electrophoretic mobility, altered tryptic peptide 15 digest, altered kinase activity in cell-based or cell-free assay, alteration in substrate or antibody-binding pattern, altered isoelectric point, direct amino acid sequencing, and any other of the known assay techniques useful for detecting mutations in a protein. Such an assay can be provided in a 20 single detection format or a multi-detection format such as an antibody chip array.

In vitro techniques for detection of peptide include enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence using 25 a detection reagent, such as an antibody or protein binding agent. Alternatively, the peptide can be detected in vivo in a subject by introducing into the subject a labeled anti-peptide antibody or other types of detection agent. For example, the antibody can be labeled with a radioactive marker whose presence and location in a subject can be detected by standard imaging techniques. Particularly useful are methods that detect the allelic variant of a peptide expressed in a subject and methods which detect fragments of a peptide in a sample.

The peptides are also useful in pharmacogenomic analysis. Pharmacogenomics deal with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons. See, e.g., Eichelbaum, M. (Clin. Exp. Pharmacol. Physiol. 40 23(10-11):983-985 (1996)), and Linder, M. W. (Clin. Chem. 43(2):254-266 (1997)). The clinical outcomes of these variations result in severe toxicity of therapeutic drugs in certain individuals or therapeutic failure of drugs in certain individuals as a result of individual variation in metabolism. 45 Thus, the genotype of the individual can determine the way a therapeutic compound acts on the body or the way the body metabolizes the compound. Further, the activity of drug metabolizing enzymes effects both the intensity and duration of drug action. Thus, the pharmacogenomics of the 50 individual permit the selection of effective compounds and effective dosages of such compounds for prophylactic or therapeutic treatment based on the individual's genotype. The discovery of genetic polymorphisms in some drug metabolizing enzymes has explained why some patients do 55 not obtain the expected drug effects, show an exaggerated drug effect, or experience serious toxicity from standard drug dosages. Polymorphisms can be expressed in the phenotype of the extensive metabolizer and the phenotype of the poor metabolizer. Accordingly, genetic polymorphism may lead to allelic protein variants of the kinase protein in which one or more of the kinase functions in one population is different from those in another population. The peptides thus allow a target to ascertain a genetic predisposition that can affect treatment modality. Thus, in a ligand-based treatment, 65 polymorphism may give rise to amino terminal extracellular domains and/or other substrate-binding regions that are

more or less active in substrate binding, and kinase activation. Accordingly, substrate dosage would necessarily be modified to maximize the therapeutic effect within a given population containing a polymorphism. As an alternative to genotyping, specific polymorphic peptides could be identified.

The peptides are also useful for treating a disorder characterized by an absence of, inappropriate, or unwanted expression of the protein. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. Accordingly, methods for treatment include the use of the kinase protein or fragments.

#### Antihodies

The invention also provides antibodies that selectively bind to one of the peptides of the present invention, a protein comprising such a peptide, as well as variants and fragments thereof. As used herein, an antibody selectively binds a target peptide when it binds the target peptide and does not significantly bind to unrelated proteins. An antibody is still considered to selectively bind a peptide even if it also binds to other proteins that are not substantially homologous with the target peptide so long as such proteins share homology with a fragment or domain of the peptide target of the antibody. In this case, it would be understood that antibody binding to the peptide is still selective despite some degree of cross-reactivity.

As used herein, an antibody is defined in terms consistent with that recognized within the art: they are multi-subunit proteins produced by a mammalian organism in response to an antigen challenge. The antibodies of the present invention include polyclonal antibodies and monoclonal antibodies, as well as fragments of such antibodies, including, but not limited to, Fab or F(ab')2, and Fv fragments.

Many methods are known for generating and/or identifying antibodies to a given target peptide. Several such methods are described by Harlow, Antibodies, Cold Spring Harbor Press, (1989).

In general, to generate antibodies, an isolated peptide is used as an immunogen and is administered to a mammalian organism, such as a rat, rabbit or mouse. The full-length protein, an antigenic peptide fragment or a fusion protein can be used. Particularly important fragments are those covering functional domains, such as the domains identified in FIG. 2, and domain of sequence homology or divergence amongst the family, such as those that can readily be identified using protein alignment methods and as presented in the Figures.

Antibodies are preferably prepared from regions or discrete fragments of the kinase proteins. Antibodies can be prepared from any region of the peptide as described herein. However, preferred regions will include those involved in function/activity and/or kinase/binding partner interaction. FIG. 2 can be used to identify particularly important regions while sequence alignment can be used to identify conserved and unique sequence fragments.

An antigenic fragment will typically comprise at least 8 contiguous amino acid residues. The antigenic peptide can comprise, however, at least 10, 12, 14, 16 or more amino acid residues. Such fragments can be selected on a physical property, such as fragments correspond to regions that are located on the surface of the protein, e.g., hydrophilic regions or can be selected based on sequence uniqueness (see FIG. 2).

Detection on an antibody of the present invention can be facilitated by coupling (i.e., physically linking) the antibody

to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, 5 β-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine 10 fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin, and examples of suitable radioactive material include 125 I, 131 I, 35 S or 3H.

### Antibody Uses

The antibodies can be used to isolate one of the proteins of the present invention by standard techniques, such as affinity chromatography or immunoprecipitation. The antibodies can facilitate the purification of the natural protein from cells and recombinantly produced protein expressed in host cells. In addition, such antibodies are useful to detect the presence of one of the proteins of the present invention in cells or tissues to determine the pattern of expression of the protein among various tissues in an organism and over the course of normal development. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant 30 brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain. Further, such antibodies can be used to detect protein in situ, in vitro, or in a cell lysate or supernatant in order to evaluate the abundance and 35 pattern of expression. Also, such antibodies can be used to assess abnormal tissue distribution or abnormal expression during development or progression of a biological condition. Antibody detection of circulating fragments of the full length protein can be used to identify turnover.

Further, the antibodies can be used to assess expression in disease states such as in active stages of the disease or in an individual with a predisposition toward disease related to the protein's function. When a disorder is caused by an inappropriate tissue distribution, developmental expression, 45 tially of, or comprise a nucleotide sequence that encodes one level of expression of the protein, or expressed/processed form, the antibody can be prepared against the normal protein. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nergland. If a disorder is characterized by a specific mutation in the protein, antibodies specific for this mutant protein can be used to assay for the presence of the specific mutant protein.

The antibodies can also be used to assess normal and tissues in an organism. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. The diagnostic uses can be applied, not only in genetic testing, but also in monitoring a treatment 60 modality. Accordingly, where treatment is ultimately aimed at correcting expression level or the presence of aberrant sequence and aberrant tissue distribution or developmental expression, antibodies directed against the protein or relevant fragments can be used to monitor therapeutic efficacy. 65

Additionally, antibodies are useful in pharmacogenomic analysis. Thus, antibodies prepared against polymorphic

proteins can be used to identify individuals that require modified treatment modalities. The antibodies are also useful as diagnostic tools as an immunological marker for aberrant protein analyzed by electrophoretic mobility, isoelectric point, tryptic peptide digest, and other physical assays known to those in the art.

The antibodies are also useful for tissue typing. Experimental data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. Thus, where a specific protein has been correlated with expression in a specific tissue, antibodies that are specific for this protein can be used to identify a tissue type.

The antibodies are also useful for inhibiting protein function, for example, blocking the binding of the kinase peptide to a binding partner such as a substrate. These uses can also be applied in a therapeutic context in which treatment involves inhibiting the protein's function. An antibody can be used, for example, to block binding, thus modulating (agonizing or antagonizing) the peptides activity. Antibodies can be prepared against specific fragments containing sites required for function or against intact protein that is associated with a cell or cell membrane. See FIG. 2 for structural information relating to the proteins of the present invention.

The invention also encompasses kits for using antibodies to detect the presence of a protein in a biological sample. The kit can comprise antibodies such as a labeled or labelable antibody and a compound or agent for detecting protein in a biological sample; means for determining the amount of protein in the sample; means for comparing the amount of protein in the sample with a standard; and instructions for use. Such a kit can be supplied to detect a single protein or epitope or can be configured to detect one of a multitude of epitopes, such as in an antibody detection array. Arrays are described in detail below for nuleic acid arrays and similar methods have been developed for antibody arrays.

## Nucleic Acid Molecules

The present invention further provides isolated nucleic acid molecules that encode a kinase peptide or protein of the present invention (cDNA, transcript and genomic sequence). Such nucleic acid molecules will consist of, consist essenof the kinase peptides of the present invention, an allelic variant thereof, or an ortholog or paralog thereof.

As used herein, an "isolated" nucleic acid molecule is one that is separated from other nucleic acid present in the vous tissue, bladder, infant and fetal brain, and thyroid 50 natural source of the nucleic acid. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. However, there can be aberrant subcellular localization of cells in the various 55 some flanking nucleotide sequences, for example up to about 5KB, 4KB, 3KB, 2KB, or 1KB or less, particularly contiguous peptide encoding sequences and peptide encoding sequences within the same gene but separated by introns in the genomic sequence. The important point is that the nucleic acid is isolated from remote and unimportant flanking sequences such that it can be subjected to the specific manipulations described herein such as recombinant expression, preparation of probes and primers, and other uses specific to the nucleic acid sequences.

> Moreover, an "isolated" nucleic acid molecule, such as a transcript/cDNA molecule, can be substantially free of other cellular material, or culture medium when produced by

recombinant techniques, or chemical precursors or other chemicals when chemically synthesized. However, the nucleic acid molecule can be fused to other coding or regulatory sequences and still be considered isolated.

For example, recombinant DNA molecules contained in a vector are considered isolated. Further examples of isolated DNA molecules include recombinant DNA molecules maintained in heterologous host cells or purified (partially or substantially) DNA molecules in solution. Isolated RNA molecules include in vivo or in vitro RNA transcripts of the isolated DNA molecules of the present invention. Isolated nucleic acid molecules according to the present invention further include such molecules produced synthetically.

Accordingly, the present invention provides nucleic acid molecules that consist of the nucleotide sequence shown in FIG. 1 or 3 (SEQ ID NO:1, transcript sequence and SEQ ID NO:3, genomic sequence), or any nucleic acid molecule that encodes the protein provided in FIG. 2, SEQ ID NO:2. A nucleic acid molecule consists of a nucleotide sequence when the nucleotide sequence is the complete nucleotide sequence of the nucleic acid molecule.

The present invention further provides nucleic acid molecules that consist essentially of the nucleotide sequence shown in FIG. 1 or 3 (SEQ ID NO:1, transcript sequence and SEQ ID NO:3, genomic sequence), or any nucleic acid molecule that encodes the protein provided in FIG. 2, SEQ ID NO:2. A nucleic acid molecule consists essentially of a nucleotide sequence when such a nucleotide sequence is present with only a few additional nucleic acid residues in the final nucleic acid molecule.

The present invention further provides nucleic acid molecules that comprise the nucleotide sequences shown in FIG. 1 or 3 (SEQ ID NO:1, transcript sequence and SEQ ID NO:3, genomic sequence), or any nucleic acid molecule that 35 encodes the protein provided in FIG. 2, SEQ ID NO:2. A nucleic acid molecule comprises a nucleotide sequence when the nucleotide sequence is at least part of the final nucleotide sequence of the nucleic acid molecule. In such a fashion, the nucleic acid molecule can be only the nucleotide 40 sequence or have additional nucleic acid residues, such as nucleic acid residues that are naturally associated with it or heterologous nucleotide sequences. Such a nucleic acid molecule can have a few additional nucleotides or can comprises several hundred or more additional nucleotides. A 45 brief description of how various types of these nucleic acid molecules can be readily made/isolated is provided below.

In FIGS. 1 and 3, both coding and non-coding sequences are provided. Because of the source of the present invention, humans genomic sequence (FIG. 3) and cDNA/transcript sequences (FIG. 1), the nucleic acid molecules in the Figures will contain genomic intronic sequences, 5' and 3' non-coding sequences, gene regulatory regions and non-coding intergenic sequences. In general such sequence features are either noted in FIGS. 1 and 3 or can readily be identified using computational tools known in the art. As discussed below, some of the non-coding regions, particularly gene regulatory elements such as promoters, are useful for a variety of purposes, e.g. control of heterologous gene expression, target for identifying gene activity modulating compounds, and are particularly claimed as fragments of the genomic sequence provided herein.

The isolated nucleic acid molecules can encode the mature protein plus additional amino or carboxyl-terminal amino acids, or amino acids interior to the mature peptide (when the mature form has more than one peptide chain, for instance). Such sequences may play a role in processing of or otide probe. A labeled probe can then be used to screen a cDNA library, genomic DNA library, or mRNA to isolate nucleic acid corresponding to the coding region. Further, primers can be used in PCR reactions to clone specific regions of gene.

a protein from precursor to a mature form, facilitate protein trafficking, prolong or shorten protein half-life or facilitate manipulation of a protein for assay or production, among other things. As generally is the case in situ, the additional amino acids may be processed away from the mature protein by cellular enzymes.

As mentioned above, the isolated nucleic acid molecules include, but are not limited to, the sequence encoding the kinase peptide alone, the sequence encoding the mature peptide and additional coding sequences, such as a leader or secretory sequence (e.g., a pre-pro or pro-protein sequence), the sequence encoding the mature peptide, with or without the additional coding sequences, plus additional non-coding sequences, for example introns and non-coding 5' and 3' sequences such as transcribed but non-translated sequences that play a role in transcription, mRNA processing (including splicing and polyadenylation signals), ribosome binding and stability of mRNA. In addition, the nucleic acid molecule may be fused to a marker sequence encoding, for example, a peptide that facilitates purification.

Isolated nucleic acid molecules can be in the form of RNA, such as mRNA, or in the form DNA, including cDNA and genomic DNA obtained by cloning or produced by chemical synthetic techniques or by a combination thereof. The nucleic acid, especially DNA, can be double-stranded or single-stranded. Single-stranded nucleic acid can be the coding strand (sense strand) or the non-coding strand (antisense strand).

The invention further provides nucleic acid molecules that encode fragments of the peptides of the present invention as well as nucleic acid molecules that encode obvious variants of the kinase proteins of the present invention that are described above. Such nucleic acid molecules may be naturally occurring, such as allelic variants (same locus), paralogs (different locus), and orthologs (different organism), or may be constructed by recombinant DNA methods or by chemical synthesis. Such non-naturally occurring variants may be made by mutagenesis techniques, including those applied to nucleic acid molecules, cells, or organisms. Accordingly, as discussed above, the variants can contain nucleotide substitutions, deletions, inversions and insertions. Variation can occur in either or both the coding and non-coding regions. The variations can produce both conservative and non-conservative amino acid substitutions.

The present invention further provides non-coding fragments of the nucleic acid molecules provided in FIGS. 1 and 3. Preferred non-coding fragments include, but are not limited to, promoter sequences, enhancer sequences, gene modulating sequences and gene termination sequences. Such fragments are useful in controlling heterologous gene expression and in developing screens to identify gene-modulating agents. A promoter can readily be identified as being 5' to the ATG start site in the genomic sequence provided in FIG. 3.

A fragment comprises a contiguous nucleotide sequence greater than 12 or more nucleotides. Further, a fragment could at least 30, 40, 50, 100, 250 or 500 nucleotides in length. The length of the fragment will be based on its intended use. For example, the fragment can encode epitope bearing regions of the peptide, or can be useful as DNA probes and primers. Such fragments can be isolated using the known nucleotide sequence to synthesize an oligonucleotide probe. A labeled probe can then be used to screen a cDNA library, genomic DNA library, or mRNA to isolate nucleic acid corresponding to the coding region. Further, primers can be used in PCR reactions to clone specific regions of gene.

A probe/primer typically comprises substantially a purified oligonucleotide or oligonucleotide pair. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, 20, 25, 40, 50 or more consecutive nucleotides.

Orthologs, homologs, and allelic variants can be identified using methods well known in the art. As described in the Peptide Section, these variants comprise a nucleotide sequence encoding a peptide that is typically 60-70%, 70-80%, 80-90%, and more typically at least about 90-95% 10 or more homologous to the nucleotide sequence shown in the Figure sheets or a fragment of this sequence. Such nucleic acid molecules can readily be identified as being able to hybridize under moderate to stringent conditions, to the nucleotide sequence shown in the Figure sheets or a 15 fragment of the sequence. Allelic variants can readily be determined by genetic locus of the encoding gene. The gene encoding the novel kinase protein of the present invention is located on a genome component that has been mapped to human chromosome 22 (as indicated in FIG. 3), which is 20 supported by multiple lines of evidence, such as STS and BAC map data.

FIG. 3 provides information on SNPs that have been found in the gene encoding the kinase protein of the present invention. SNPs were identified at 42 different nucleotide 25 positions. Some of these SNPs, which are located outside the ORF and in introns, may affect gene transcription.

As used herein, the term "hybridizes under stringent conditions" is intended to describe conditions for hybridization and washing under which nucleotide sequences encoding a peptide at least 60-70% homologous to each other typically remain hybridized to each other. The conditions can be such that sequences at least about 60%, at least about 70%, or at least about 80% or more homologous to 35 each other typically remain hybridized to each other. Such stringent conditions are known to those skilled in the art and can be found in Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. One example sodium chloride/sodium citrate (SSC) at about 45C, followed by one or more washes in 0.2xSSC, 0.1% SDS at 50-65C. Examples of moderate to low stringency hybridization conditions are well known in the art.

### Nucleic Acid Molecule Uses

The nucleic acid molecules of the present invention are useful for probes, primers, chemical intermediates, and in biological assays. The nucleic acid molecules are useful as a hybridization probe for messenger RNA, transcript/cDNA 50 and genomic DNA to isolate full-length cDNA and genomic clones encoding the peptide described in FIG. 2 and to isolate cDNA and genomic clones that correspond to variants (alleles, orthologs, etc.) producing the same or related peptides shown in FIG. 2. As illustrated in FIG. 3, SNPs 55 were identified at 42 different nucleotide positions.

The probe can correspond to any sequence along the entire length of the nucleic acid molecules provided in the Figures. Accordingly, it could be derived from 5' noncoding regions, the coding region, and 3' noncoding regions. 60 identifying cells or tissues that express a kinase protein, such However, as discussed, fragments are not to be construed as encompassing fragments disclosed prior to the present invention.

The nucleic acid molecules are also useful as primers for PCR to amplify any given region of a nucleic acid molecule 65 and are useful to synthesize antisense molecules of desired length and sequence.

The nucleic acid molecules are also useful for constructing recombinant vectors. Such vectors include expression vectors that express a portion of, or all of, the peptide sequences. Vectors also include insertion vectors, used to integrate into another nucleic acid molecule sequence, such as into the cellular genome, to alter in situ expression of a gene and/or gene product. For example, an endogenous coding sequence can be replaced via homologous recombination with all or part of the coding region containing one or more specifically introduced mutations.

The nucleic acid molecules are also useful for expressing antigenic portions of the proteins.

The nucleic acid molecules are also useful as probes for determining the chromosomal positions of the nucleic acid molecules by means of in situ hybridization methods. The gene encoding the novel kinase protein of the present invention is located on a genome component that has been mapped to human chromosome 22 (as indicated in FIG. 3), which is supported by multiple lines of evidence, such as STS and BAC map data.

The nucleic acid molecules are also useful in making vectors containing the gene regulatory regions of the nucleic acid molecules of the present invention.

The nucleic acid molecules are also useful for designing ribozymes corresponding to all, or a part, of the mRNA produced from the nucleic acid molecules described herein.

The nucleic acid molecules are also useful for making vectors that express part, or all, of the peptides.

The nucleic acid molecules are also useful for constructing host cells expressing a part, or all, of the nucleic acid molecules and peptides.

The nucleic acid molecules are also useful for constructing transgenic animals expressing all, or a part, of the nucleic acid molecules and peptides.

The nucleic acid molecules are also useful as hybridization probes for determining the presence, level, form and distribution of nucleic acid expression. Experimental data as of stringent hybridization conditions are hybridization in 6× 40 provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain. Accordingly, the probes can be used to detect the presence of, or to determine levels of, a specific nucleic acid molecule in cells, tissues, and in organisms. The nucleic acid whose level is determined can be DNA or RNA. Accordingly, probes corresponding to the peptides described herein can be used to assess expression and/or gene copy number in a given cell, tissue, or organism. These uses are relevant for diagnosis of disorders involving an increase or decrease in kinase protein expression relative to normal results.

> In vitro techniques for detection of mRNA include Northem hybridizations and in situ hybridizations. In vitro techniques for detecting DNA includes Southern hybridizations and in situ hybridization.

> Probes can be used as a part of a diagnostic test kit for as by measuring a level of a kinase-encoding nucleic acid in a sample of cells from a subject e.g., mRNA or genomic DNA, or determining if a kinase gene has been mutated. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by

virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain.

Nucleic acid expression assays are useful for drug screening to identify compounds that modulate kinase nucleic acid expression.

The invention thus provides a method for identifying a compound that can be used to treat a disorder associated with nucleic acid expression of the kinase gene, particularly biological and pathological processes that are mediated by data as provided in FIG. 1 indicates expression in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland. The method typically includes assaying the ability of the compound to modulate the expression of the kinase nucleic acid and thus identifying a compound that can be used to treat a disorder characterized by undesired kinase nucleic acid expression. The assays can be performed in cell-based and cell-free systems. Cell-based assays include cells naturally expressing the kinase nucleic acid or recombinant cells genetically engineered to express 20 detect mutations in kinase genes and gene expression prodspecific nucleic acid sequences.

The assay for kinase nucleic acid expression can involve direct assay of nucleic acid levels, such as mRNA levels, or on collateral compounds involved in the signal pathway. Further, the expression of genes that are up- or downregulated in response to the kinase protein signal pathway can also be assayed. In this embodiment the regulatory regions of these genes can be operably linked to a reporter gene such as luciferase.

Thus, modulators of kinase gene expression can be iden-30 tified in a method wherein a cell is contacted with a candidate compound and the expression of mRNA determined. The level of expression of kinase mRNA in the presence of the candidate compound is compared to the level of expression of kinase mRNA in the absence of the candi-35 date compound. The candidate compound can then be identified as a modulator of nucleic acid expression based on this comparison and be used, for example to treat a disorder characterized by aberrant nucleic acid expression. When expression of mRNA is statistically significantly greater in 40 the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator of nucleic acid expression. When nucleic acid expression is statistically significantly less in the presence of the candidate compound than in its absence, the candidate compound is 45 identified as an inhibitor of nucleic acid expression.

The invention further provides methods of treatment, with the nucleic acid as a target, using a compound identified through drug screening as a gene modulator to modulate kinase nucleic acid expression in cells and tissues that 50 express the kinase. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, 55 PCR-based tissue screening panels indicate expression in fetal brain. Modulation includes both up-regulation (i.e. activation or agonization) or down-regulation (suppression or antagonization) or nucleic acid expression.

Alternatively, a modulator for kinase nucleic acid expres- 60 sion can be a small molecule or drug identified using the screening assays described herein as long as the drug or small molecule inhibits the kinase nucleic acid expression in the cells and tissues that express the protein. Experimental data as provided in FIG. 1 indicates expression in humans in 65 teratocarcinoma, ovary, testis, nervous tissue, bladder, infant and fetal brain, and thyroid gland.

The nucleic acid molecules are also useful for monitoring the effectiveness of modulating compounds on the expression or activity of the kinase gene in clinical trials or in a treatment regimen. Thus, the gene expression pattern can serve as a barometer for the continuing effectiveness of treatment with the compound, particularly with compounds to which a patient can develop resistance. The gene expression pattern can also serve as a marker indicative of a physiological response of the affected cells to the compound. the kinase in cells and tissues that express it. Experimental 10 Accordingly, such monitoring would allow either increased administration of the compound or the administration of alternative compounds to which the patient has not become resistant. Similarly, if the level of nucleic acid expression falls below a desirable level, administration of the com-15 pound could be commensurately decreased.

> The nucleic acid molecules are also useful in diagnostic assays for qualitative changes in kinase nucleic acid expression, and particularly in qualitative changes that lead to pathology. The nucleic acid molecules can be used to ucts such as mRNA. The nucleic acid molecules can be used as hybridization probes to detect naturally occurring genetic mutations in the kinase gene and thereby to determine whether a subject with the mutation is at risk for a disorder caused by the mutation. Mutations include deletion, addition, or substitution of one or more nucleotides in the gene, chromosomal rearrangement, such as inversion or transposition, modification of genomic DNA, such as aberrant methylation patterns or changes in gene copy number, such as amplification. Detection of a mutated form of the kinase gene associated with a dysfunction provides a diagnostic tool for an active disease or susceptibility to disease when the disease results from overexpression, underexpression, or altered expression of a kinase protein.

> Individuals carrying mutations in the kinase gene can be detected at the nucleic acid level by a variety of techniques. FIG. 3 provides information on SNPs that have been found in the gene encoding the kinase protein of the present invention. SNPs were identified at 42 different nucleotide positions. Some of these SNPs, which are located outside the ORF and in introns, may affect gene transcription. The gene encoding the novel kinase protein of the present invention is located on a genome component that has been mapped to human chromosome 22 (as indicated in FIG. 3), which is supported by multiple lines of evidence, such as STS and BAC map data. Genomic DNA can be analyzed directly or can be amplified by using PCR prior to analysis. RNA or cDNA can be used in the same way. In some uses, detection of the mutation involves the use of a probe/primer in a polymerase chain reaction (PCR) (see, e.g. U.S. Pat. Nos. 4,683,195 and 4,683,202), such as anchor PCR or RACE PCR, or, alternatively, in a ligation chain reaction (LCR) (see, e.g., Landegran et al., Science 241:1077-1080 (1988); and Nakazawa et al., PNAS 91:360-364 (1994)), the latter of which can be particularly useful for detecting point mutations in the gene (see Abravaya et al., Nucleic Acids Res. 23:675-682 (1995)). This method can include the steps of collecting a sample of cells from a patient, isolating nucleic acid (e.g., genomic, mRNA or both) from the cells of the sample, contacting the nucleic acid sample with one or more primers which specifically hybridize to a gene under conditions such that hybridization and amplification of the gene (if present) occurs, and detecting the presence or absence of an amplification product, or detecting the size of the amplification product and comparing the length to a control sample. Deletions and insertions can be detected by a change in size of the amplified product compared to the normal

genotype. Point mutations can be identified by hybridizing amplified DNA to normal RNA or antisense DNA sequences.

Alternatively, mutations in a kinase gene can be directly identified, for example, by alterations in restriction enzyme 5 digestion patterns determined by gel electrophoresis.

Further, sequence-specific ribozymes (U.S. Pat. No. 5,498,531) can be used to score for the presence of specific mutations by development or loss of a ribozyme cleavage site. Perfectly matched sequences can be distinguished from 10 mismatched sequences by nuclease cleavage digestion assays or by differences in melting temperature.

Sequence changes at specific locations can also be assessed by nuclease protection assays such as RNase and S1 protection or the chemical cleavage method. Furthermore, sequence differences between a mutant kinase gene and a wild-type gene can be determined by direct DNA sequencing. A variety of automated sequencing procedures can be utilized when performing the diagnostic assays (Naeve, C. W., (1995) Biotechniques 19:448), including sequencing by mass spectrometry (see, e.g., PCT International Publication No. WO 94/16101; Cohen et al., Adv. Chromatogr. 36:127-162 (1996); and Griffin et al., Appl. Biochem. Biotechnol. 38:147-159 (1993)).

Other methods for detecting mutations in the gene include methods in which protection from cleavage agents is used to detect mismatched bases in RNA/RNA or RNA/DNA duplexes (Myers etal., Science 230:1242 (1985)); Cotton et al., PNAS 85:4397 (1988); Saleeba et al., Meth. Enzymol. 21 7:286-295 (1992)), electrophoretic mobility of mutant and wild type nucleic acid is compared (Orita et al., PNAS 86:2766 (1989); Cotton et al., Mutat. Res. 285:125-144 (1993); and Hayashi et al., Genet. Anal. Tech. Appl. 9:73-79 (1992)), and movement of mutant or wild-type fragments in 35 polyacrylamide gels containing a gradient of denaturant is assayed using denaturing gradient gel electrophoresis (Myers et al., Nature 313:495 (1985)). Examples of other techniques for detecting point mutations include selective oligonucleotide hybridization, selective amplification, and 40 nRNA or DNA. selective primer extension.

The nucleic acid molecules are also useful for testing an individual for a genotype that while not necessarily causing the disease, nevertheless affects the treatment modality. Thus, the nucleic acid molecules can be used to study the 45 relationship between an individual's genotype and the individual's response to a compound used for treatment (pharmacogenomic relationship). Accordingly, the nucleic acid molecules described herein can be used to assess the mutation content of the kinase gene in an individual in order 50 to select an appropriate compound or dosage regimen for treatment. FIG. 3 provides information on SNPs that have been found in the gene encoding the kinase protein of the present invention. SNPs were identified at 42 different outside the ORF and in introns, may affect gene transcrip-

Thus nucleic acid molecules displaying genetic variations that affect treatment provide a diagnostic target that can be used to tailor treatment in an individual. Accordingly, the 60 production of recombinant cells and animals containing these polymorphisms allow effective clinical design of treatment compounds and dosage regimens.

The nucleic acid molecules are thus useful as antisense constructs to control kinase gene expression in cells, tissues, 65 and organisms. A DNA antisense nucleic acid molecule is designed to be complementary to a region of the gene

involved in transcription, preventing transcription and hence production of kinase protein. An antisense RNA or DNA nucleic acid molecule would hybridize to the mRNA and thus block translation of mRNA into kinase protein.

Alternatively, a class of antisense molecules can be used to inactivate mRNA in order to decrease expression of kinase nucleic acid. Accordingly, these molecules can treat a disorder characterized by abnormal or undesired kinase nucleic acid expression. This technique involves cleavage by means of ribozymes containing nucleotide sequences complementary to one or more regions in the mRNA that attenuate the ability of the mRNA to be translated. Possible regions include coding regions and particularly coding regions corresponding to the catalytic and other functional activities of the kinase protein, such as substrate binding.

The nucleic acid molecules also provide vectors for gene therapy in patients containing cells that are aberrant in kinase gene expression. Thus, recombinant cells, which include the patient's cells that have been engineered ex vivo and returned to the patient, are introduced into an individual where the cells produce the desired kinase protein to treat the individual.

The invention also encompasses kits for detecting the presence of a kinase nucleic acid in a biological sample. Experimental data as provided in FIG. 1 indicates that the kinase proteins of the present invention are expressed in humans in teratocarcinoma, ovary, testis, nervous tissue, bladder, infant brain, and thyroid gland, as indicated by virtual northern blot analysis. In addition, PCR-based tissue screening panels indicate expression in fetal brain. For example, the kit can comprise reagents such as a labeled or labelable nucleic acid or agent capable of detecting kinase nucleic acid in a biological sample; means for determining the amount of kinase nucleic acid in the sample; and means for comparing the amount of kinase nucleic acid in the sample with a standard. The compound or agent can be packaged in a suitable container. The kit can further comprise instructions for using the kit to detect kinase protein

### Nucleic Acid Arrays

The present invention further provides nucleic acid detection kits, such as arrays or microarrays of nucleic acid molecules that are based on the sequence information provided in FIGS. 1 and 3 (SEQ ID NOS:1 and 3).

As used herein "Arrays" or "Microarrays" refers to an array of distinct polynucleotides or oligonucleotides synthesized on a substrate, such as paper, nylon or other type of membrane, filter, chip, glass slide, or any other suitable solid support. In one embodiment, the microarray is prepared and used according to the methods described in U.S. Pat. No. 5,837,832, Chee et al., PCT application W095/11995 (Chee et al.), Lockhart, D. J. et al. (1996; Nat. Biotech. 14: nucleotide positions. Some of these SNPs, which are located 55 1675-1680) and Schena, M. et al. (1996; Proc. Natl. Acad. Sci. 93: 10614-10619), all of which are incorporated herein in their entirety by reference. In other embodiments, such arrays are produced by the methods described by Brown et al., U.S. Pat. No. 5,807,522.

> The microarray or detection kit is preferably composed of a large number of unique, single-stranded nucleic acid sequences, usually either synthetic antisense oligonucleotides or fragments of cDNAs, fixed to a solid support. The oligonucleotides are preferably about 6-60 nucleotides in length, more preferably 15-30 nucleotides in length, and most preferably about 20-25 nucleotides in length. For a certain type of microarray or detection kit, it may be

preferable to use oligonucleotides that are only 7-20 nucleotides in length. The microarray or detection kit may contain oligonucleotides that cover the known 5', or 3', sequence, sequential oligonucleotides which cover the full length sequence; or unique oligonucleotides selected from particular areas along the length of the sequence. Polynucleotides used in the microarray or detection kit may be oligonucleotides that are specific to a gene or genes of interest.

In order to produce oligonucleotides to a known sequence for a microarray or detection kit, the gene(s) of interest (or 10 an ORF identified from the contigs of the present invention) is typically examined using a computer algorithm which starts at the 5' or at the 3' end of the nucleotide sequence. Typical algorithms will then identify oligomers of defined length that are unique to the gene, have a GC content within a range suitable for hybridization, and lack predicted secondary structure that may interfere with hybridization. In certain situations it may be appropriate to use pairs of oligonucleotides on a microarray or detection kit. The "pairs" will be identical, except for one nucleotide that second oligonucleotide in the pair (mismatched by one) serves as a control. The number of oligonucleotide pairs may range from two to one million. The oligomers are synthesized at designated areas on a substrate using a light-directed chemical process. The substrate may be paper, nylon or 25 other type of membrane, filter, chip, glass slide or any other suitable solid support.

In another aspect, an oligonucleotide may be synthesized on the surface of the substrate by using a chemical coupling procedure and an ink jet application apparatus, as described 30 in PCT application W095/251116 (Baldeschweiler et al.) which is incorporated herein in its entirety by reference. In another aspect, a "gridded" array analogous to a dot (or slot) blot may be used to arrange and link cDNA fragments or oligonucleotides to the surface of a substrate using a vacuum system, thermal, UV, mechanical or chemical bonding procedures. An array, such as those described above, may be produced by hand or by using available devices (slot blot or dot blot apparatus), materials (any suitable solid support), and machines (including robotic instruments), and may contain 8, 24, 96, 384, 1536, 6144 or more oligonucleotides, or any other number between two and one million which lends itself to the efficient use of commercially available

In order to conduct sample analysis using a microarray or detection kit, the RNA or DNA from a biological sample is 45 made into hybridization probes. The mRNA is isolated, and cDNA is produced and used as a template to make antisense RNA (aRNA). The aRNA is amplified in the presence of fluorescent nucleotides, and labeled probes are incubated with the microarray or detection kit so that the probe 50 sequences hybridize to complementary oligonucleotides of the microarray or detection kit. Incubation conditions are adjusted so that hybridization occurs with precise complementary matches or with various degrees of less complementarity. After removal of nonhybridized probes, a scanner 55 is used to determine the levels and patterns of fluorescence. The scanned images are examined to determine degree of complementarity and the relative abundance of each oligonucleotide sequence on the microarray or detection kit. The biological samples may be obtained from any bodily fluids (such as blood, urine, saliva, phlegm, gastric juices, etc.), cultured cells, biopsies, or other tissue preparations. A detection system may be used to measure the absence, presence, and amount of hybridization for all of the distinct sequences simultaneously. This data may be used for largescale correlation studies on the sequences, expression 65 patterns, mutations, variants, or polymorphisms among samples.

Using such arrays, the present invention provides methods to identify the expression of the kinase proteins/peptides of the present invention. In detail, such methods comprise incubating a test sample with one or more nucleic acid molecules and assaying for binding of the nucleic acid molecule with components within the test sample. Such assays will typically involve arrays comprising many genes, at least one of which is a gene of the present invention and or alleles of the kinase gene of the present invention. FIG. 3 provides information on SNPs that have been found in the gene encoding the kinase protein of the present invention. SNPs were identified at 42 different nucleotide positions. Some of these SNPs, which are located outside the ORF and in introns, may affect gene transcription.

Conditions for incubating a nucleic acid molecule with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the nucleic acid molecule used in the assay. One skilled in the art will recognize that any one of the commonly available hybridization, amplification or preferably is located in the center of the sequence. The 20 array assay formats can readily be adapted to employ the novel fragments of the Human genome disclosed herein. Examples of such assays can be found in Chard, T, An Introduction to Radioimmunoassay and Related Techniques, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G. R. et al., Techniques in Immunocytochemistry, Academic Press, Orlando, Fla. Vol. 1 (1 982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., Practice and Theory of Enzyme Immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology, Elsevier Science Publishers, Amsterdam, The Netherlands (1985).

> The test samples of the present invention include cells, protein or membrane extracts of cells. The test sample used in the above-described method will vary based on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing nucleic acid extracts or of cells are well known in the art and can be readily be adapted in order to obtain a sample that is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention.

Specifically, the invention provides a compartmentalized kit to receive, in close confinement, one or more containers which comprises: (a) a first container comprising one of the nucleic acid molecules that can bind to a fragment of the Human genome disclosed herein; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound nucleic acid.

In detail, a compartmentalized kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers, strips of plastic, glass or paper, or arraying material such as silica. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not crosscontaminated, and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the nucleic acid probe, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, etc.), and containers which contain the reagents used to detect the bound probe. One skilled in the art will readily recognize that the previously unidentified kinase gene of the present invention can be routinely identified using the sequence information disclosed herein can be readily incorporated into one of the established kit formats which are well known in the art, particularly expression arrays.

#### Vectors/host Cells

The invention also provides vectors containing the nucleic acid molecules described herein. The term "vector" refers to a vehicle, preferably a nucleic acid molecule, which can transport the nucleic acid molecules. When the vector is a nucleic acid molecule, the nucleic acid molecules are covalently linked to the vector nucleic acid. With this aspect of the invention, the vector includes a plasmid, single or double stranded phage, a single or double stranded RNA or DNA viral vector, or artificial chromosome, such as a BAC, 10 PAC, YAC, OR MAC.

A vector can be maintained in the host cell as an extrachromosomal element where it replicates and produces additional copies of the nucleic acid molecules. Alternatively, the vector may integrate into the host cell 15 genome and produce additional copies of the nucleic acid molecules when the host cell replicates.

The invention provides vectors for the maintenance (cloning vectors) or vectors for expression (expression vectors) of the nucleic acid molecules. The vectors can 20 function in prokaryotic or eukaryotic cells or in both (shuttle vectors).

Expression vectors contain cis-acting regulatory regions that are operably linked in the vector to the nucleic acid ecules is allowed in a host cell. The nucleic acid molecules can be introduced into the host cell with a separate nucleic acid molecule capable of affecting transcription. Thus, the second nucleic acid molecule may provide a trans-acting factor interacting with the cis-regulatory control region to allow transcription of the nucleic acid molecules from the vector. Alternatively, a trans-acting factor may be supplied by the host cell. Finally, a trans-acting factor can be produced from the vector itself It is understood, however, that in some embodiments, transcription and/or translation of the nucleic acid molecules can occur in a cell-free system.

The regulatory sequence to which the nucleic acid molecules described herein can be operably linked include promoters for directing mRNA transcription. These include, but are not limited to, the left promoter from bacteriophage λ, the lac, TRP, and TAC promoters from E. coli, the early 40 and late promoters from SV40, the CMV immediate early promoter, the adenovirus early and late promoters, and retrovirus long-terminal repeats.

In addition to control regions that promote transcription, expression vectors may also include regions that modulate 45 transcription, such as repressor binding sites and enhancers. Examples include the SV40 enhancer, the cytomegalovirus immediate early enhancer, polyoma enhancer, adenovirus enhancers, and retrovirus LTR enhancers.

In addition to containing sites for transcription initiation 50 and control, expression vectors can also contain sequences necessary for transcription termination and, in the transcribed region a ribosome binding site for translation. Other regulatory control elements for expression include initiation and termination codons as well as polyadenylation signals. The person of ordinary skill in the art would be aware of the numerous regulatory sequences that are useful in expression vectors. Such regulatory sequences are described, for example, in Sambrook et al., Molecular Cloning: A Laboratory Manual. 2nd. ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., (1989).

A variety of expression vectors can be used to express a nucleic acid molecule. Such vectors include chromosomal, episomal, and virus-derived vectors, for example vectors derived from bacterial plasmids, from bacteriophage, from yeast episomes, from yeast chromosomal elements, includ- 65 ing yeast artificial chromosomes, from viruses such as baculoviruses, papovaviruses such as SV40, Vaccinia

viruses, adenoviruses, poxviruses, pseudorabies viruses, and retroviruses. Vectors may also be derived from combinations of these sources such as those derived from plasmid and bacteriophage genetic elements, e.g. cosmids and phagemids. Appropriate cloning and expression vectors for prokaryotic and eukaryotic hosts are described in Sambrook et al., Molecular Cloning: A Laboratory Manual. 2nd. ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., (1989)

The regulatory sequence may provide constitutive expression in one or more host cells (i.e. tissue specific) or may provide for inducible expression in one or more cell types such as by temperature, nutrient additive, or exogenous factor such as a hormone or other ligand. A variety of vectors providing for constitutive and inducible expression in prokaryotic and eukaryotic hosts are well known to those of ordinary skill in the art.

The nucleic acid molecules can be inserted into the vector nucleic acid by well-known methodology. Generally, the DNA sequence that will ultimately be expressed is joined to an expression vector by cleaving the DNA sequence and the expression vector with one or more restriction enzymes and then ligating the fragments together. Procedures for restriction enzyme digestion and ligation are well known to those of ordinary skill in the art.

The vector containing the appropriate nucleic acid molmolecules such that transcription of the nucleic acid mol- 25 ecule can be introduced into an appropriate host cell for propagation or expression using well-known techniques. Bacterial cells include, but are not limited to, E. coli, Streptomyces, and Salmonella typhimurium. Eukaryotic cells include, but are not limited to, yeast, insect cells such as Drosophila, animal cells such as COS and CHO cells, and plant cells.

> As described herein, it may be desirable to express the peptide as a fusion protein. Accordingly, the invention provides fusion vectors that allow for the production of the peptides. Fusion vectors can increase the expression of a recombinant protein, increase the solubility of the recombinant protein, and aid in the purification of the protein by acting for example as a ligand for affinity purification. A proteolytic cleavage site may be introduced at the junction of the fusion moiety so that the desired peptide can ultimately be separated from the fusion moiety. Proteolytic enzymes include, but are not limited to, factor Xa, thrombin, and enterokinase. Typical fusion expression vectors include pGEX (Smith et al., Gene 67:31-40 (1988)), pMAL (New England Biolabs, Beverly, Mass.) and pRIT5 (Pharmacia, Piscataway, N.J.) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. Examples of suitable inducible non-fusion E. coli expression vectors include pTrc (Amann et al., Gene 69:301-315 (1988)) and pET 11 d (Studier et al., Gene Expression Technology: Methods in Enzymology 185:60-89 (1990)).

Recombinant protein expression can be maximized in host bacteria by providing a genetic background wherein the host cell has an impaired capacity to proteolytically cleave the recombinant protein. (Gottesman, S., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, Calif. (1990) 119-128). Alternatively, the sequence of the nucleic acid molecule of interest can be altered to provide preferential codon usage for a specific host cell, for example E. coli. (Wada et al., Nucleic Acids Res. 20:2111-2118 (1992)).

The nucleic acid molecules can also be expressed by expression vectors that are operative in yeast. Examples of vectors for expression in yeast e.g., S. cerevisiae include pYepSec1 (Baldari, et al., EMBO J. 6:229-234 (1987)), pMFa (Kurjan et al., Cell 30:933-943(1982)), pJRY88 (Schultz et al., Gene 54:113-123 (1987)), and pYES2 (Invitrogen Corporation, San Diego, Calif.).

The nucleic acid molecules can also be expressed in insect cells using, for example, baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith et al., Mol. Cell Biol. 3:2156-2165 (1983)) and the 5 pVL series (Lucklow et al., Virology 170:31-39 (1989)).

In certain embodiments of the invention, the nucleic acid molecules described herein are expressed in mammalian cells using mammalian expression vectors. Examples of mammalian expression vectors include pCDM8 (Seed, B. 10 Nature 329:840(1987)) and pMT2PC (Kaufman et al., EMBO J. 6:187-195 (1987)).

The expression vectors listed herein are provided by way of example only of the well-known vectors available to those of ordinary skill in the art that would be useful to 15 express the nucleic acid molecules. The person of ordinary skill in the art would be aware of other vectors suitable for maintenance propagation or expression of the nucleic acid molecules described herein. These are found for example in Sambrook, J., Fritsh, E. F., and Maniatis, T. Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring 20 Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989.

The invention also encompasses vectors in which the nucleic acid sequences described herein are cloned into the vector in reverse orientation, but operably linked to a 25 regulatory sequence that permnits transcription of antisense RNA. Thus, an antisense transcript can be produced to all, or to a portion, of the nucleic acid molecule sequences described herein, including both coding and non-coding regions. Expression of this antisense RNA is subject to each 30 of the parameters described above in relation to expression of the sense RNA (regulatory sequences, constitutive or inducible expression, tissue-specific expression).

The invention also relates to recombinant host cells containing the vectors described herein. Host cells therefore 35 include prokaryotic cells, lower eukaryotic cells such as yeast, other eukaryotic cells such as insect cells, and higher eukaryotic cells such as mammalian cells.

The recombinant host cells are prepared by introducing the vector constructs described herein into the cells by techniques readily available to the person of ordinary skill in the art. These include, but are not limited to, calcium phosphate transfection, DEAE-dextran-mediated transfection, cationic lipid-mediated transfection, other techniques such as those found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed, Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989).

Host cells can contain more than one vector. Thus, different nucleotide sequences can be introduced on different vectors of the same cell. Similarly, the nucleic acid molecules can be introduced either alone or with other nucleic acid molecules that are not related to the nucleic acid molecules such as those providing trans-acting factors for expression vectors. When more than one vector is introduced into a cell, the vectors can be introduced independently, co-introduced or joined to the nucleic acid molecule vector.

In the case of bacteriophage and viral vectors, these can be introduced into cells as packaged or encapsulated virus 60 by standard procedures for infection and transduction. Viral vectors can be replication-competent or replicationdefective. In the case in which viral replication is defective, replication will occur in host cells providing functions that complement the defects.

Vectors generally include selectable markers that enable the selection of the subpopulation of cells that contain the

recombinant vector constructs. The marker can be contained in the same vector that contains the nucleic acid molecules described herein or may be on a separate vector. Markers include tetracycline or ampicillin-resistance genes for prokaryotic host cells and dihydrofolate reductase or neomycin resistance for eukaryotic host cells. However, any marker that provides selection for a phenotypic trait will be effective.

While the mature proteins can be produced in bacteria, yeast, mammalian cells, and other cells under the control of the appropriate regulatory sequences, cell-free transcription and translation systems can also be used to produce these proteins using RNA derived from the DNA constructs described herein.

Where secretion of the peptide is desired, which is difficult to achieve with multi-transmembrane domain containing proteins such as kinases, appropriate secretion signals are incorporated into the vector. The signal sequence can be endogenous to the peptides or heterologous to these peptides.

Where the peptide is not secreted into the medium, which is typically the case with kinases, the protein can be isolated from the host cell by standard disruption procedures, including freeze thaw, sonication, mechanical disruption, use of lysing agents and the like. The peptide can then be recovered and purified by well-known purification methods including ammonium sulfate precipitation, acid extraction, anion or cationic exchange chromatography, phosphocellulose chromatography, hydrophobic-interaction chromatography, affinity chromatography, hydroxylapatite chromatography, lectin chromatography, or high performance liquid chromatography.

It is also understood that depending upon the host cell in recombinant production of the peptides described herein, the peptides can have various glycosylation patterns, depending upon the cell, or maybe non-glycosylated as when produced in bacteria. In addition, the peptides may include an initial modified methionine in some cases as a result of a hostmediated process.

## Uses of Vectors and Host Cells

The recombinant host cells expressing the peptides described herein have a variety of uses. First, the cells are useful for producing a kinase protein or peptide that can be further purified to produce desired amounts of kinase protein electroporation, transduction, infection, lipofection, and 45 or fragments. Thus, host cells containing expression vectors are useful for peptide production.

Host cells are also useful for conducting cell-based assays involving the kinase protein or kinase protein fragments, such as those described above as well as other formats known in the art. Thus, a recombinant host cell expressing a native kinase protein is useful for assaying compounds that stimulate or inhibit kinase protein function.

Host cells are also useful for identifying kinase protein mutants in which these functions are affected. If the mutants naturally occur and give rise to a pathology, host cells containing the mutations are useful to assay compounds that have a desired effect on the mutant kinase protein (for example, stimulating or inhibiting function) which may not be indicated by their effect on the native kinase protein.

Genetically engineered host cells can be further used to produce non-human transgenic animals. A transgenic animal is preferably a mammal, for example a rodent, such as a rat or mouse, in which one or more of the cells of the animal include a transgene. A transgene is exogenous DNA which is integrated into the genome of a cell from which a 65 transgenic animal develops and which remains in the genome of the mature animal in one or more cell types or tissues of the transgenic animal. These animals are useful for studying the function of a kinase protein and identifying and evaluating modulators of kinase protein activity. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens, and amphibians.

A transgenic animal can be produced by introducing nucleic acid into the male pronuclei of a fertilized oocyte, e.g., by microinjection, retroviral infection, and allowing the oocyte to develop in a pseudopregnant female foster animal. Any of the kinase protein nucleotide sequences can be introduced as a transgene into the genome of a non-human animal, such as a mouse.

Any of the regulatory or other sequences useful in expression vectors can form part of the transgenic sequence. This includes intronic sequences and polyadenylation signals, if not already included. A tissue-specific regulatory sequence (s) can be operably linked to the transgene to direct expression of the kinase protein to particular cells.

Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such 20 as mice, have become conventional in the art and are described, for example, in U.S. Pat. Nos. 4,736,866 and 4,870,009, both by Leder et al, U.S. Pat. No. 4,873,191 by Wagner et al. and in Hogan, B., Manipulating the Mouse Embryo, (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1986). Similar methods are used for production of other transgenic animals. A transgenic founder animal can be identified based upon the presence of the transgene in its genome and/or expression of transgenic mRNA in tissues or cells of the animals. A transgenic founder animal can then be used to breed additional animals 30 carrying the transgene. Moreover, transgenic animals carrying a transgene can further be bred to other transgenic animals carrying other transgenes. A transgenic animal also includes animals in which the entire animal or tissues in the animal have been produced using the homologously recom- 35 binant host cells described herein.

In another embodiment, transgenic non-human animals can be produced which contain selected systems that allow for regulated expression of the transgene. One example of such a system is the cre/loxP recombinase system of bacteriophage P1. For a description of the cre/loxP recombinase system, see, e.g., Lakso et al. PNAS 89:6232-6236 (1992). Another example of a recombinase system is the FLP recombinase system of S. cerevisiae (O'Gorman et al. Science 251:1351-1355 (1991). If a cre/loxP recombinase system is used to regulate expression of the transgene, animals containing transgenes encoding both the Cre recom-

binase and a selected protein is required. Such animals can be provided through the construction of "double" transgenic animals, e.g., by mating two transgenic animals, one containing a transgene encoding a selected protein and the other containing a transgene encoding a recombinase.

Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut, I. et al. Nature 385:810–813 (1997) and PCT International Publication Nos. WO 97/07668 and WO 97/07669. In brief, a cell, e.g., a somatic cell, from the transgenic animal can be isolated and induced to exit the growth cycle and enter G<sub>o</sub> phase. The quiescent cell can then be fused, e.g., through the use of electrical pulses, to an enucleated oocyte from an animal of the same species from which the quiescent cell is isolated. The reconstructed oocyte is then cultured such that it develops to morula or blastocyst and then transferred to pseudopregnant female foster animal. The offspring born of this female foster animal will be a clone of the animal from which the cell, e.g., the somatic cell, is isolated.

Transgenic animals containing recombinant cells that express the peptides described herein are useful to conduct the assays described herein in an in vivo context. Accordingly, the various physiological factors that are present in vivo and that could effect substrate binding, kinase protein activation, and signal transduction, may not be evident from in vitro cell-free or cell-based assays. Accordingly, it is useful to provide non-human transgenic animals to assay in vivo kinase protein function, including substrate interaction, the effect of specific mutant kinase proteins on kinase protein function and substrate interaction, and the effect of chimeric kinase proteins. It is also possible to assess the effect of null mutations, that is, mutations that substantially or completely eliminate one or more kinase protein functions.

All publications and patents mentioned in the above specification are herein incorporated by reference. Various modifications and variations of the described method and system of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention has been described in connection with specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the above-described modes for carrying out the invention which are obvious to those skilled in the field of molecular biology or related fields are intended to be within the scope of the following claims.

## SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 4

<210> SEQ ID NO 1
<211> LENGTH: 2320
<212> TYPE: DNA
<213> ORGANISM: Human

<400> SEQUENCE: 1

cccagggcgc cgtaggcggt gcatcccgtt cgcgcctggg gctgtggtct tcccgcgcct 60
gaggcggcgg cggcaggagc tgaggggagt tgtagggaac tgagggagc tgctgtgtcc 120
cccgcctcct cctccccatt tccgcgctcc cgggaccatg tccgcgctgg cgggtgaaga 180
tgtctggagg tgtccaggct gtggggacca cattgctcca agccagatat ggtacaggac 240

tgtcaacga	a acctggcac	g getettget	t ccggtgaaa	g tgatgcgca	g cctggaccac	300
cccaatgtg	c tcaagttca	t tggtgtgct	g tacaaggata	a agaagctga	cctgctgaca	360
gagtacatt	g aggggggca	c actgaagga	c tttctgcgca	gtatggatco	gttcccctgg	420
cagcagaag	g tcaggtttg	c caaaggaat	c gcctccggaa	tggacaagad	: tgtggtggtg	480
gcagacttt	g ggctgtcac	g gctcatagt	g gaagagagga	aaagggccc	catggagaag	540
gccaccacc	a agaaacgca	c cttgcgcaa	g aacgaccgca	agaagcgcta	cacggtggtg	600
ggaaacccc	t actggatgg	c ccctgagate	g ctgaacggaa	agagctatga	tgagacggtg	660
gatatette	t cctttgggai	t <b>c</b> gttctctgt	gagatcattg	ggcaggtgta	tgcagatcct	720
gactgcctt	c cccgaacact	t ggactttggd	ctcaacgtga	agettttetg	ggagaagttt	780
gttcccaca	g attgtcccc	ggccttcttc	ccgctggccg	ccatctgctg	cagactggag	840
cctgagagc	a gaccagcatt	ctcgaaattq	gaggactcct	ttgaggccct	ctccctgtac	900
ctgggggag	tgggcatcco	gctgcctgca	gagctggagg	agttggacca	cactgtgagc	960
atgcagtac	g gcctgacccg	ggactcacct	ccctagccct	ggcccagccc	cctgcagggg	1020
ggtgttctad	agccagcatt	gcccctctgt	gccccattcc	tgctgtgagc	agggccgtcc	1080
gggcttcct	g tggattggcg	gaatgtttag	aagcagaaca	aaccattcct	attacctccc	1140
caggaggcas	gtgggcgcag	caccagggaa	atgtatctcc	acaggttctg	gggcctagtt	1200
actgtctgta	a aatccaatac	ttgcctgaaa	gctgtgaaga	agaaaaaac	ccctggcctt	1260
tgggccagga	ggaatctgtt	actcgaatcc	acccaggaac	tccctggcag	tggattgtgg	1320
gaggetettg	cttacactaa	tcagcgtgac	ctggacctgc	tgggcaggat	cccagggtga	1380
acctgcctgt	gaactctgaa	gtcactagtc	cagctgggtg	caggaggact	tcaagtgtgt	1440
ggacgaaaga	aagactgatg	gctcaaaggg	tgtgaaaaag	tcagtgatgc	tcccctttc	1500
tactccagat	cctgtccttc	ctggagcaag	gttgagggag	taggttttga	agagtccctt	1560
aatatgtggt	ggaacaggcc	aggagttaga	gaaagggctg	gcttctgttt	acctgctcac	1620
tggctctagc	cagcccaggg	accacatcaa	tgtgagagga	agcctccacc	tcatgttttc	1680
aaacttaata	ctggagactg	gctgagaact	tacggacaac	atcctttctg	tctgaaacaa	1740
acagtcacaa	gcacaggaag	aggctggggg	actagaaaga	ggccctgccc	tctagaaagc	1800
tcagatcttg	gcttctgtta	ctcatactcg	ggtgggctcc	ttagtcagat	gcctaaaaca	1860
ttttgcctaa	agctcgatgg	gttctggagg	acagtgtggc	ttgtcacagg	cctagagtct	1920
gagggagggg	agtgggagtc	tcagcaatct	cttggtcttg	gcttcatggc	aaccactgct	1980
cacccttcaa	catgcctggt	ttaggcagca	gcttgggctg	ggaagaggtg	gtggcagagt	2040
ctcaaagctg	agatgctgag	agagatagct	ccctgagctg	ggccatctga	cttctacctc	2100
ccatgtttgc	tctcccaact	cattagetee	tgggcagcat	cctcctgagc	cacatgtgca	2160
ggtactggaa	aacctccatc	ttggctccca	gagctctagg	aactcttcat	cacaactaga	2220
tttgcctctt	ctaagtgtct	atgagettge	accatattta	ataaattggg	aatgggtttg	2280
gggtattaaa	000000000	*********	44444444			2320

Met Val Gln Asp Cys Gln Arg Asn Leu Ala Arg Leu Leu Pro Val

<sup>&</sup>lt;210> SEQ ID NO 2 <211> LENGTH: 255 <212> TYPE: PRT <213> ORGANISM: Human

<sup>&</sup>lt;400> SEQUENCE: 2

												-con	tir	uec	Į.	
1				5					10					15		
Lys	Val	Met	Arg 20	Ser	Leu	Asp	His	Pro 25	Asn	Val	Leu	Lys	Phe 30	: Ile	Gly	
Val	Leu	Tyr 35	Lys	Asp	Lys	Lys	Leu 40	Asn	Leu	Leu	Thr	Glu 45	Tyr	Ile	Glu	
Gly	Gly 50	Thr	Leu	Lys	Asp	Phe 55	Leu	Arg	Ser	Met	Asp 60	Pro	Phe	Pro	Trp	
Gln 6	Gln	Lys	Val	Arg	Phe 70	Ala	Lys	Gly	Ile	Ala 75	Ser	Gly	Met	Asp	Lys 80	
Thr '	Val	Val	Val	Ala 85	Asp	Phe	Gly	Leu	Ser 90	Arg	Leu	Ile	Val	Glu 95	Glu	
Arg I	Lys	Arg	Ala 100	Pro	Met	Glu	Lys	Ala 105	Thr	Thr	Lув	Lys	Arg 110	Thr	Leu	
Arg I	Lys	Asn 115	Asp	Arg	Lys	Lys	Arg 120	Tyr	Thr	Val	Val	Gly 125	Asn	Pro	Tyr	
Trp F	1et 130	Ala	Pro	Glu	Met	Leu 135	Asn	Gly	Lув	Ser	Tyr 140	Asp	Glu	Thr	Val	
Asp I 145	lle	Phe	Ser	Phe	Gly 150	Ile	Val	Leu	Сув	Glu 155	Ile	Ile	Gly	Gln	Val 160	
Tyr A	lla	Asp		Asp 165	Cys	Leu	Pro	Arg	Thr 170	Leu	Asp	Phe	Gly	Leu 175	Asn	
Val L	ys		Phe 180	Trp	Glu	Lys	Phe	Val 185	Pro	Thr	Asp	Сув	Pro 190	Pro	Ala	
Phe P		Pro 195	Leu .	Ala	Ala		Сув 200	Сув	Arg	Leu		Pro 205	Glu	Ser	Arg	
Pro A 2	la:	Phe	Ser :	Lys		Glu 215	Asp	Ser	Phe	Glu	Ala 220	Leu	Ser	Leu	Tyr	
Leu G 225	ly	Glu 1	Leu (		Ile 230	Pro	Leu	Pro		Glu 235	Leu	Glu	Glu		Asp 240	
His T	hr 1	Val :		Met ( 245	Gln	Tyr	Gly		Thr . 250	Arg	Asp	Ser 1	Pro	Pro 255		
<210> <211> <212> <213>	LEN TYE	GTH: PE: [	: 590 NA	65	ı											
<400>	SEC	UENC	E: 3	ì												
tcatco	cttg	ic do	aggg	gcc	t tg	ctaac	ctt	ctg	tgtc1	tca (	gtcc	aatti	t a	atgt	atgtg	60
ctgctq	gaag	ic de	ıgagt	acca	a ga	gtti	ttt	tgai	tggc	agt (	gacti	gaad	t t	attt	aaaag	120
ataagg																180
taagaa	igta	a ga	tgga	atg	gat	ccas	jaac	aggg	ggtgt	ca 1	tacco	gagta	ig c	ccag	cttt	240
gttccg																300
agctga															•	360
acaggg																420
tagagg																480
tgattg																540
ggcaat	aac	a ag	ttat	cttg	aat	atco	tca	tggt	ggaa	ag t	cctg	atcc	t gt	ttga	attt	600

tggaaataga aatcattcag agccaagaga ttgaattgtt gagtaagtgg gtggtcaggt 660

720

tacagactta attttgggtt aaaaagtaaa aacaagaaac aaggtgtggc tctaaaataa

tgagatgtgc tgggggtggg gcatggcagc tcataaactg accctgaaag ctcttacatg	780
taagagttcc aaaaatattt ccaaaacttg gaagattcat ttggatgttt gtgttcatta	840
aaatctctca ctaattcatt gtottgtcca ctgtccgtaa cccaacctgg gattggtttg	900
agtgagtoto toagacttto tgoottggag tttgtgagag agatggcata ototgtgaco	960
actgtcaccc taaaaccaaa aaggcccctc ttgacaagga gtctgaggat tttagaccca	1020
ggaagaatga gtgatgggca tatatatatc ctattactga ggcatgagaa gagtggaatg	1080
ggtgggttga ggtggtgttt taaggcctct tgccagcttg tttaactctt ctctggggaa	1140
cgagggggac aactgtgtac attggctgct ccagaatgat gttgagcaat cttgaagtgc	1200
caggagetgt getttgteta tteatggeee etgtgeetgt gaaacagggt teggtgaetg	1260
teactgtgcc tgtggcagtc tgtagttacc cagagagaac aaagctgcat acacagagcg	1320
cacaagggag tottgtaaca accttgtoot gotttotagg gotgagtoag gtaccacage	1380
ttgatctcag ctgtcctctt tatttcaaga agttgacatc tgagccatac caggagtatt	1440
gtattttgtt tgaggcctct ctttttggag gaacatggac cgactctgtg cttttgtcta	1500
tgctggtctc tgagctcaca caacccttca ccctcctttc tcagccagtg ataggtaagt	1560
cttccctatc ttgcaaggct cagctcaagt gtcagcttcc tctacaaaga ctttcctggt	1620
tcccctcatt ggagtgaaca agagttgaca tggtagaatg gaaagagcag aagctttaga	1680
atgagecaga cetgagtatg aatgetagat ceaceaetta getagteaac cetgeceeet	1740
gcctcaagtt ttaattttcc tatccattaa gtgaatataa taatacctgt gtcacaggat	1800
tattttgaga attaaatgag attaggtcta tgaaagcacc tagcagagtt cttggcatat	1860
aggaggcatt cattaaatat ttgttcttcc ccttttatac ccattacttt tcttttctg	1920
aactaaaata atacttggtt ctatctctga aataacatcc aagtgaaaaa tcaacaacat	1980
gaaagagcag ttcttttcca gtggatttgc ttcttaagga gcagagatta tgtaatctaa	2040
cagoctocaa catacaaaga gotttgtato tagaacaggg gtooccagoo cotggacogo	2100
caactggtac gggtctgtag cctgttagga accaggctgc acagcaggag gtgagcggcg	2160
ggccagtgag cattgctgcc tgagctctgc ctcctgtcag atcagtggtg gcattagatt	2220
ctcataggag tgtgaaccct attgtgaact gcacatgcaa gggatctggg ttgcatgctc	2280
cttatgagaa tctcactaat ggctgatgat ctgagttgga acagtttgat accaaaacca	2340
tececegee ecceaacece cageetaggg teegtggaaa aattggeece tggtgecaaa	2400
aaggttgagg actgctgatc tagaggacca atttattcaa tgttggttga gtaaatgagc	2460
tottggatta ggtgatggaa aaatotgaaa aaacagggot tttgaggaat aggaaaaggo	2520
agtaacatgt ttaacccaga gagaagtttc tggctgttgg ctgggaatag tcataggaag	2580
ggctgacact gaaaagaagg agattgtgtt cgtttcttct tctcagagct ataagcaaag	2640
gctgaaagtt ctagaaaaag gcaagttttg tttcagtaga aaaaaggata atcagaacca	2700
tttttagaaa atggaatgag actacttttg aggccatgag ttccttgtcc ctggagagat	2760
gagcagaggt tggacaagtg cttaccagag atcttgtgga ggcagaaact gtgcatctag	2820
cagageattg geetaaceet tteaaatgag atgetgttaa eteagtetta ttetacatgg	2880
taggaatcct gtccctttgc ctcctgctac tttgggcctc tcaacctctt ggttttgtgt	2940
gcaggtgaag atgtctggag gtgtccaggc tgtggggacc acattgctcc aagccagata	3000
tggtacagga ctgtcaacga aacctggcac ggctcttgct tccggtaggt gggcctatcc	3060
teccatettt accagtgtae tatgggecaa geactattte atgttetgat ggaaaacaca	3120

gaaacaagc	t tctgagttg	a gaatttcaa	t cttagggtg	g ggaaaggaat	gtaccaagga	3180
agageteate	g accaaacct	c aagtgtggc	c cccctgaaco	caggttaaat	tggaagagcc	3240
ataaatggg	c cagctggag	g cagggtggg	g ggatgagagg	agccctttcc	agggttgtcc	3300
catatccct	c actttatgg	g tgaggaaaci	t gaggcccagg	, aagagtgact	ttcctgtggc	3360
tgcactacag	g attatgcag	g tacttcaage	gttgtttgta	ttcttattt	attttattt	3420
attttattt	attttattt	attttatga	g agggattctt	gctgttgccc	aggctggagt	3480
gcagtggtgd	: aatctcggct	cactgcaato	c tctgcctgct	gggttcaagt	gatttttctg	3540
ccttagctto	ctgagtagct	gagatgacag	g gcacctgcca	ccatgcgcag	ctaatttttg	3600
tattttagtg	gagacgggg	tttcaacat	, ttggtcaggc	tggtcttgaa	ctcctgacct	3660
caaatgatgo	acccacctcg	acctcccaaa	gtgctggaat	tacaggcgtg	aaccactgtg	3720
cccagccaag	agttgtttt	agtgtggttg	gcagagccag	ctcttccttc	accacaggat	3780
gcctccctag	gttcctactt	tttgttacta	gcttttatta	tagctatatt	attattatta	3840
ttattattat	tattattatt	attattgaga	cagagteteg	ctctgtcgcc	caggctggtg	3900
tacagtggtg	cgatcccggg	ctcactgcaa	cctctgcctc	ccgagttcaa	gcagttctcc	3960
tgcctcagcc	ccccgagtag	gtgggactac	aggegeetge	caccacaccc	ggctaatttt	4020
tgtatttta	gtagagacgg	ggtttcacct	tgttgaccag	gctggtctgg	agctcctgac	4080
ctcaggtaag	tgctagaatc	acaggcgtga	accactgcgc	ccagccaaga	gttgttttta	4140
gtgtggttgg	cagagecage	tcttcctcac	cacaggttgc	ctccctaggt	tcctactttt	4200
tgttactagc	tttattatag	ctacattatt	attattattg	ttattattat	tgagacagag	4260
tctcgctctg	tcgcccaggc	tggtgtacag	tgatgtgatc	ttggctcact	gcaacctctg	4320
cccccgagt	tcaagcaatt	ctcctgcttc	agccccccta	gtaggtggga	ctccaggcac	4380
ctgccaccac	gcccagctaa	tttttgtatt	tttagtagag	geggggttte	accttgttgg	4440
ccaggctggt	ctcaaactcc	tgacctcagg	tgatccgcct	gceteggeet	cccaaaatgt	4500
tgggattaca	ggcatgagcc	accgcgccct	gcctatagct	acattatttt	tgtaggcagc	4560
tcagtttctt	aaaaattata	cagacttcaa	atcagatttg	ttcctgctgt	ctgaggctca	4620
gtttcttcat	ctggaaaatg	gatggtaata	atcttgttga	gattgaatga	aataatatat	4680
gcagtgtatc	cagtacatgg	tagacaccca	gtgaatggtt	attccttcct	cccatcggat	4740
tggaattctc	aagggtggga	acttgtcttt	atattcttca	caacgtaaaa	tagttgaaat	4800
ttgttggtgg	aaagaagagc	agtccactcc	agaggctgga	tgggcatgcc	tggcccccaa	4860
ggtctgaagt	ggtagggctg	tgcctatatc	ctgagaatga	gatagactag	gcaggcacct	4920
gtgctgtag	attccagctc	ctgcacatag	ctcttgttgt	aaaacatccc	tgtgcttata	4980
caagtaatt	gagttgacct	ttaaacactt	gcctcttccc	tgggaaccat	ataggggatt	5040
gcctggaga	cgtctggcct	ctggaagagt	tggaaagcag	ccatcattat	tatcctttcc	5100
ttcagctat	aactcagagc	tctcaagtct	tttctgtgga	tcttattgcc	ttggttcttg	5160
cccttttac	tcccagggaa	gttgattctg	tcttttctgt	tccatttagt	atgacaggag	5220
agagaatgt	cagagctgta	agggacctta	tagttaaagc	ctttggctgg	tcctttcatt	5280
tatagctgg	gactaataag	taacgtcaaa	acccaatgag	ttcacagatt	gggtctcgcc	5340
tggcatgta	acccatatgt	tcatattctt	gctgttttcc	tatgtgtatg	aatattttct	5400
tccaaaata	agcaggacag	ggtagagcaa	gttaatcttt	ggaatttctg	gattctctta	5460

gagctaaaaa acttcagaac tagaagaaac cacccactat atggtataac ccattcatat	5520
cacagatgag gcctgaaacc aaaaagactt gctcaggcca tggatgacaa gagctggccc	5580
tagcactgaa ctcttgggtc atttgtaggt ctagtcagat gctagcttgt tagctctgtg	5640
cgtgcgtgtg tgtgtgtgt tgtgtgtgtg tgtgtgagat agagacagaa agataacata	5700
tgtacacaaa tacataaaga ggaagtagac acgttagcat ggtagataag agtacaggca	5760
ggccaggcgt ggtggctcac gcctgtaatc ccagcacttt gggaggccaa ggcaggtgga	5820
tcacctgagg tcaggaattc gagaccagcc tgaccaacat ggtgaaaccc catctctact	5880
aaatacagaa aaaaattagc ttggcatggt ggcacatgcc tgtaatccca gctacttggg	5940
aagctgaagc aggagaatcg cttgaatccg ggaagcagaa gttgcagtga gccgagattg	6000
tgccattaca gtctagcctg ggcaacaaga gggaaactcc atcgcaaaaa aacaaccacc	6060
accaagagta caggetatgg aatgagacta tggttttaaa teetggettt geaatttatt	6120
aactagcott aagtgactto cotgagotto aggcaccaat otgtaaaatg aggataagaa'	6180
tattactcat gccacatggt tgttagggag gattaaatgt gataacctat ataaagtggc	6240
tagcatagca tetgacatat agaaaactet taatagggee ggaegtggtg gettatgeet	6300
gtaatcctag cactctggga ggccgaggca gaaggatcgc ttgagcccat gagcccagga	6360
gtttgagacc agcctggcca acatggcaaa actccacctc tacaaaaaat acaaaaatat	6420
tagccaggcg tgatggcaca cacctgtagt cccagctact tgggaagctg aggagcgatg	6480
attacctgag cccagggata tcaaggctgt agtgagctgt gatcatgcca ctgtactcca	6540
tccagctggg ggacagagtg aaacccctgt ctcaaaacaa aacaaatgaa aaaaaaaacc	6600
cttaataatc agtaactgtc actttatatt atgttgtgag tgtgtgtcta tatacaccta	6660
tatgtataca tttctcttat tacacattca ttggtgatct gatgtggagc cccagggatt	6720
aagggcaact ttgaactacc ctgacacaat caagccaaat atcattcccg tggaggaagt	6780
agagtatota ggttotgtot cotagttgca gotttacott gaggacagag actotaatoo	6840
agetgtgetg aaggageaca teteetgaet tetgagettt eecetggtaa atteaaactg	6900
gatgtcacgg cgccctcaga tagagcctgg taatttgccc tggggagagt gactgtcttt	6960
tggatctaat ttgacttttg ccccagttgg aggaaaatct tcagggctag gaaggattgt	7020
atttgtctga ccccagagat aacctgggtt ttgaggaaca tggggcatca acctgaatgg	7080
tottgtaaga tototoccac gocagottgo cagtgtttot otgatgaatt tagagtacot	7140
gagtagtgca ggcctgctgg gaggaggact ctccctctgt gctactcaga gaaattcatt	7200
cttcaaggcc cccttccagc cttgctctta cccagctggg ctacagttac aataaaggaa	7260
atgactttte tteteccett ecceeagtae etttgtttte etagteaeag ggtggggetg	7320
gatattgaat ggagaaattg ctggggtcca tcctaaactc ctcccctcat ctctccctta	7380
cattacccca ttcttctgtc tgcagccaca tccataatcc tgcctctgtt agccttccga	7440
cagaccetea ggtgcccagg acaacaggaa gctacttaaa gctggaacct cagactgtgc	7500
aatggaggcc agtgacaaaa ctgaaagtag ctctgtcagt aattgtgctg gtgcgattag	7560
gcagctggcc agaatctttt ggatctcctg gacatatggc tgactagtcc tcccaagcct	7620
tcccaacagg cctcttttt ttccttttt tctttcttt tttttctttc tttcttc	7680
tottttttt tttttttag gotagtgaag tgaaattgtg ggagtggaaa aggaacaaag	7740
aaatcggtaa ctggtagtga tcaattactt gtaaacacta ttgtacttgg accagcccag	7800
taggcctttt ttaaaactct gagttacctc tctttccttt ccttgagcag tgccattaat	7860

	tctgtatct	g gggcaatcc	t ttctgatgt1	t ctctggacc	t ggctctctc	t ccttaggaga	792
	ggccaggag	a gtagccaga	g agcatgtcat	t ttgtagctg	a ggttaaagt	g tggagctato	798
	aatggtgac	c tggcctctt	g gcatgttago	aagccagag	g accttgaca	a cttttttgat	8040
	gattgtccg	t tcaccctga	t caaaggtgtt	tggcttagg	a ggagggaag	a aaagctacco	8100
	ctattagtc	t tgatggccc	c agcgtgggtc	tctattgct	t gacctggtt	c ctagcagcat	8160
	tatcagaag	g aaaatccac	gctcttaagg	ctcctggga	a ctttcagga	c ttootttoto	8220
	aggattgca	a acataagact	t atttgagctt	tcacttttg	a aaagcggtt	a ctaataccta	8280
	tactctggg	a aagggctaat	gcagatagaa	gactgtggt	c actgcatca	g gcaacagacc	8340
	atttccgct	a aatttagtga	a ctccaggaag	gccagtgaa	g aaataacac	a cgtagcaacc	8400
	agagactgt	g ttgtaatatg	ttggctgaca	gcagggtact	t ttctgtgat	g ctgaaagcca	8460
	cattcattt	ctctcccctc	atccccatct	aagcaagcct	t ggtagaatc	a taattacagt	8520
	aataggtaco	acttattgag	tactctgtgc	cagacaccct	t cctgagcata	a cgacatgcat	8580
	agcacattta	atccttacaa	tgacttaata	aaatgtagta	ctagtcttac	ctacttcgag	8640
	aatagggaaa	tggaggttac	ttgtttaaag	tcacagagct	aataggtag	atagctgaga	8700
	tttgaactca	ggcattctta	ctccttgcct	gcaagagtct	cttggcatto	ttgaatgcaa	8760
	gcatatttct	taacctcact	gaggctcagt	ttcctcttat	ataatatggg	gtaaagagcc	8820
,	ctcaccctgc	ctgccacaca	ctggtagtgt	cagataacat	tgaagggtgt	tagtttaaag	8880
•	gcttcatgga	ctctataatg	tcaacaaaag	tgctgttaac	tttcttctgg	gtctcaggct	8940
(	cctgatgtag	agtcagtgga	gcaaccctgc	catctgctgt	tatgctgttg	atgttgctgc	9000
•	cacacttact	aacctaaacc	tttgattctg	gctgtggcct	tctccagaag	gtgtttactc	9060
ć	atttgtccag	tttatctttt	aggaaacagc	cagcccgtag	atcattaagg	ctggctattg	9120
9	gacagggggc	tggggcctgc	ctgacagagg	aaggaagggc	agacatctgg	ttcttcctct	9180
ç	gcccctacaa	gagactccag	cctgaccaca	gagtggtact	cctaggatgt	agcagcagca	9240
t	atgagettg	aatgtgcctt	aatcctgctc	tttactttga	gaagagagaa	ctaaggaccc	9300
ē	acagatgttt	cacagcttct	ataggaggca	gaggtagaaa	aatggagaga	gatgaggcca	9360
9	gagatagata	actgatatta	attaaacgtt	gtattaagaa	cctcacttag	attatctgat	9420
ŧ	caatcttca	taataaccct	gcaaccccca	ccttttttg	agaacagggt	cttgctctgt	9480
t	gtccaggct	acagtgcact	ggtacaatca	tagttcactg	cagtgtcaac	ctcctgagct	9540
c	aagcaatcc	tcccacctca	gccttgcaag	cagcttggac	tacaggcgtg	ccaccacacc	9600
t	tgccatttt	tttttatttt	aagtagaaac	aaggtcttat	taatactatg	ttgcccaggc	9660
t	ggtcttgaa	ctccagcgat	cctcctgccc	cagcctccca	aagtgcttgg	gattacggaa	9720
9	taagccact	gtgcctggcc	agtgcaaccc	ccattttata	ctaaaacagg	aaggcccaga	9780
a	aggtttgga	gtaacttgtc	cagggtcaca	cagatgatat	ttgaactcag	gtctccctgg	9840
С	tcccaagag	agtctgcttt	ccactaggac	tcccaggaga	<b>aaaaaaaaa</b>	aaaaaacagt	9900
a	gacttggag	acagaaaatc	tgatttgagt	cttagttgag	ctaggctaac	tgtgtaactg	9960
t	gggcaagtt	ccttagcccc	tgtgagcctc .	agtttcttat	ctgtaaaatg	tcataaaaga	10020
a	atccatctc	atggagtagt	tgtgatgatc /	aaggactctg	aaaacattag	aatggtttaa	10080
t	gtgaaggat	tagcagcagc	acatggcaac	attgtgcatc	ttatattaac	tatccaaata	10140
+	atcaagcgt	catttactat	****		~~~		10000

gttggcatac tagcctggcc tctta	attaa ttcat	taatt agcttat	tta tttttgaga	t 10260
aggtettget etattgeeca ggetg				
caatctccca ggcttaaaca atcct	cctga gtago	tggga ctacagg	cac acactacca	t 10380
gcccagctaa ttttttttta atttt	ttgta gagac	agggt cttgctc	tgt tgcccaggc	t 10440
ggtctcaaac tcctgggctc gagat	ctcc cacct	gggcc tcacaaa	gtg ttgggattad	10500
aggtatgage caeggeacet ggeet	ggtct cttaa	ctggt tccctaa	gac agctggaaat	10560
agagaatgtc atggagcatt cctaa	catg ggctc	cagee tggettte	at totgtttoto	10620
ccctgaaaca acattccttt agtaa	attc cgaat	aacag cttcatca	gt ctgtctacco	10680
accactette aggetteate ttata	gacc tccca	mactg cactaag	gt tgtattagag	10740
aaaagtggat aaagttcgga gtcag	ctgc ttgag	cttaa atgccago	tt cacttacca	10800
ccacctgacc atgagtcagc tgctte	acca ttctt	tgcca cagtttco	tt gtctatgaaa	10860
agggaaatgg ctcccacctc aaaaaq	ttgt taaca	ttaaa ttcaatca	itg tattcaaagt	10920
cctgagcaga atgtctggcc atgact	ggga cttaa	agat gttagcat	tt attattagta	10980
tctgtcagtc ttgaaatgtt ctcttc	cctt ggctti	catg acattcca	ca ctctcctggt	11040
tttctcttac ctctctggta atacct	gttt gctta	cett etttgtee	ag ctctgggatg	11100
ttaccattcc ttcaggcgtg ctgttt	tctc cttage	cagt cttacaca	ca ctcatgactt	11160
cettecattg tectecacae actgat	gacc ctaaaa	tcag tatctcca	gc ctaaaccttt	11220
ccactgagtt ctagacccat atgttg	tact atcaac	ctgg cttgtcca	tt tgaatgtctt	11280
ccaggcactt cagactetet teteta	gact ttgctq	gact ttcactct	tc cccctaaaac	11340
tggctcctct tccactgaaa catgta	tgtc attgag	aggc accaccat	cc acccagtgcc	11400
taagccagaa acctaggaat ccttga	tacc tgttct	ctct catcctgc	at atccaagcct	11460
atcagtttta tctctaaatt atattt	tggt aggttt	actt ctttcctt	tt ctcccaccac	11520
caccetgete caagetacea teatet	cacc tggatg	tctg caatagcc	tc atctcccaca	11580
gccactctgc accccctaat ctgttc	tcta tagago	agtt ggaaggag	tg atttttgttg	11640
tttgttttgt tttgttttag acagag	toto actotg	ttcc ccaagget	gg agtgcagtgg	11700
cacaatttcg getcaetgea acttet	geet eeeggg	ttta agcaattc	tc ctgcctcagc	11760
ctcccaagta gctgggatta aggcac	ggc ccccat	accc agctaatt	t tatatttta	11820
gtagagatgg ggttttgcca tgttgg	caa gctagt	ctcg aactcctg	c ctcaagtgat	11880
ccacctgcct cggcctccca aagtgc	ggg attaca	ggtg tgagccact	g cacctggctg	11940
gaaggagtga tottaaaaaa aaaaaaa	aca aaaaaa	mact tgactgtgt	c actotytytt	12000
gtctctccta ccttgtatac ttccaca	act teccag	tgtt cttggataa	a gaccaaaatc	12060
cttaacttgg ccaggcgcgg tggctc	cac ctatca	tctc agcactttq	g gaggccgagg	12120
caggcagatc atgaagtcaa gagatto	aga ccatco	tggc caacatggt	g aaaccccatc	12180
tctactaaaa atacaaaaat tagctgg	tcg tggtgg	gtg tgcctgtag	t cccagctact	12240
tgggaggctg aggcaggaga atcactt	gaa cctggg	nggc agaggttgc	a gtgagcccag	12300
atcacgccac tgcactccag cctggtg	aca gagtaaq	gact ccatctcas	0 000000000	12360
aaaaaaaaa ttoottaatt tggoota				12420
catctccaca acctcctgct ccctgca				12480
cttctgacaa gggctttgtt cattctg				12540
cacttaactc ctgcttatcg tttagat	ctt tacctgo	atg gctcagaga	a atatagaagt	12600

	aattcctcac	cctgaaaaa	t aggttaggto	cctgttta	t gttttcata	acctttcctt	12660
	tgaggctttt	tttaaaaaa	g tagttttaat	ctcacattt	a ttcatgtga	catctcctta	12720
	atgatatctt	aagacctct	a atagaacaat	ttggtcatg	g actgtgggg	tttgcccct	12780
	cattgtgtca	gcactgagca	a tattgttggd	: ataggaggg	a tatttgttg:	atgaattgct	12840
	agaggtggco	: aagagatat	g atgtaagtca	ggcttttcc	tgcccttcc	cttccccttc	12900
	cccacatcct	tectatage	gccaccgtgg	ctgcagttac	tgtaaatgg	aagacggaat	12960
	cagttccgga	cattgggttg	, ttttagaaaa	ttgcctgcae	a gtgtcagggt	gataagttaa	13020
	agctttgtct	tttgccctca	a gaggagctat	cccatagtga	gtagaagcca	gagaagctga	13080
	ccccaggagt	ccttctttcc	agcagcaggt	cttgagctgo	acttctctgt	agctacaatc	13140
	caggcaggaa	caagccctag	gtacctccgg	agaggaggg	: aagagaggaa	gaatgagttc	13200
	agctactcta	gccaccaaac	tgattatgaa	ttgccctgaa	atctgaaaaa	tttcaattcc	13260
	aatcgtaagt	ttgttttgtt	tcattttgtt	ttcttaaatt	gtatatttga	aagatggcat	13320
	taactaaaga	tatatattca	atatagagtg	gaaaaaatgg	aatacttgca	tagtatcttt	13380
	tacttatagg	tgatttatga	tggggagtgg	ggtggatagg	ttggcagttc	ccccaagaag	13440
	ttggaaatga	agtttgtcct	ctgtgagttg	aactaattag	atccacaagt	aatgaaagca	13500
	gtattgtgtt	gtagttaaga	gcacactcta	gaaccagatt	gcttagtttc	aaatcctggt	13560
	tctgcctttt	attatctgtg	tactttgggc	aagttacttg	ccctttgtgt	gcttcatttt	13620
	tctcatctag	aaaatggaga	ggccaggcgt	agtggctcat	gcctataatc	ccagcacttt	13680
•	gggaggccga	ggcgggcaga	tcacctgagg	tgagaagttc	aagaccagcc	tggccaacat	13740
	ggtgaaaccc	tgtctctaca	aaaatacaaa	aattagccag	gcatgatggc	gggtgcctgt	13800
	aatcccagct	acccaggagc	ctgaggcggg	agaaacactt	gaacctggaa	ggcagaggtt	13860
	gtagtgagcc	aggattgcac	cactgcactc	cagcctgggt	gacaagagct	agactcagtc	13920
	taaaaaaaaa	aaaaaaaac	aaactggaga	tacaggctgg	gtgcagggct	tacacttata	13980
	atatcagcac	tttgggaggc	ctaggcggga	ggattgcttg	aactcaggag	tttcaagatc	14040
	agtctgggta	acagagcaag	acctcatccc	cacaaaaaat	caaaaattta	gccaggcatg	14100
	gtggctcatg	cctgtggtcc	cagctactca	ggaggctgag	gcgagaggat	tgcttgagcc	14160
	caggaggttg	aggctgcagt	gaaccatgac	tgcaccacta	catgccagcc	tggatgacag	14220
	agcaagaccc	tatctcaaaa	***************************************	aaagaaacga	gccaggcgcg	tttgctcacg	14280
	ccagtaatcc	cagcactttg	ggaggccaag	gcaggtggat	cacttgaggt	caggagatcg	14340
	agactagcct	ggccaacatg	gtgaaacccc	atctcaactg	aaaatacaaa	aattagccag	14400
	gcatggtggc	atgctcctgt	agtcccagct	actcacttgg	aggctgaggc	acgagaatcg	14460
	cttgaaccca	ggaggcggag	gttgcagtgg	gccaacatca	tgtcactgca	ctccagcctg	14520
	ggagacagag	cgagactctg	tctcaataaa	taaataaaca	taaaataaaa	taaaataaaa	14580
	taaaataaaa	taaaaaaata	tggaggccag	caggcacggt	ggctcacgca	tgtaatccca	14640
	gcactttggg	aggccgaggg	gggcggatca	caaggtcagg	agatcgagac	catcctggct	14700
	aacacagtga	aaccgcgtct	ctactaaaaa	tacacaaaat	tagccaggca	tggtggcagg	14760
	cacctgtagt	ccctgctact	caggaggctg	aggcaggaga	atggcgtgaa	cccgggaggc	14820
	ggagcttgca	gtgagctgag	atcgcgccac	tgcagtccag	cctgggcgac	agagcaagac	14880
	tctgtctcaa	aaaaaaaaa	aaaaatggag	gttgggcgcg	gtggctcgcg	cctgtaatcc	14940

cagcactttg	ggaggtcgag	gcgggcggat	cacctgaggt	caggagttco	agaccagcct	15000
ggccaacatg	gtgaaacctt	gtctctacta	aaattacaaa	aattagccag	gcacgatggc	15060
aggcacctgt	aatcccagct	acttaggaga	ctaaggcagg	agaatagctt	gaacctggga	15120
gatggaggtt	gcagtgtgct	gagatcgcgc	cactgccctc	cagtagagtg	agattccgtc	15180
tcaaaaaaaa	aaaaaaagaa	gaaatggaga	tacaaactta	ctacctacct	ccttacaacc	15240
taccctcaca	gtattactgt	gaataaaagt	gtgtgtagca	ctgggaacac	tattcacaga	15300
gcactcatga	atgtttgttc	tttgttatta	gttactagag	aggcaaatgt	ctgccagggc	15360
tgaataatat	gtgtgaattg	gtgattgtcg	cacatatcta	aagaagtagt	tattttttc	15420
aattaaaact	tagtttaaaa	accaatataa	ggccgagcgc	agtggctcac	acctgtaatc	15480
ccagcacttt	gggaggccga	ggtgggcaga	tcatttgagg	tcaggagttc	gagactagcc	15540
tggccaacat	ggtgaaaccc	tgtctctgct	404444444	aaaaagtaca	aaaattagcc	15600
aggcatgatg	gcaggtccct	gtaatcccag	ctacttggga	ggccgaggca	ggagaattgc	15660
ttgaacccag	gaggtggagg	ttgtagtgag	ccgagtttgt	gccactgcac	ttcagcctgg	15720
gtgacagagg	gagacactgt	ctcaaaaaaa	aaaaaaaaa	accaaaacca	atataataaa	15780
taagtggcca	gcaatgaaac	agaaagtgaa	aagttagtga	agcaaaacta	gtactgtatt	15840
cagataaaga	tgctgaatct	agatttggtc	accagaatag	ggtcctttgt	ggcaacctgg	15900
gctagtttgg	ctgactcacc	actgccagga	tgaaatttct	ttcagtggct	actcatttcc	15960
ctttatttta	agtccatgct	cacagagcaa	ccttctgatg	cctaattcag	cttcctggga	16020
tacttaataa	caggaagggt	ctggaagtag	tacctgtata	ggggatatga	gtgttctgat	16080
tttaatagtc	aattcataag	tgtacagagg	gtttgataaa	tggttaggtc	agaaccatca	16140
cagaatgtct	acacctcttt	ggacattagg	aaggtcaaaa	acctgaaagg	ccaaaagcta	16200
ggcctagatt	agggtcattc	accaagaaaa	catcagcctt	gaagagttct	ctgggtggtc	16260
caccagtcaa	ccttcctttg	atcacacctc	cttcctcgtt	gcttctttaa	gcattgacct	16320
gtaatgggta	tggaattttt	tgctcaccta	actccttcct	tttacagagg	aagaagttga	16380
agcccagaga	gatttaatgg	cttgcctaag	atcacacgca	gattttctgt	taaccagggt	16440
gatttttcag	gtgttccctg	ccagacgagg	gctttttcc	ttgaattgcc	tagagatttc	16500
ttgagatatc	cgaagcattt	ttcccagtgc	agcctggaga	aggatgtccc	tgtcaacaca	16560
gcatttgtta	ctcaatgtta	gacattcaat	tttctaatta	gtatcatgga	gcaacagtgg	16620
atgattatct	ataaggggtt	gcaattccat	gcttatgtgc	ttacagccca	tatagacaaa	16680
tatcagctgt	taaaatgaca	aggcagtaga	gatgtggccc	caggacaaag	gcatactctg	16740
ctgttagtga	acactagttg	gccagcaaat	ttcacatggg	catatacacg	gccaactgta	16800
gactttaggc	atttataccc	attcagagag	ccaaactggc	aactaaagat	cagcattctc	16860
tttggcattt	cagctttgcg	ttctgttaaa	aatcactgct	tgcttaaata	cctctgatag	16920
ctcttcactg	cctgtaggca	actctttagc	ctagcagact	tggtctttag	tgctctgccc	16980
ctactctctt	ccaccattct	ggcctcctgt	ctaattgctg	cccatatgtg	ccatgcacta	17040
gagcttacag	acctgctcag	cgttatatga	gcataccata	ctctttatgc	ctcagtgcat	17100
ttgcacatgt	tgttccttca	ggccagaatg	cctgttactg	cctggcaatc	agcctattag	17160
agtctgccaa	taccatccca	tcttctgtgg	aggagecece	cgccaaatcc	acccatacct	17220
ctccccacca	atcagagact	tcttctctct	ttgttattct	cttcgttatt	ctcttcatac	17280
ctcagttata	tccatttcag	tatttgttta	cacatctagc	atcactctta	gagtgtgaaa	17340

Attactaca	+ ++++++	+ c++c+++	a	~		10740
				_	c cacattetta	
					a taaggtotoa	
					t atttcactac	
					a ttccatcatc	
					c tttttccagt	
atgtttttc	c tootttttg	a aaactgggc	c agttagcta	t ctccatttt	t atttcatgaa	20040
tacatecec	a gcgcctggt	a tatagtaga	t atggaacat	t acactttgg	a gatattgcac	20100
ccattetee	gtttctcca	a agttactaa	c aatggttcc	a tcactgtgc	aacatattt	20160
cttttttca	tatattggg	a aataattct	c ccagtctga	a aatctgaac	a catttcatgt	20220
gacttggtat	cctcatatg	t cttgggctt	c caattctcc	a ttcctagtti	t caagttcatg	20280
aactgtaaaa	caaaggatta	a gactaaatc	t ctaaagttc	atccagatgo	caaattottt	20340
tetetttee	tgataccta:	gatagatge	aaatattgto	ttttacctg	g tgtttgtgaa	20400
catgacatca	cattacagga	gtagcagat	a ctaaactctc	actctgtaaa	acactgactg	20460
agttccatga	gccagatact	gaagtgagc	t tgttcacata	tgttctcatt	: taatgctcat	20520
aaccctgtga	agctgggaat	tgctgggac	tttatttat	ttatttattg	agacggagtc	20580
tggctctgtc	acctaggetg	gtgtgcaatq	gcatgatctt	ggctcaccgc	aacctccgcc	20640
tcccgggttc	aagcgattct	cttgcctcag	, cctccgcagt	agctgggatt	acggggcaca	20700
Caccaccaca	tccagctaat	tttgtatttt	: tagcagagat	ggagtttctc	catgttggcc	20760
aggttggtca	cgaacacttg	acctcaagtg	atctgcctgc	ctcagcctcc	caaagtgctg	20820
ggattacagg	catgagccac	catgootgoo	: cgggaccctt	gttttagaag	gatgactgct	20880
gctataatgt	agaaagtgat	ttggaagagg	ggaggagtgg	ggcacgaaag	atggttagta	20940
gatgggggtg	gtaatgctta	cctttcagta	tttggaggct	toggagtoct	caaaaattct	21000
cttccttgat	tggagtcctc	ccagccaata	gagggcttca	cacaaacagt	ttcttgggtt	21060
ttgaattgtt	tgaccagagc	tttcttccga	caaaaggttg	gggtgattca	ttcacttacc	21120
acaccttgcc	tgaacattca	cttggggctg	ccggttatga	aggctattgt	tctccagcct	21180
gtcacagacg	ctttgaagac	ctgtgcctca	gctggttcta	aggagtcagt	ttgttcagct	21240
ccgtgccagg	tttccaactt	atgasatgtg	ctggagatta	acacctctcc	tgccatttta	21300
tccctactat	aattgccagt	caaaggattc	ctgcagttgc	ctctggcagc	cataactgat	21360
gaatgttctg	ccagctgctc	tgaggaccta	gaagagcagt	tttctatcca	ggaccagttt	21420
ccaagggtgg	gagggtgaaa	tatatcctcc	agtgtgacat	ttcatctccc	agtgatgggt	21480
ggcttgggcc	ctttgaagtt	ggctctgagg	aaccacacac	ttgggtctga	gcagccagca	21540
gcttatcaca	tctggtgatc	aatccttcaa	aggttcctcc	tgaagtctga	atttttggag	21600
gtcaaatgga	ttccacctgg	gaggggcttc	tgcttcaact	caggacatgg	ggagaaggct	21660
jttcctcttc	cagggggagg	cagttttcat	ggcattgaga	tgtcctctca	cttattcccc	21720
CCCACCCAC	caagtccttt	gtaagaggag	tagggggaga	ggagagcgcc	tgcagcctcc	21780
			gcccgtcgcc			21840
			ctccctggcc			21900
			atggaaatca			21960
			cccttcttgc			22020
			ctgtgtggct			22080
	23-3-3	3 3 <del>-</del>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	

ctctccagc	t gggcagccc	t ttcagtatc	c cgtatgtta	t ttccccact	t ccagcccacc	22140
tcacctcct	c tgtggccct	t gtgtgtccc	c toggotagg:	a tectgaceto	c ctgctcaaga	22200
gtttaaact	c aacttgaga	c ccaaggaaa	a tagagagcc	tctgcaacct	cataggggtg	22260
aaaaatgtt	g atgctggga	g ctatttaga	g acctaacca	a ggcccagaca	a gagagagtga	22320
cttgctaaa	g gccacatag	c tagcccacaç	g tagttgtaad	aatagtotta	atgatattaa	22380
tggctaaca	t ttatcaacc	t ttaatgtgto	ccagacttt	tgccaaggg	ttacatgcag	22440
tgcattgtc	g cattcaaac	c cagacagte	ggctctggg	ccaggetgag	ctttggtata	22500
gcatggtag	a acgttgtct	a taatgtotag	j tetgggtte	aatcctggct	teacttetea	22560
catttacago	c tgagtgacci	t caggcaagt	atttaacct	cctgtaccto	agttgcttta	22620
tctgtaaag	a gaaaaatca	agcactgtgg	, aatagtgggg	gttaaaatto	attcatacaa	22680
gtagtgctgd	aagcaatgt	taatacaggg	tgagcacctg	ttcagtgctt	ccttcttctg	22740
gatgaatata	gggctagagt	gtggtgtctt	cgtggtatag	atagatagat	atggctgage	22800
tctgcacaaa	caccaagago	tgttcttcac	: tattagaggt	agtaaacaga	gtggttgagc	22860
tctgtggttc	tagaacagag	gccggcaagc	tatggcccat	tgcctatttt	aatacggcct	22920
gtgattgatt	gattttttt	ttctttttga	gacagagttt	cactcttgtt	gcccaggctg	22980
gaatgcaatg	gcacgaacto	ageteacege	aacctctgcc	tectgggtte	aagcgattct	23040
cctgtctcag	cctctcgagt	agctgggatt	acaggcatgt	gccaccacgc	ctggctaatt	23100
tttgtatttt	tagtagagac	agggtttctc	catgttggtc	aggctagtct	cgaacttcca	23160
acctcaggtg	atctgcccgc	ctcagccttc	caaagtgctg	ggattacagg	cgtgagccac	23220
catgactggc	ctgattgact	gatttttta	gtagagatag	ggtcttggtt	tgttacccag	23280
gctggtctca	aacttctggc	ttcaagcagt	cctcctcct	tggcctctcg	aatgctggga	23340
ttataggcat	gagccactat	gcctggccta	tatgacctgt	gatttttaat	ggttagggga	23400
aaaaaagcaa	aagaatgctt	tgtgacatgt	ggaaattaca	tgaaactcaa	atatcagtgt	23460
cccagcctgg	gcaacaaagt	gagaccctgt	ctctacaaaa	aataaaaaaa	aataagccag	23520
ggccgggcgc	agtggctcac	acctataatc	tcagcacttt	gggaggccga	ggcaagtgga	23580
tcacctgagg	tcaggagttc	aagaccagcc	tgaccaatat	ggtgaaaccc	tgtctgtact	23640
aaaaacacaa	aaattagccg	agcatggtgg	catgcgcctg	tagtcccagc	tacttgggag	23700
gctgagacaa	gagaattgct	tgaacctggg	aggcggaggt	tgcagtgagc	caagatcgcg	23760
acactacact	gcagcctggg	caacagagcg	agactccgac	acacgcacgc	acgcacacac	23820
acacacacac	acacacacac	acgctgggta	tggtggccag	cacgtgtggt	cccaggatgc	23880
actggaggct	taggtaggag	gatcacttga	gcttaggtgg	ttgagactac	aatgaaccat	23940
gtttatacca	ctgcacttta	gccagggcaa	cagtgtgaga	ctgaatctca	aaagaaaaaa	24000
aaaaaaaga	aaaaaatctt	tccataagta	aatatctgtt	ggaacatagc	catgtccctt	24060
agtttatgtt	ttatatatgg	ctgcttttgc	cctataatga	cacaattgag	tggccacgac	24120
agtctgtatg	gcctgcagag	cctaagatat	ttgctctctg	gccctttaca	gaaaaagtgc	24180
cttgacctgt	gctctagagc	catatgtacc	aggtttgaaa	ctcagcctca	cagctgggtg	24240
tgatggcacg	catctgtagt	cccagctact	ctggaggctg	aggtgagagg	atcacttgag	24300
ccagaaggt	cgaggtcaag	attgtagtga	gccatgatgg	catcaccgca	ctccagcctg	24360
ngtgacagag	agagaccctg	actcasasas	aaaaaaacaa	aaaaaaaaa	caccctcacc	24420

acttatcag	c tatttgtct	t gagaatagt	g acataacco	c tcagaacct	a tttcctaato	24480
tgttaaatg	a ggctgatga	c gtttcctcc	t tttactggd	a atttaaaca	t gatggataat	24540
aaatgctaa	g cacttaaca	c agggcctag	a agatattaa	c tgctcaata	a atggtagctt	24600
cttaacagt	a ttcaaaccc	a tgtgctctt	a tcacatgca	t tgttgtccc	t gtgtccagtt	24660
ggtggaatg	g gaaaaggct	c ccttgtaac	c ccatctacc	a tctttatca	g actttcctgc	24720
catggttcad	c agtaagaga	t agaagctgc	a cggtgactt	c tggctcttt	a caatggtgag	24780
cggtgtgtg	c ctggtaagg	g agagctgato	g tcactgccc	c asstccagt	gtgagatotg	24840
agtgttctg	g tttcctcca	g cagccttgct	ttttccttt	a caatcctgc	ggcagggaga	24900
caagggcttt	ctacatggt	a ggctctggtt	: tggtcatcg	t cacaactgg	, ggctgttcag	24960
gtgggctccc	: attccagate	a cctaggctta	tcaatccct	t ttggcaccc	: aggcctttt	25020
ctccctcatg	ccccatttt	cagtttgaaa	agcatggtt	a tcacaggaca	ı agtagaagaa	25080
gctccactgt	ccactgagg	caatggatgg	tgttctgca	t gtgaacacto	: agtgaatagt	25140
gagtgaatga	gagtaacct	g ggctccatcc	tatttgcag	a gagctttgga	aaagatttt	25200
ctccttaaag	agccagaato	, aagcctggta	gtgggagag	tccagctcta	gagtcacatg	25260
agcctacatt	taaattccag	ccctgccact	gactccctt	t ttgaccttga	gtgagttacc	25320
taatctctct	gtacctcact	tttcttgtct	gtagagtgg	g aataattoot	gtctcagaga	25380
aataaaagag	tgcatatagt	gtttgccaca	tggagacaca	tcaggtgtag	gttaatactc	25440
tgggccttgt	ttccttattt	gcaacacagc	cctgccctg	, agtggaagtg	gcacctccca	25500
ttggtcagct	cttgaggctg	tccccaggac	aggcagaggg	, agggaatgaa	tgggagccct	25560
agtgccagga	cagaacagat	ggcagctcag	agctaggato	gctctctgga	cctgtctctc	25620
ctaccagagg	tccccccgtc	tggtgtggct	cttcctggac	ctggcatcct	ctgcttttt	25680
ttttttcca	cctccaagca	gaattactgt	cctgtaggca	gctcctctgc	ttgaggacat	25740
ctggggccag	atatgttcac	actctatcct	gccttgccct	tccctgagct	caggatggac	25800
gctcaattgg	tcccagttat	tgtctgcagc	gcctgcctgc	agcctcgatc	cagcccagct	25860
ccaccccttg	cctgcaaggt	ctgtttccta	acagctgctc	caaccacaca	cctcggttct	25920
gcgggagccc	ctcctcttcc	tecetecete	cctcattcag	gggtgggact	gaagaagaag	25980
gctaacttga	cagcagcgct	tctttcttag	ctagtcaccg	gcccctgctc	aagaatgcca	26040
gtgtgtgtgt	agcctccaca	gagaggtcgt	tttctcggag	tccagagggg	ccgcctgagc	26100
ttctgagaac	tagggaggag	ccatcccagc	catgageeee	tgtgggaatc	tgctgggggc	26160
caagtggcct	ggagtcctca	ggetecegea	gctgctccgg	agggagaggt	gageteaggg	26220
cagcctgcct	gcagccagag	gtgccgggag	ccccgggcct	gtcatggtgg	ccatctacag	26280
ccggcctgag	gcagtcacag	acggatttgc	agctgagcct	gtctatctgg	tgtgggaaga	26340
agatggggag	ttacttgtca	gtcccggctt	acttcacctc	cagagacctg	tttcggtgag	26400
ttggtctccg	agttcccctc	tccatctctc	ctggcccctg	gtcctgagag	gagggtggtc	26460
tecetaaate	tccttctcac	ttagtccttt	accatcggtt	ctgccgggca	gaagccagcg	26520
gaggttatac	ccaaggagaa	teggeettgt	gaggtacccc	cattatgtcc	tggaagtggt	26580
gaggggaggg	atatacccag	aaggaacttc	ttagggagct	ccagctcccc	ttctatccca	26640
gacaaacctg	aaggagcctc	caaaagatgc	cactgacctg	cccattgtag	atgttactgc	26700
ttccgggggg	aatagcccaa	atagagtgct	gtttccagct	ctcacatgtc	ttacctgcgg	26760
gccatgctgc	ctgcccagga	atttgtccca	acaagcagga	tgggcaggtt	ttgccaaact	26820

gtggaaact	g gcaagtcct	g ggtgtgggt	a gcctggtac	a cagtaggca	c cttataaacg	26880
tttgttctc	t taatggcag	g cacatttgc	c totggcott	g aagggcttc	t gagctcccag	26940
gtgaatgta	g ttgctgggg	a aagacctgg	g cgagtgcttd	c taagactgg.	a gcaatgggct	27000
ttagagtgt	t cctgagctg	c tgggccagc	c cccacacct	ctcagtccc	t aggcctaagt	27060
acctccacg	a gcctctctc	t gtggggctt	c tcagagggag	g atgtggaaa	c tctacctcta	27120
acctggctt	t ctttgctca	t tgccccact	c cacctcccat	agaaactcc	cagggggttt	27180
ctggccctc	t gggtccctt	c tgaatggag	c cattccaggo	: tagggtggg	g tttgttttca	27240
ttctttggg	a gcagcctgt	t gttccaaaa	a ggctgcctcc	ccctcacca	; tggtcctggt	27300
cgacttttc	cttctggct	t ctctaagct	a ggtccagtgo	ccagatett	g ctgccgggat	27360
actagtcag	g tggccaggc	c ctgggcaga	a aagcagtgta	ccatgtggtt	ttgtggaatg	27420
accggaccct	ggtagattg	tgggaagtg	t ctggacaggg	ggaaggggg	agggaactgg	27480
tcctcaatgo	tgactctac	aagcgccct	g ctagacactt	tatcctttaa	tctctcaaca	27540
gcctaaagag	, attatatat	cccatttta	agatgaggca	accagtttca	acagagttaa	27600
catatggago	ctcactggg	agctttttc	gtcttcctga	ctttctctca	tccttcaggg	27660
ggctgcaggt	ttgttttctt	ctcctagtg	g agaggaaatt	ctcaggtttg	ttttcctctc	27720
ctagcagaga	gtaaaaaaa	ggatagttt	g cctgacttgt	tgaaggtgtg	gctgagattg	27780
ttttctaaag	agccaatgga	aattgatctt	gagtttagga	gaaagctttt	acatgtggaa	27840
ttaagatgcc	aagtgttgaa	gtagccacat	ttcaggtcct	cattaatttc	tcttaatcct	27900
gggaaggcag	cttaggagaa	gggttgttcc	tttaggagcc	aggaactata	ccccttttac	27960
ccttggagag	gcagggaagc	cagggaggac	acaacttctc	aggaagagga	gaagctagag	28020
cagatagtga	actctcaacc	tgaaccttta	agggccagac	cactaatgcc	acccaagtcc	28080
acctgccgtt	tgtcttgttc	tgtcccaggc	tttctggaga	acctgatctt	cttgccccta	28140
ccccaagct	ccgtttgccc	agctagagtc	tggggggtac	tgactgactt	togtagacat	28200
tcttcccttc	cccaaataag	aggccacatt	cctgaagtca	cttctgaaga	gatagctgcc	28260
acacagggct	ctttccccc	agggagggac	cacccagacc	ctctgctctc	ccaggtatcc	28320
gttaccacat	cactacctgg	tcagaaagct	gtttctgcca	ttagcccctc	cctcttttat	28380
tataggatat	cctcaagggc	tcctctttgg	gcctcagttt	catccttggc	agaaagtaga	28440
agctagactt	cttgggctcc	tgaacagggt	ccttgctgga	ttctgtgaaa	caaattaagt	28500
tcttgaccct	aggcctctgg	gggagtacaa	agtctatggg	agttctgggg	ctgtggttgc	28560
aggaaagtg	acgcaaccag	attccatggg	gacatgatca	ggcgtgacat	gtgagggagg	28620
agagggagc	aagggaatga	agaatacaac	ttctgtgtcc	catacacccc	tgcctgacag	28680
gccatacata	ctcagcagag	aatgcactgt	ctttcctacc	acactagcgt	gaggagtgag	28740
tgcaattac	cactgtgctt	ccaagtaaga	aaatacctca	aattggaatt	tacaaaagag	28800
taaattagg	gagtggcttt	tgtcggacat	ctttaaagca	ttttcttt	tatagaattt	28860
acttaatgt	ccaatactga	tttaatgagc	ttgggtttac	acattatctc	ttgaagaaaa	28920
aaatgaacc	tttgtgttcc	aaagcaatcc	atgtttaaag	ggaaaaaaatt	atgcataact	28980
tgcccagct	tcacagtaac	ctttggcagg	tgccttaggt	cctctgggac	tcttttcctt	29040
tctgaaaaa	tgaaggactt	ggatcaggtg	aatggttccc	agctctgcaa	cttatgtggc	29100
cctcagagg	cacacaagct	cttttccatt	atttgccaaa	taatggaggc	cctgtcttta	29160

actgcagtac	aactacacaa	aatacttgaa	actacagtet	tectaattt	taattaassa	29220
	cactctagca					29280
	ttaaaacaac					29340
						29400
	tataggatct					
ttatggaaca	gagtetetet	aggcccctgt	catatctgcc	cttctgggcc	ctggggaaaa	29460
gttggcatcc	ccagttgtgg	tgctctccag	gtgccctcag	gctgtggtgg	agggagcttc	29520
ccattctctc	cttcagccca	ctcaattcag	aggctagggg	ctgaaagaag	cttctctaca	29580
actggctgtt	cactgggagg	ttaagggatg	accatccagc	caggccttcc	tcaggacatg	29640
ggagggctta	tgctttaaca	tgtgtaaatc	cactgcaata	atgactggtt	cttttacccc	29700
ataaggttga	gaatttacct	gtaaacattt	ttgtctgaag	aatttggatg	taagtgaggg	29760
ctgggcctct	atcttatctc	acttggcttc	tctcagcaca	gcaccttgcc	tgcttgttct	29820
tacacatcct	agatgcacag	taactatttc	ctaattatta	gaaatctatt	agaatcaatt	29880
gatttcagct	gggcttggtg	gctccttcct	gtaatcccag	cactttggga	ggctaaggct	29940
ggaggatcac	ctgagtccag	gagtttaaga	ccagcctggg	caacataggg	agaccctgtc	30000
tctacaaaaa	ataaaaaatt	agccaggcat	ggtggtgtgc	acctgtagtc	ccagctactc	30060
aggaggctga	ggcaggagga	tctcttgagc	ctgggaggtc	agactacagt	gagcaatgat	30120
tgtgccactg	cactccagcc	tgggtgacag	agtaagactc	tgtctcttaa	aaaaaaaaa	30180
aaaaaagttg	atttctattt	ggatagataa	ataattcatt	ttaggacctt	tcttttcac	30240
ttacagaaat	ctgtttcatt	ctgggctgag	aagcaggtcc	atattgctag	gcataggaga	30300
aaaaggggtc	tgtctgcatt	tgcccttggt	ggtctcaaat	tggggaggga	aagaaatgaa	30360
cacttactgg	ctaccttctg	tgagccaggc	atcatgcaag	acatctgtac	ataatttaat	30420
tctcataacc	ccataagata	ttattagcaa	tgtacaagtg	aggaaactga	ggctcagagt	30480
catgaagtaa	ctggccttgg	gtgacacaga	tggtaaatgg	cagagaagga	atatggatcc	30540
aggtcttgaa	agagaaaatc	tcaactgatt	atcttttta	aaaaactcat	atgttctctg	30600
ctgactcaaa	aggtctctgt	gtggatctgg	gttgacccac	tgaactgacc	atcagggttc	30660
catgcacttt	gtatctgccc	aagccctcag	aacccctcag	taatgttttg	gaagatgagt	30720
tttggaggtt	gtccttaggc	atagcctcag	cgtatgtagg	cctctaggtg	atctccccta	30780
	ttcagctcaa					30840
	taccacctcc					30900
	gaaacttcca					30960
	tccatggcct			-		31020
	tgtgttctgg					31080
	tatatgaagg					31140
	cacgaagtgt					31200
	caggtgagaa					31260
	cagtggatgt					31320
						31380
	gtattgggca					
	cagggataat					31440
	catataggac					31500
tgatagctaa	gctagaactc	tgaagtctac	catggcaact	tcttaagtgg	tctgagaacc	31560

aggacetee	a aggagagtg	t tacaggetg	a gaggaggata	a tacttaggtt	gtctttaggg	36360
aatcagaaa	a ggagactct	g gaataggct	g gcagagagag	g gggctaccto	ctatacctgc	36420
tctggacaa	a cgactttaa	g catagtgac	a gatttgcca	a ccctgtattg	gaagaactga	36480
tctttttta	g tggggatga	tacttctgg	g gatttcttct	cataactgag	accaaaacag	36540
ttttgtgca	g totoagaaa	gacaggagg	t accaatctgs	cacttccttt	ggaagctcta	36600
gggcagagag	g tgaaagagt	gattttgac	ggggccttgc	ttggaggtca	ttcacccacc	36660
cctgtcctc	a ctccagcaa	agtgataac	cacttccttc	: ctccctttgt	acacccttct	36720
ccccacctg	tcacaggtgg	ctggggagti	caagtaccac	ccagagtgct	ttgcctgtat	36780
gagctgcaaq	gtgatcatt	aggatgggg	tgcatatgca	ctggtgcagc	atgccaccct	36840
ctactggtas	gatagtggto	ctttgtctat	cctctcccat	ataagagtgg	ctggcgggga	36900
gggacagtg	g cagggtgagt	tgggcagaag	gagtgttagg	gtagtcagag	cattggattc	36960
ttaccacago	agtgctctta	accagetett	: taacttgtaa	gcagaatgat	ttacacatgt	37020
ctctaccctt	tttccttacc	aaccttgaaa	atgtcttcac	tctgccctgc	aatcctccca	37080
gtgggaggca	ctcttcaagg	acgateccag	aacattaaag	tcaaagaccc	cttagagctc	37140
accctgtcca	accaccttgg	ttgataaaag	aagtcagcct	ggggcccatg	gaatagaata	37200
gtacaagggc	aaggttctca	ttgtgagtca	aaggtagagt	gaagagaacc	cagaccatct	37260
caccccaacc	caggccagtg	tttttccaaa	tataccactt	gctgcagatc	tagctcagca	37320
ccccagtcc	cagcccaccc	tgagaaccca	ggctcctcat	tctgagcagc	cagctagaat	37380
catgacaaag	agggtggtag	tgagactatg	ggtactgttg	cttaaagcca	catggtgcag	37440
tggttgctgg	ggggcttctg	tgtgggactc	tagcatctta	ttccccctg	tgccctctcc	37500
ccagtgggaa	gtgccacaat	gaggtggtgc	tggcacccat	gtttgagaga	ctctccacag	37560
agtctgttca	ggagcagctg	ccctactctg	tcacgctcat	ctccatgccg	gccaccactg	37620
aaggcaggcg	gggcttctcc	gtgtccgtgg	agagtgcctg	ctccaactac	gccaccactg	37680
tgcaagtgaa	agagtaagta	ttttgagaac	ccttcagcag	gggttcttga	gcagagtctg	37740
taaatgggcc	tcagagggct	tagacctcca	aagtctcatg	cagaactccc	tttattctca	37800
tctcatatct	ttctcctgga	ccccactatg	ctgtaaccgt	acctgggcct	tggcacttac	37860
gttctctct	gcccaggcta	cttcctaccc	gatacttaag	gcaagaatca	ctcacctttc	37920
aggtgtcagg	tttcaggtca	tgtttgctct	ttgaaatcat	ctggcttgat	tatgtgtatt	37980
gttgtttat	cttctatccc	ctccactaga	atgtaaattc	cagaagaaac	ttgctgtctt	38040
ttcagtgct	gcatgcccag	ggcttggaag	agtacctggc	atatagtagg	agttgattga	38100
tattattt	gtcagtcgag	agaatgaatg	gagaaaatgt	ggtccatggc	ccaaaagaag	38160
taagaccct	atcctagatt	caggccagag	accagatgga	gaaagagtct	gtgtctatct	38220
ataccagta	atgtcgtacc	tctggccgct	taccatgtaa	atattgattg	tgtatctacc	38280
ıtgtgttgga	cactaggcta	gtgcttgcac	agcaggtgaa	agatactaga	gtttgggaag	38340
caggaggag	ctaaggtctg	ttctacaacc	ttattagatg	aagaggagag	ggaattgtgt	38400
cagggcaga	gggagaagca	tttctccaaa	agtaggagtc	ttaatcatgt	ctgatgtagg	38460
tgagtgtgg	ccagaaaagg	ggctgttaag	tatagagggc	ctggattatg	aaaatccagc	38520
gatccattg	agagtttaag	cagcaaggtg	ttgtgaccaa	gttaacattt	tagaaggatc	38580
ctggtatgg	aggttggatt	ggagagggga	aagcctaaag	gtatagagac	tagttaggaa	38640

agataaagg	t ggctgtctc	a ccaattatg	rt aaggattaa	a tgtggaaaa	g gacataaagt	41100
tgtatagtg	c tgccatagg	g acagtgttc	a gtaaacgtg	a cacattctt	a gtatcactaa	41160
gaatcaggt	t cttggccag	g caccgtggc	t catgootgt	a atcccaaca	c tctgggaggc	41220
ctaggtcgg	a ggatggctt	g aacacagga	g tttgagacc	a gcctgagca	a catagtgaga	41280
cactgtctc	t acaaaaaaa	a aataataat	a ataattgtt	t ttaattaga	t gggcagggca	41340
ctgtggctc	a cacctgtaa	t cccagcact	t tgggaggcc	a aggccggag	g attgcttgag	41400
gccaggagt	t caggagcag	c ctgggccac	a ttcctgtct	c tacaaagaa	t aaaaaagtta	41460
actgggcat	g gtggcacat	g cctgtaatc	c cagctactc	a agaggetga	g gaggaggatt	41520
gcctgagcc	c aggagttca	a gactgcagt	g agccttgato	c acaccactg	t actacagett	41580
gggcaacag	a gtgagacct	t gtctccaaa	a aaaaaagtti	gttttttt	atccactctc	41640
ctcaccasa	aaactgagt	a agttagagc	c ctctcagct	g gcatgtgtt	g gaaacagtgc	41700
cctctcatt	a aagtgotgo	c ctcactccc	a ttgcctcttq	gccttggtca	gtatgatgaa	41760
attagtggg	a ggcagggca	a cagagggca	g ggaagagcta	gaaatccato	gcctggaaaa	41820
gggaagatti	gggagtggc	c aggtatctg	t agagecacea	tgcagaggag	gggggcagct	41880
agccttgtgt	getetggtg	g gcatggtca	g caggaggcag	agcaaaagga	caagggtaag	41940
taaacctgta	ı ggtcgggacı	a agccaagago	catccagcgt	cagteetete	tgggtagccc	42000
aagtaaagca	ggagcataco	ccagagaga	agttcgcagg	gctgttcacc	tgcagtgctg	42060
tggacttcaa	ccttcttgtt	ccttcttcag	, taagtgaaaa	taacagtcat	tgaccatgac	42120
tattatogad	cgcttttgaa	a aatgtaaaca	tagtgacttt	attgctgtaa	aaatcatacg	42180
tgtttatcat	cttaaaatto	: aggaaacatg	gacaggtaca	aagatgtgca	aaatatcatc	42240
caaaatccca	tttgctggc	aggcacggtg	gctcacgcct	gtaatcccag	cacattggga	42300
ggccgaggcg	ggcaaatcac	: ttgaggtcag	gagtttgaga	ccagcctggc	caacatggtg	42360
aaaccctatc	tctactaaaa	atacaataat	taggctgggc	gcagtggctc	acgcctataa	42420
tcccagcact	ttgggaggco	gaggtgggcg	aatcacaagg	tcaggagttt	gagactagcc	42480
tggccaatat	ggtgaaaccc	catctctact	aaaaatacaa	aaattagggc	cgggtgtggt	42540
ggctcacgcc	tgtaatccca	gcacttaggg	aggccgagac	agatggatcg	cgagatcagg	42600
agttcgagac	caacctagcc	aacatggtga	aaccccatct	ctactaaaaa	aatacaaaaa	42660
ttattcggtt	gtggtggcac	acgcctgtaa	tcccagctac	ttgggaggct	gaggcaggag	42720
aatctcttga	acctgggagg	cagaggttgc	agtgagtgga	gatecegeeg	ttgcactcca	42780
gcctgggcga	cagagtgaga	ctccatcaaa	aaaaaaaaa	aaaaaaaaa	aaattagccg	42840
ggcgtggtgg	cgtgcaccta	tactcccagc	tacttgggag	gctgaggcag	gagaatcgct	42900
tgaacctgga	aggcggaggt	cgcagtgagc	cgagatcgtg	ccattgcact	tcagcctggg	42960
gacagagcg	agactctgtc	tcaaaaataa	taataataac	aataactagc	cgggcctggt	43020
gcacatgcc	tgtagtccca	gttactcagg	aggcggaggc	atgagactca	ggtgaactag	43080
gagacagag	gttgcagtga	gccaagatca	caccactgca	ctccagcctg	gttgacagag	43140
gagactctg	tctcaaaaaa	aaaaaaatcc	catttgctca	ttttttggat	actagtataa	43200
tatcactct	aaaccagtta	gtacttaaat	caagcagata	tgggagatgg	tgaattacca	43260
ctacagtgt	tgtcatatat	gtcacatact	gagcattatc	agctagtaga	atctagttaa	43320
tgttctatg	tgtgatgtat	gcagagttcc	cattttgaat	gtgttttac	tatgcttaaa	43380

taaatgact	g atgtcagca	a ccccaaaat	g atacatctg	a tgtaagagc	c cctgttcccc	: 43440
aataataac	a tctaaacta	t agacattgg	a atgaacagg	t gcccctaag	t tteeteecte	43500
cagggtttc	t tggccggtc	t ctgaggact	a cacatccct	a ctcccgtct	t tcctcatctt	43560
caggcgcag	t aacagtatc	t ccaagtccc	c tggccccag	c tececaaag	g agcccctgct	43620
gttcagccg	t gacatcago	c gctcagaat	c ccttcgttg1	t tccagcagc	t attcacagca	43680
gatcttccg	g ccctgtgac	c taatccatg	g ggaggtcct	g gggaagggc	t tctttgggca	43740
ggctatcaa	g gtgagcgcag	g gcaacaatt	g ctttgctcti	ctgcccca	g tecetetgte	43800
actgtcttt	ggggattte	catcacttg	g ccccacccc	caccatgca	g gatgccaggc	43860
ctccttcct	g gctttgggtg	ttggtgtga	g aggtatcctt	cacccccac	c caggccacct	43920
aaggtcaatg	ttgctgttad	agtgagctt	g tggacctgga	gatccaggt	t gggttgagct	43980
gtgcctgtg	g ccctcctgc	tccagtcagt	t gggtgtttgt	taggtgcct	g cagacctcag	44040
taccgggcat	gctacaagga	gcacacagg	gaatggctcc	tgcctccct	g gtgaacagtc	44100
tcagggacta	acctctctct	ttctctcctc	ctcctcctct	tctgctgaga	a actgggaggg	44160
ggggtcaggt	aagacgtgtg	tctcagcttq	g ggggcagcag	ggctggagag	g ctcacccccg	44220
atccacccag	ctccctggtg	catgtctttg	g gcactgacct	tectgecee	agacttctgt	44280
tcactcagga	gactcactto	tatgccaaat	gaccagagcc	cctgcttgg	ttggcagcat	44340
cccctcctgc	cttcttcccc	acttcccttt	tctgggttct	tgcctgtcct	ctgtgcatgc	44400
ccagctctcc	aggaaagagg	gtttgcttcc	gtgtgagtcc	catgttgctc	: cacgctgcat	44460
cttccacaca	tgaactctgt	cattctgacc	cggctcagtg	tgccctccaa	gggatgggat	44520
ggccagctgc	atagattttc	tcaaacagtt	ctccagaact	tcctctggtc	tcagcaccat	44580
taacagtcac	cctccctgta	ggtgacacac	aaagccacgg	gcaaagtgat	ggtcatgaaa	44640
gagttaattc	gatgtgatga	ggagacccag	aaaacttttc	tgactgaggt	aagaagatgg	44700
agggggcccg	ggaggttggt	gtcaccattg	gaagagagaa	gaccttacaa	ataatggctt	44760
caagagaaaa	tacagtttgg	aattactgtc	ttaaagacta	agcagaaaag	agccctagag	44820
gaatatccca	ctccctctaa	attacagcgt	aattatttgt	tcaatgaaca	cttactaaaa	44880
gcaacacaaa	cagggtacaa	gggatgcagt	aacaaaagat	acagggttca	gaagagctct	44940
caggttatga	ggatgatgga	catgaaaaca	ctccaattta	gtacaactca	atgttataat	45000
cctcacctga	acgccctgct	aagggagcct	ggaggggagc	tccctgagca	ctcacactcc	45060
ttgggcattt	acagttttca	ctacccctcc	caagttactt	catggagtaa	cttaagttgg	45120
ggacacctgt	ggtctgggta	ttgccctcca	agccacttgg	ccactcccac	cccagttctc	45180
ccaatgcagt	tccaagggta	aggcctatga	agccatctcc	atctatatgg	tggtggtctt	45240
ccctcatcct	gatcttagtg	ccctgtcata	tcacaagata	ggaggtagga	gatacaggtg	45300
gtaacacttg	tcaagctgat	tccttggagg	gaagaggtaa	ggaagacagt	gagaagttaa	45360
ccaccagett	tccttggctt	ccccacccc	caggtgaaag	tgatgcgcag	cctggaccac	45420
ccaatgtgc	tcaagttcat	tggtgtgctg	tacaaggata	agaagctgaa	cctgctgaca	45480
gagtacattg	aggggggcac	actgaaggac	tttctgcgca	gtatggtgag	cacaccaccc	45540
catagtotoc	aggagccttg	gtgggttgtc	agacacctat	gctatcacta	ccctaggagc	45600
taaagggca	gaggggccct	gctttgcctc	caaaggacca	tgctgggtgg	gactgagcat	45660
ıcatagggag	gcttcactgg	gagaccacat	tgacccatgg	ggcctggacc	acgagtggga	45720
agggctcaa	cagcctctga	aaatcattcc	ccattctgca	ggatccgttc	ccctggcagc	45780

agaaggtca	g gtttgccaa	a ggaatcgcc	t ccggaatgg	t gagteccaco	: aacaaacctg	45840
ccagcaggg	c gagagtagg	g agaggtgtg	a gaattgtgg	g cttcactgga	aggtagagac	45900
cccttccta	t gcaacttgt	g tgggctggg	t cagcagctai	t tcattgagtt	tgtctgtgtc	45960
actgaaact	g accccagcc	a actgttctc	a gttcacagco	c ctgttttcaa	agaattacac	46020
atctctasa	g gcaaacagg	g cacggacaa	g gcaaactgga	a gaggcaaact	gtagcctgag	46080
atggcctgg	g cttgccatc	a caggtattc	a ggtgctgagg	g gcccttagac	caactagagc	46140
acctcactg	c ctaggaaat	aatgaaggg	g aaatgagtto	tagoggagoo	ctgaaggatc	46200
agaattgga	t aaagttott	a ttggcagaga	a ggcaccagga	ttgaagtgac	aggagcaaag	46260
acctgggag	g aaagaggag	a aaatcatct	tttcacctgg	, aaacaaatga	ttccaagcat	46320
agaaataat	a acagetgae	a agtactgagt	gecetetata	tgctaggcac	tgggctgagg	46380
gattaacat	g catgtgcate	tttattcctc	atgacaacct	tggtttccag	ataagctgga	46440
ctggaaagg	g acagagetge	gatectggg	: taatcagtct	ggtcgccaag	cctgagactt	46500
tagccactgo	ccttcacat	ggggtccato	, aaaatagtag	tagtctggaa	cagtttgggg	46560
gtacatcaag	gtcgctgtgt	tttaagctat	ggagtctgga	ctataggaga	caaatgtaaa	46620
agagttttt	ggttgactgg	ctttttggtt	tttttgtttg	tttgtttgtt	tgtttgtttg	46680
tttgtttgtt	ttttcctgtt	tctggggctt	gaatcaggaa	ggaggtttt	ttgttgttgt	46740
tgttttgaga	aaggatattg	ctctgttgcc	cagactggag	tgcagtggca	cgatcatggc	46800
tcactacago	ttcgacctcc	tgggctcaag	caatcctcct	gccttagcct	cccaagtagc	46860
tggactacag	gtgtgtacca	ccacacctaa	ttttttgaat	tttttttct	tttttttt	46920
tttttttt	ggtagagaca	ggttctcact	ttgttgccca	ggcctgaatc	tcaaactcct	46980
gggctcaagc	attcctcctg	cctcgccctc	ccaaagtgtt	gggattacag	ttgtgagcca	47040
ccatgcccgg	caggaaaaga	ttttaagca	agaaagctta	agagctgtgg	ttttccaaa	47100
atgagtctgg	gctggcacag	tggctcatgc	ctgtaatccc	agcactttt	tgggaggccg	47160
aggtgagtgg	atcacttgag	gtcaggagtt	tgagaccagc	ctggccaact	ggtgaaaccc	47220
ctgtttctac	taaagaaaaa	aatgcaaaaa	ttagctgggc	gtggtggtgc	acgcctgtag	47280
tcccagctac	tcaggaggcc	gaggcaggag	aatagcttga	acctgggagg	cagaagttgc	47340
agtgagccaa	gatcacacca	ctgcattcca	gcctgggtga	cagagtgaga	cttcatctca	47400
	aaaagagaga	ctgatatggt	tagtacattg	gggtggaatg	cggagggtcc	47460
agggaatgga	gccctgcata	gggggctaat	gaaacatttc	agatttctga	attaaggtag	47520
tggctgtggg	gacaggagcc	tgggaggcag	ggtggagtca	gaatggagag	actggttggc	47580
aatgagggaa	caggaggagg	aggaggagga	gttacgagtg	gcttgaggtg	tcacttacca	47640
gacatttggg	ggatggggga	tagccgtgat	tgttgagcaa	ctggtttggg	aagagctagc	47700
attgatccct	gctgttctgt	gctagcagaa	cctatcagca	tcttctgggc	aggaaactgg	47760
ctccatgaga	ctggcttagg	gagaggctgc	tagtcaccta	atctgcagag	aaggggcagc	47820
ggagctgtg	ggacagaaga	ggcatccatg	tagctggtgg	gggtgtctca	gcttgtgaag	47880
aggagatggc	tttgagcagg	gctgacactg	aaaaggctgg	aagaaaaaaa	cagacacaca	47940
igagtotoag	gatcaggtag	cataggaaag	ttgtggacag	tctttgagga	gcactccctc	48000
aggcaggcag	gcaggcaggt	catgagctat	agcgattcag	gaagagetee	ctgggtgtgt	48060
gagcagctcc	aggagcctaa	gggatgaaag	tagtattgca	gggggctgga	gagcaaggag	48120

					zii u c u	
tggctcctt	c tacatttgc	a agggaagga	g aaaggaagt	t gctcctgag	a gtggtaagag	48180
tcagtggtg	g aggcctggag	g aggagacat	a acaaacaaa	t ttgttgaca	a acattttggt	48240
aggaagggg	g agagettaa	a gtttagaca	g tggggaagg	t ggagtctta	g aggaggtgaa	48300
tgtctgaaa	g acagageta	g ctggagcaa	g aagtcactto	c tctgttgca	g gcaggaagga	48360
tccaaagtg	g ctcaagcca	g agattggga	g agtggggag	g agggagcag	c ctggatctaa	48420
gtaaaatgg	g tagaggtgga	a gggggtgct	g caacggccag	g ggttttctg.	a agttggggac	48480
attaggagag	, agctgtgagg	g gctttggcca	gccactgtg	tagtgattg	g tgaaccaaag	48540
gatgggcag	, agatggcagc	agggaagcag	, aggaagtcc	ggcttcctg	t tggtattggg	48600
acaagggag	a ggccatagga	ggccctggcc	ctgttgtccs	ggttgggtt	c tgaagctggg	48660
tgggcatgg	: ctggtaggag	agcatctato	gcgcccaatt	ccagattcag	g ggtctagttg	48720
atttgctgg	: cctgtagcct	cageteatge	ttctgttcce	ggcctattt	g cactctatgt	48780
gcatcatcca	ı ccgggatctg	aactcgcaca	actgcctcat	caagttggta	tgtcccactg	48840
ctctgggcct	ggcctccagg	gtcctatcct	tectggette	cttgtcacaa	aggaggctga	48900
cttgtcccct	: ctggctagag	ggcagaggtg	ttgcctagga	gctcctatct	ttcccttcct	48960
gcttcttcca	atgcccttct	ctgtcctctg	ggageteega	gacacacaca	gacataattt	49020
caccttctct	cattagcaac	ctttgaaata	atttgattag	aagggactto	agaagtttgt	49080
tgactatatg	tagaaaaccc	tgtcatttta	cctgcttttg	ccccatagta	gtcttgtaaa	49140
acagttcatt	gctgacccca	ttttacagtg	gtggcacctg	aagcctcagc	ctgaggccac	49200
cgagctagta	aatttacagg	gaccagtttg	agaccagcat	tecteccact	gcccctcage	49260
tgtggtggtt	acaatgttgt	ttgtcttact	gacttgctat	ctggcttcct	gggtgtctac	49320
cggctggccc	tggctctgcc	ctctagaccc	acaccacgca	atcttcattc	ctttcccaca	49380
tgactgccct	gtagctattc	aaagagcttg	tctcccccaa	gtctccccat	ctactgcctc	49440
caccttgcct	ttttctgtct	tatcctggtt	ctagccactg	cctgaaatca	ttttaggaat	49500
aagacaggac	agggaaaaac	aaaagcaacc	ccctgtccca	cctctgagtt	ccactctcca	49560
agtccctgag	cctcacctcc	agggctccag	tggctctgcc	atgaacccac	tgtgggctgg	49620
gagtctgctg	tgcacagata	ccagaccctc	agaaacacaa	atgccaagtg	tgtctgtttt	49680
tttgttttgt	tttgttttgt	tttttagatg	gagtctcatt	ctgtttccca	ggctggagtg	49740
cagtggtgca	atcttggctt	actgcagcct	ctacctcccg	ggttctagtg	attgttctgc	49800
ttcagcctcc	cagtagctag	gactacaggc	gtgtgccacc	acgcccagct	aattttttt	49860
t <b>tt</b> tttttt	tgtattttta	gtagagacag	ggttttgcca	tgttggccag	gctggtcttg	49920
actcctgac	ctcaggtgat	tcacccgcct	tggcctccca	aagttctggg	attacaggtg	49980
gaagccaccg	tgcctggcct	gagtgtgtct	atttgataga	gctttctgct	ctgattctcc	50040
cttgctatac	accttttctc	cccttctcag	tggcttctct	tgcctatgct	tcctccccag	50100
ggccaggttt	gagaacatcc	ccatgaagtc	ctgacctgtc	ttttatccta	ccaggacaag	50160
actgtggtgg	tggcagactt	tgggctgtca	cggctcatag	tggaagagag	gaaaagggcc	50220
ccatggaga	aggccaccac	caagaaacgc	accttgcgca	agaacgaccg	caagaagcgc	50280
acacggtgg	tgggaaaccc	ctactggatg	gcccctgaga	tgctgaacgg	tgagtcctga	50340
gccctggag	gggacacccg	cagagggagg	acagatgctg	cccttgcatc	agagccctgg	50400
gaattccagg	ggaggcctgt	gaagcgtagg	accggatacc	cagagctgag	gatattttc	50460
cttgccagg	tggggcctca	cgatttagct	cctgagctca	gggggctggg	aactgatcag	50520

tgtcccatca	tgggggataa	ggtgagttct	gactgtggca	tttgtgccto	: agggatcgct	50580	
aagagctcag	gctattgtco	cagetttage	cttctctctc	catggtgaga	actgaagtgt	50640	
ggtgccctct	ggtggataat	gctcaaacca	accagagatg	ctggttggg	ttcttgaaat	50700	
cagggttgtg	aggcctcaga	aatggtctga	atacaatcca	ttttggagto	tgaggcccag	50760	
agaagttcag	tgaattgcct	aggagcatac	agctgcctaa	tggcagaggc	: tagatgaacc	50820	
ctagtctggt	tettttecae	tttaacgtgc	agtttcatcc	taggcagtgt	tatgttataa	50880	
gggctctcca	aggcagttca	cctacggctg	aggaaggact	attttcaggt	ggtgtctgcg	50940	
caggacagco	tgtggggtgt	ccctacagaa	cctgttctag	ccctagttct	tagctgtggc	51000	
ttagattgac	cctagaccca	gtgcagagca	ggtaagggat	gtaaacttaa	cagtgtgctc	51060	
tcctgtgttc	cccaaggaaa	gagctatgat	gagacggtgg	atatettete	ctttgggatc	51120	
ģttctctgtg	aggtgagctc	tggcaccaag	gccatgcccg	aggcagcagg	cctagcagct	51180	
ctgccttccc	teggaactgg	ggcatctcct	cctagggatg	actagcttga	ctaaaatcaa	51240	
catgggtgta	gggttttatg	gtttataacg	catctgcaca	tctttgccac	gttcgtgttt	51300	
cattggtctt	aagagaagga	ctggcagggt	ttttttgttt	tagatggagc	ctcacttcgt	51360	
tgcccaggct	ggagtgcagt	ggcacaatct	gggctcactg	caacctctgc	cttctgggtt	51420	
caagtgattc	tcctgcctca	gcctcccaag	tagctgggac	taccggcaca	caccaccatg	51480	
cccggctaat	ttttgtattt	ttagtagaga	cagggtttca	ccatgttggc	caggctggtc	51540	
ttgaactccg	gacctcaggt	gatecgeetg	cctcagcctc	taaaagtgct	ggaattaata	51600	
ggcgtgagct	acctcgcccg	gccaggtttt	tttttttt	tttttagttg	aggaaactga	51660	
ggcttggaag	agggcagtgg	cttgcacatg	gtcgataagg	ggcagatgag	actcagaatt	51720	
ccagaaggaa	gggcaagaga	ctgttcatgt	ggctgtctag	ctagctcttg	ggccaaatgt	51780	
agcccttctc	agttcccttc	aagtagaagt	agccactcta	ggaagtgtca	gccctgtgcc	51840	
aggtaccacg	tggacagagt	gaggaatctt	ggaaagattc	ctacctttag	gagtttagtc	51900	
aggtgacagc	atatctcagc	gactcaaaca	cacacacatt	caaagccttc	tgtaattcct	51960	
acaaagttgt	gaggggtaga	ggagaggaga	gacaagggat	ggttaggata	atgaaggaat	52020	
gttttgttt	tgtttttgtt	tttgagatgg	agtttcactc	tgtcacccag	gctggagtgc	52080	
agaggtgcaa	tcttggctca	ctgcagcctc	cgcctcccag	gttcaagcaa	tcctcctgcc	52140	
tcagcctccc	aagtagctgg	gactacaggt	gtgcgccacc	acgcctggct	aatttttgta	52200	
ttttcagtag	agacagggtt	tcgccatatt	ggccaggctg	gtctcaaatg	cctgacctca	52260	
ggtgatacac	ccgcttcagc	ctcccaaagt	gctgagatta	caggcatgag	ctaccgtgcc	52320	
tggccatgaa	ggaagatttg	ttttaaaaaa	ttgttttctt	taatattaat	tgaacacctc	52380	
tgttcagagc	actgggctgg	tgccagaggg	tttcagacat	gaatcagatc	cagcacctca	52440	
tagagootta	atctggcaca	cacacacagc	cacaaggaga	cacagacaag	gcagggtagg	52500	
atgagtggaa	gctaggagca	gatgctgatt	tggaacactt	ggcttctgca	gtgaagcccc	52560	
ttcttagtcc	tcttcagtaa	cccagctctc	agtggataca	ggtctggatt	agtaagattt	52620	
ggagagatga	ttggggattg	gggagagctc	tctaacctat	tttaccacct	cctcttctgc	52680	
cattcttcct	gtccacatcc	ccagcatccc	tttcccttgc	caagtatctg	tggcctctgt	52740	
agtcctttgt	aaacagctgt	cttcttaccc	tacagatcat	tgggcaggtg	tatgcagatc	52800	
ctgactgcct	tccccgaaca	ctggactttg	gcctcaacgt	gaagcttttc	tgggagaagt	52860	

ttgttcccac	agattgtccc	ccggccttct	tecegetgge	cgccatctgc	tgcagactgg	52920
agcctgagag	, caggttggta	tcctgccttt	ttctcccage	tcacagggtc	ctgggacgtt	52980
tgcctctgtc	: taaggccacc	cctgagccct	ctgcaagcac	aggggtgaga	gaagccttga	53040
ggtcaagaat	gtggctgtca	acccctgago	: catctgacaa	cacatatgta	caggttggag	53100
aagagagagg	taaagacata	gcagcaagta	atctggatag	gacacagaaa	cacagccatt	53160
aaaagaaagt	. ttaaaagaag	gaaattcacc	caaaccattt	gaatacagta	agtgtattca	53220
tctttcgata	ttcccctgtc	catatotaca	catatacttt	tttttatagt	asatagttct	53280
gtattttgcc	ctgcatttcc	cttgtgttta	ctatccagtc	ttcctgttta	tcatttttgt	53340
cgacaacatg	aaattctatt	gagagactgt	ctgaacatat	tgtaatgtag	atgttcaggt	53400
ttttccagtt	tctctttaca	ataggtattt	aactacagtg	agcagtttta	tgcatttagc	53460
taatttctcc	tttgaggaag	tattttcaaa	attaccttta	ttcttctcag	gtaataattt	53520
cattattacc	aaagttaccc	taggtctttt	caagtgtgtg	gttaaaaaac	gagaatctgg	53580
ctgggcgcga	tggctcacac	ctgtaatccc	agcactttgg	gaggctgagg	ctggtggatc	53640
acctgaggtc	tggagttcga	gaccagcctg	gccaacatgg	tgaaacccca	tctctactaa	53700
aaatacaaaa	cttagccagg	catggtggca	ggtgcctgta	accccagcta	cttgggaggc	53760
tgaggcagga	gaattgcttg	aacccagggg	cggaggttgc	agtgagccga	tatcacgcca	53820
ttgcactcca	gcctcggcaa	caagagtgaa	actctgtctc	aaaaatgggg	ttcttttcct	53880
gccatcaaaa	atcatgtttc	ttttaaaaac	aagttcaaac	attaccaaag	tttatagcac	53940
aggaaatacg	tcttctgtaa	tctcccttaa	ccaatatatc	cctcaacatt	ctcctcaccc	54000
ccaactccac	cctcccagga	taaccagttg	ggacataatc	tttatttaaa	aatggtttcc	54060
ggatagagaa	agcgcttcgg	cggcggcagc	cccggcggcg	gccgcagggg	acaaagggcg	54120
ggcggatcgg	cggggagggg	geggggegeg	accaggccag	gcccgggggc	tccgcatgct	54180
gcagctgcct	ctcgggcgcc	ecegecgecg	ccctagaaga	ggagccggcg	agctaacctg	54240
agccagccgg	cgggcgtcac	ggaggcggcg	gcacaaggag	gggccccacg	cgcgcacgtg	54300
gccccggagg	ccgccgtggc	ggacagcggc	accgcggggg	gcgcggcgtt	ggcggccccg	54360
gccccggccc	ccaggccagg	cagtggcggc	caaggaccac	gcatctactt	tcagagcccc	54420
ccccggggcc	gcaggagagg	gcccgggctg	ggcggatgat	gagggcccag	tgaggcgcca	54480
agggaaggtc	accatcaagt	atgaccccaa	ggagctacgg	aagcacctca	acctagagga	54540
gtggatcctg	gagcagctca	cgcgcctcta	cgactgccag	gaagaggaga	tctcagaact	54600
agagattgac	gtggatgagc	tcctggacat	ggagagtgac	gatgcctggg	cttccagggt	54660
caaggagctg	ctggttgact	gttacaaacc	cacagaggcc	ttcatctctg	gcctgctgga	54720
caagatccgg	gccatgcaga	agctgagcac	accccagaag	aagtgagggt	ccccgaccca	54780
ggcgaacggt	ggctcccata	ggacaatcgc	taccccccga	cctcgtagca	acagcaatac	54840
cgggggaccc	tgcggccagg	cctggttcca	tgagcagggc	tcctcgtgcc	cctggcccag	54900
gggtctcttc	ccctgcccc	tcagttttcc	acttttggat	ttttttattg	ttattaaact	54960
gatgggactt	tgtgtttta	tattgactct	gcggcacggg	ccctttaata	aagcgaggta	55020
gggtacgcct	ttggtgcagc	tcaaaaaaaa	aaaaaaaaat	gatttccagc	ggtccacatt	55080
agagttgaaa	ttttctggtg	ggagaatcta	taccttgttc	ctttataggc	caaggaccgc	55140
agtccttcag	taacaccagt	gtaaaagctt	gaggagaaat	tgtgaagcta	cacagtattt	55200
gttttctaat	acctcttgtc	attctaaata	tctttaattt	attaaaaaaat .	atatatatac	55260

	_					
agtattgaa	t gcctactgtg	; tgctaggtac	agttctaaa	c acttgggtt	a cagcagegaa	55320
caaaataaa	g gtgcttacco	tcatagaaca	tagattctag	g catggtatc	t actgtatcat	55380
acagtagat	a caataagtaa	actatattga	atattagaai	gtggcagat	g ctatggaaaa	55440
agagtcaag	a caagtaaaga	cgattgttca	gggtaccagt	tgcaatttt	a aatatggtcg	55500
tcagagcag	g cctcactgag	gtgacatgac	atttaagcat	aaacatggag	g gaggaggagt	55560
aagcctgag	c tgtcttaggc	ttccggggca	gccaagccat	ttccgtggc	ctaggagcct	55620
ggtgtttcc	g attccacctt	: tgataactgc	attttctct	agatatggg	gggaagtttt	55680
tctcctatt	g tttttaagta	ttaactccag	ctagtccago	cttgttataq	tgttacctaa	55740
tctttatage	: aaatatatga	ggtaccggta	acattatgco	catttctcac	agaggcacta	55800
ctaggtgaag	g gagtttgcct	gacgttatac	aaccaggaag	tagctgagco	tagatccctt	55860
CCACCCACCC	catggccctg	ctcatgttcc	acctgcctct	aatttaccto	ttttccttct	55920
agaccagcat	tctcgaaatt	ggaggactcc	tttgaggccc	tetecetgta	cctgggggag	55980
ctgggcatco	cgctgcctgc	agagctggag	gagttggacc	: acactgtgag	catgcagtac	56040
ggcctgacco	gggactcacc	tccctagccc	tggcccagcc	ccctgcaggg	gggtgttcta	56100
cagccagcat	tgcccctctg	tgccccattc	ctgctgtgag	cagggccgtc	cgggcttcct	56160
gtggattggc	ggaatgttta	gaagcagaac	aagccattcc	tattacctcc	ccaggaggca	56220
agtgggcgca	gcaccaggga	aatgtatctc	cacaggttct	ggggcctagt	tactgtctgt	56280
aaatccaata	cttgcctgaa	agctgtgaag	aagaaaaaa	eccctggcct	ttgggccagg	56340
aggaatctgt	tactcgaatc	cacccaggaa	ctccctggca	gtggattgtg	ggaggctctt	56400
gcttacacta	atcagcgtga	cctggacctg	ctgggcagga	tcccagggtg	aacctgcctg	56460
tgaactctga	agtcactagt	ccagctgggt	gcaggaggac	ttcaagtgtg	tggacgaaag	56520
aaagactgat	ggctcaaagg	gtgtgaaaaa	gtcagtgatg	ctccccttt	ctactccaga	56580
tectgteett	cctggagcaa	ggttgaggga	gtaggttttg	aagagtccct	taatatgtgg	56640
tggaacaggc	caggagttag	agaaagggct	ggcttctgtt	tacctgctca	ctggctctag	56700
ccagcccagg	gaccacatca	atgtgagagg	aagcctccac	ctcatgtttt	caaacttaat	56760
actggagact	ggctgagaac	ttacggacaa	catcctttct	gtctgaaaca	aacagtcaca	56820
agcacaggaa	gaggctgggg	gactagaaag	aggccctgcc	ctctagaaag	ctcagatctt	56880
ggettetgtt	actcatactc	gggtgggctc	cttagtcaga	tgcctaaaac	attttgccta	56940
aagctcgatg	ggttctggag	gacagtgtgg	cttgtcacag	gcctagagtc	tgagggaggg	57000
gagtgggagt	ctcagcaatc	tettggtett	ggcttcatgg	caaccactgc	tcacccttca	57060
acatgcctgg	tttaggcagc	agcttgggct	gggaagaggt	ggtggcagag	tctcaaagct	57120
gagatgctga	gagagatagc	tccctgagct	gggccatctg	acttctacct	cccatgtttg	57180
ctctcccaac	tcattagctc	ctgggcagca	tcctcctgag	ccacatgtgc	aggtactgga	57240
aaacctccat	cttggctccc	agagetetag	gaactcttca	tcacaactag	atttgcctct	57300
tctaagtgtc	tatgagcttg	caccatattt	aataaattgg	gaatgggttt	ggggtattaa	57360
tgcaatgtgt	ggtggttgta	ttggagcagg	gggaattgat	aaaggagagt	ggttgctgtt	57420
aatattatct	tatctattgg	gtggtatgtg	aaatattgta	catagacctg	atgagttgtg	57480
ggaccagatg	tcatctctgg	tcagagttta	cttgctatat	agactgtact	tatgtgtgaa	57540
gtttgcaagc	ttgctttagg	gctgagccct	ggactcccag	cagcagcaca	gttcagcatt	57600

gtgtggctgg	; ttgtttcctg	gctgtcccca	gcaagtgtag	gagtggtggg	cctgaactgg	57660
gccattgato	agactaaata	aattaagcag	ttaacataac	tggcaatatg	gagagtgaaa	57720
acatgattgg	, ctcagggaca	taaatgtaga	gggtctgcta	gccaccttct	ggcctagccc	57780
acacaaacto	cccatagcag	agagttttca	tgcacccaag	tctaaaaccc	tcaagcagac	57840
acccatctgo	: tctagagaat	atgtacatcc	cacctgaggc	agccccttcc	ttgcagcagg	57900
tgtgactgac	tatgaccttt	tcctggcctg	gctctcacat	gccagctgag	tcattcctta	57960
ggagccctac	cctttcatcc	tctctatatg	aatacttcca	tagcctgggt	atcctggctt	58020
gctttcctca	gtgctgggtg	ccacctttgc	aatgggaaga	aatgaatgca	agtcacccca	58080
ccccttgtgt	ttccttacaa	gtgcttgaga	ggagaagacc	agtttcttct	tgcttctgca	58140
tgtgggggat	gtcgtagaag	agtgaccatt	gggaaggaca	atgctatctg	gttagtgggg	58200
ccttgggcac	aatataaatc	tgtaaaccca	aaggtgtttt	ctcccaggca	ctctcaaagc	58260
ttgaagaatc	caacttaagg	acagaatatg	gttcccgaaa	aaaactgatg	atctggagta	58320
cgcattgctg	gcagaaccac	agagcaatgg	ctgggcatgg	gcagaggtca	tctgggtgtt	58380
cctgaggctg	ataacctgtg	gctgaaatcc	cttgctaaaa	gtccaggaga	cactcctgtt	58440
ggtatcttt	cttctggagt	catagtagtc	accttgcagg	gaacttcctc	agcccagggc	58500
tgctgcaggc	agcccagtga	cccttcctcc	tctgcagtta	ttcccccttt	ggctgctgca	58560
gcaccacccc	cgtcacccac	Cacccaaccc	ctgccgcact	ccagccttta	acaagggctg	58620
tctagatatt	cattttaact	acctccacct	tggaaacaat	tgctgaaggg	gagaggattt	58680
gcaatgacca	accaccttgt	tgggacgcct	gcacacctgt	ctttcctgct	tcaacctgaa	58740
agattcctga	tgatgataat	ctggacacag	aagccgggca	cggtggctct	agcctgtaat	58800
ctcagcactt	tgggaggcct	cagcaggtgg	atcacctgag	atcaagagtt	tgagaacagc	58860
ctgaccaaca	tggtgaaacc	ccgtctctac	taaaaataca	aaaattagcc	aggtgtggtg	58920
gcacatacct	gtaatcccag	ctactctgga	ggctgaggca	ggagaatege	ttgaacccac	58980
aaggcagagg	ttgcagtgag	gcgagatcat	gccattgcac	tccagcctgt	gcaacaagag	59040
ccaaactcca	tctcaaaaaa	aaaaa				59065

<210> SEQ ID NO 4

<211> LENGTH: 265 <212> TYPE: PRT

<212> TYPE: PRT <213> ORGANISM: Human

<400> SEQUENCE: 4

Leu Thr Glu Val Lys Val Met Arg Ser Leu Asp His Pro Asn Val Leu 1 5 10 15

Glu Tyr Ile Glu Gly Gly Thr Leu Lys Asp Phe Leu Arg Ser Met Asp 35 40 45

Pro Phe Pro Trp Gln Gln Lys Val Arg Phe Ala Lys Gly Ile Ala Ser 50 60

Gly Met Ala Tyr Leu His Ser Met Cys Ile Ile His Arg Asp Leu Asn 65 70 75 80

Ser His Asn Cys Leu Ile Lys Leu Asp Lys Thr Val Val Val Ala Asp 85 90 95

Phe Gly Leu Ser Arg Leu Ile Val Glu Glu Arg Lys Arg Ala Pro Met 100  $$105\$ 

Glu	Lys	Ala 115	Thr	Thr	Lys	Lys	Arg 120	Thr	Leu	Arg	Lys	Asn 125	Asp	Arg	Lys
Lys	Arg 130	Tyr	Thr	Val	Val	Gly 135	naA	Pro	Tyr	Trp	Met 140	Ala	Pro	Glu	Met
Leu 145	Asn	Gly	Lys	Ser	Tyr 150	•	Glu	Thr	Val	Авр 155		Phe	Ser	Phe	Gly 160
Ile	Val	Leu	Сув	Glu 165	Ile	Ile	Gly	Gln	Val 170	Tyr	Ala	Asp	Pro	Авр 175	Сув
Leu	Pro	Arg	Thr 180	Leu	Asp	Phe	Gly	Leu 185	Asn	Val	Lys	Leu	Phe 190	Trp	Glu
Lys	Phe	Val 195	Pro	Thr	ĄsĄ	Сув	Pro 200	Pro	Ala	Phe	Phe	Pro 205	Leu	Ala	Ala
	Сув 210	Сув	Arg	Leu	Glu	Pro 215	Glu	Ser	Arg	Pro	Ala 220	Phe	Ser	Lys	Leu
Glu 225	Asp	Ser	Phe	Glu	Ala 230	Leu	Ser	Leu	Tyr	Leu 235	Gly	Glu	Leu	Gly	Ile 240
Pro	Leu	Pro	Ala	Glu 245	Leu	Glu	Glu	Leu	Авр 250	His	Thr	Val	Ser	Met 255	Gln
Tyr	Gly	Leu	Thr 260	Arg	Asp	Ser	Pro	Pro 265							

That which is claimed is:

- 1. An isolated nucleic acid molecule consisting of a  $^{30}$ nucleotide sequence selected from the group consisting of:
  - (a) a nucleotide sequence that encodes an amino acid sequence shown in SEQ ID NO:2;
  - sequence of SEQ ID NO:1;
  - (c) a nucleic acid molecule consisting of the nucleic acid sequence of SEQ ID NO:3; and
  - (d) a nucleotide sequence that is completely complementary to a nucleotide sequence of (a)-(c).
- 2. A nucleic acid vector comprising a nucleic acid molecule of claim 1.
  - 3. A host cell containing the vector of claim 2.
- 4. A process for producing a polypeptide comprising culturing the host cell of claim 3 under conditions sufficient 45 for the production of said polypeptide, and recovering the peptide from the host cell culture.

- 5. An isolated polynucleotide consisting of a nucleotide sequence set forth in SEQ ID NO:1.
- 6. An isolated polynucleotide consisting of a nucleotide sequence set forth in SEQ ID NO:3.
- 7. A vector according to claim 2, wherein said vector is (b) a nucleic acid molecule consisting of the nucleic acid 35 selected from the group consisting of a plasmid, virus, and bacteriophage.
  - 8. A vector according to claim 2, wherein said isolated nucleic acid molecule is inserted into said vector in proper orientation and correct reading frame such that the protein of SEQ ID NO:2 may be expressed by a cell transformed with said vector.
  - 9. A vector according to claim 8, wherein said isolated nucleic acid molecule is operatively linked to a promoter sequence.